

(S)-METHOPRENE
DEFECT, NOT APPLICABLE

Reviews	Treated	Reacted	Died
3	0	0	0
Sign		Number	Percent
PD-UNDERFILL, PACKAGE		2	67
PD-PRODUCT DEFECT		1	33

(S)-METHOPRENE
ORAL, DOG

Reviews	Treated	Reacted	Died
269	338	308	9
Sign		Number	Percent
DEPRESSION/LETHARGY		95	35
VOMITING		83	31
ATAXIA		71	26
ANOREXIA		61	23
NERVOUSNESS		29	11
TREMBLING		29	11
HYPERACTIVITY		24	9
DIARRHEA		22	8
APPREHENSION		17	6
INEFFECT, FLEAS		11	4
VOCALIZATION		11	4
HIDING		10	4
TWITCH		10	4
PRURITIS		9	3
CONVULSION(S)		8	3
BEHAVIOR DISORDER		7	3
CONFUSION		7	3
DIARRHEA, BLOODY		7	3
HYPERALIVATION		7	3
SHAKING		7	3
WEAKNESS		7	3
ALOPECIA		6	2
DYSPNEA		6	2
HALLUCINATION		6	2
HYPERPNEA		6	2
PACING		6	2
STAGGERING		6	2
ADIPSIA		5	2
DIARRHEA, MILD		5	2
DIZZINESS		5	2

(S)-METHOPRENE
ORAL, DOG

Reviews 269	Treated 338	Reacted 308	Died 9
Sign		Number	Percent
URINATION ABN		5	2
FEVER, BODY		4	1
HAIR, SHEDDING		4	1
MYDRIASIS		4	1
POLYPNEA		4	1
DIARRHEA, MUCOID		3	1
FROTH, MOUTH/LIP(S)		3	1
HEAD BOBBING		3	1
HEMATOCHEZIA		3	1
HYPERESTHESIA		3	1
PAIN, ABDOMEN		3	1
RASH		3	1
SGPT/ALT HI, BLD		3	1
SPASM		3	1
TACHYCARDIA		3	1
VOMITING, UNPRODUCTIVE		3	1
AGGRESSION		2	1
ALK PHOS HI, BLD		2	1
ANEMIA		2	1
APNEA		2	1
ARREST, HEART		2	1
BITING/CHEWING		2	1
DEATH		2	1
DEHYDRATION		2	1
DISCHARGE, EYE(S)/LID(S)		2	1
HEAD TILT		2	1
HEART DISORDER		2	1
HYPOSALIVATION		2	1
INFLAM, SKIN		2	1
LOCOMOTION DISORDER		2	1
ODOR		2	1
PAIN		2	1
PAPULE(S)		2	1
POLYURIA		2	1
RECUMBENCY		2	1
SHAKING, HEAD/FACE		2	1
SOUND ABN, RESPIRATORY		2	1
STARING		2	1
URTICARIA		2	1
WBC HI, BLD		2	1

(S)-METHOPRENE
ORAL, DOG

Reviews	Treated	Reacted	Died
269	338	308	9
Sign		Number	Percent
ACCIDENTAL EXPOSURE		1	
ALBUMIN LO, BLD		1	
ARRHYTHMIA		1	
ASCITES		1	
BLD, RECTUM		1	
BLD, SKIN		1	
BORBORYGMI		1	
BRADYCARDIA		1	
BUN HI, BLD		1	
CARDIOMEGALY		1	
CHLORIDE LO, BLD		1	
CHOLESTEROL HI, BLD		1	
CIRCLING		1	
CONGESTION, EYE(S)/LID		1	
CONGESTION, SKIN		1	
CONSTIPATION		1	
CPK HI, BLD		1	
DIARRHEA, SEVERE		1	
DISCOMFORT		1	
DISTRESS		1	
DYSMETRIA		1	
EDEMA		1	
EDEMA, BRISKET/CHEST		1	
EDEMA, LUNG(S)/TRACHEA		1	
EFFUSION, PERITONEAL		1	
FROTH		1	
GLOBULIN HI, BLD		1	
HEPATOMEGALY		1	
HYPERPIGMENTATION, SKI		1	
INCONTINENCE, URINARY		1	
LAMENESS		1	
LIVER DISORDER		1	
LIVER ENZYMES HI, BLD		1	
LYMPHS HI, BLD		1	
MASS, SKIN		1	
MELENA		1	
MIOSIS		1	
NA LO, BLD		1	
NAUSEA		1	
OBSTRUCTION, TRACHEA		1	

(S)-METHOPRENE
ORAL, DOG

Reviews	Treated	Reacted	Died
269	338	308	9
Sign		Number	Percent
P HI, BLD		1	
PANCREAS ENZYMES HI, B		1	
PARESIS		1	
PARESTHESIA		1	
PHOTOPHOBIA		1	
PLATELETS LO, BLD		1	
POLLAKEIURIA		1	
PR-TRACHEA, LESION(S)		1	
PROLAPSE, RECTUM		1	
PROTEIN(TOT) HI, BLD		1	
PRURITIS, TAIL		1	
PUPIL(S), AREFLEXIA		1	
ROLLING		1	
SGOT/AST HI, BLD		1	
SOMNOLENCE		1	
STIFFNESS		1	
STOMATITIS		1	
STUPOR		1	
TRACHITIS		1	
TREMBLING, FACE		1	
ULCER(S), SKIN		1	
VISION DISORDER		1	
VOMITING, BLOODY		1	

ACEPROMAZINE
ORAL, CAT

Reviews	Treated	Reacted	Died
1	3	3	1
Sign		Number	Percent
DEATH		1	100
SEDATION PROLONGED		1	100
SEDATION TOO DEEP		1	100
STUPOR		1	100

ACEPROMAZINE
ORAL, DOG

ACEPROMAZINE
ORAL, DOG

Reviews	Treated	Reacted	Died
4	4	4	1
Sign		Number	Percent
ANAPHYLAXIS/TOID		1	25
BREATHING ABN		1	25
CNS DISORDER		1	25
DEATH(EUTHANIZED)		1	25
DEPRESSION/LETHARGY		1	25
HEART DISORDER		1	25
INEFFECT, TRANQUILIZAT		1	25
SOMNOLENCE		1	25

ACEPROMAZINE
PARENTERAL, CAT

Reviews	Treated	Reacted	Died
2	51	6	2
Sign		Number	Percent
ANESTH RECOV PROLONGED		2	100
DEATH		2	100
APNEA		1	50
ATAXIA		1	50
STAGGERING		1	50

ACEPROMAZINE
PARENTERAL, HORSE

Reviews	Treated	Reacted	Died
2	2	2	0
Sign		Number	Percent
PROLAPSE, PENIS		2	100
PHALLITIS		1	50
PRIAPISM		1	50

ACEPROMAZINE
PARENTERAL, RABBIT

Reviews	Treated	Reacted	Died
1	10	10	0
Sign		Number	Percent

ACEPROMAZINE
PARENTERAL, RABBIT

Reviews	Treated	Reacted	Died
1	10	10	0
Sign		Number	Percent
INJ SITE NECROSIS		1	100

ACEPROMAZINE
UNKNOWN, CAT

Reviews	Treated	Reacted	Died
2	4	4	2
Sign		Number	Percent
BLD, MOUTH/LIP(S)		1	50
DEATH		1	50
DISCHARGE, MOUTH/LIP(S)		1	50
EPISTAXIS		1	50
INEFFECT, SEDATION		1	50

ACEPROMAZINE
UNKNOWN, DOG

Reviews	Treated	Reacted	Died
2	4	4	0
Sign		Number	Percent
BRADYCARDIA		1	50
HYPERACTIVITY		1	50
PRESSURE LO, BLD		1	50

ACEPROMAZINE
VARIOUS, VARIOUS

Reviews	Treated	Reacted	Died
1	3	3	2
Sign		Number	Percent
DEATH		1	100
DYSYPNEA		1	100

ALBENDAZOLE
DEFECT, NOT APPLICABLE

ALBENDAZOLE
DEFECT, NOT APPLICABLE

Reviews	Treated	Reacted	Died
3	0	0	0
Sign		Number	Percent
INEFFECT		1	33
PD-APPLICATOR, ABN		1	33
PD-UNDERFILL, PACKAGE		1	33

ALBENDAZOLE
ORAL, CATTLE

Reviews	Treated	Reacted	Died
1	216	216	0
Sign		Number	Percent
INEFFECT, SMALL STRONG		1	100
INEFFECT, STOMACH WORM		1	100
INEFFECT, STRONGYLES		1	100

ALBENDAZOLE
ORAL, DOG

Reviews	Treated	Reacted	Died
1	1	1	0
Sign		Number	Percent
ANOREXIA		1	100

ALBENDAZOLE
ORAL, SHEEP

Reviews	Treated	Reacted	Died
3	490	112	22
Sign		Number	Percent
ANOREXIA		1	33
DEATH		1	33
INEFFECT, LARGE STRONG		1	33
INEFFECT, TAPES		1	33
PR-SM INTEST, LESION(S)		1	33

ALTRENOGEST
PARENTERAL, HUMAN

ALTRENOGEST
PARENTERAL, HUMAN

Reviews	Treated	Reacted	Died
1	1	1	0
Sign		Number	Percent
HAIR, ABN		1	100
MAMMARY, HYPERPLASIA		1	100
WEIGHT INCREASE		1	100

ALTRENOGEST
TOPICAL, HUMAN

Reviews	Treated	Reacted	Died
1	2	2	0
Sign		Number	Percent
MENSES, ABNORMAL		1	100

AMIKACIN
DEFECT, NOT APPLICABLE

Reviews	Treated	Reacted	Died
3	0	0	0
Sign		Number	Percent
PD-CONTAINER(S), ABN		2	67
PD-MISSING, LABEL(S)		1	33

AMINOPENTAMIDE
DEFECT, NOT APPLICABLE

Reviews	Treated	Reacted	Died
3	0	0	0
Sign		Number	Percent
PD-MISSING, CAP		1	33
PD-SOLUTION, ABN		1	33
PD-UNDERFILL, VIAL(S)		1	33

AMINOPENTAMIDE
ORAL, CAT

Reviews	Treated	Reacted	Died
1	1	1	0

AMINOPENTAMIDE
ORAL, CAT

Reviews	Treated	Reacted	Died
1	1	1	0
Sign		Number	Percent
SOMNOLENCE		1	100

AMINOPENTAMIDE
PARENTERAL, CAT

Reviews	Treated	Reacted	Died
1	1	1	0
Sign		Number	Percent
MYDRIASIS		1	100

AMINOPENTAMIDE
UNKNOWN, CAT

Reviews	Treated	Reacted	Died
1	1	1	0
Sign		Number	Percent
CONSTIPATION		1	100

AMINOPENTAMIDE, ATTAPULGITE, BISMUTH, KANAMYCIN, PECTIN
DEFECT, NOT APPLICABLE

Reviews	Treated	Reacted	Died
1	0	0	0
Sign		Number	Percent
PD-CONTAM, MOLD		1	100

AMITRAZ
ORAL, HUMAN

Reviews	Treated	Reacted	Died
1	1	1	0
Sign		Number	Percent
STUPOR		1	100
UNCONSCIOUS		1	100

AMITRAZ
TOPICAL, DOG

Reviews	Treated	Reacted	Died
6	8	8	6
Sign		Number	Percent
DEATH		3	50
DEPRESSION/LETHARGY		3	50
ALK PHOS HI, BLD		1	17
ANOREXIA		1	17
ATAXIA		1	17
BLD, MOUTH/LIP(S)		1	17
CONSTIPATION		1	17
EDEMA, HEAD/FACE		1	17
FROTH, MOUTH/LIP(S)		1	17
GLUCOSE LO, BLD		1	17
HEAD TILT		1	17
HYPERACTIVITY		1	17
HYPERSALIVATION		1	17
HYPOTHERMIA		1	17
MELENA		1	17
MYDRIASIS		1	17
NEUROLOGICAL DISORDER		1	17
TREMBLING		1	17
WEAKNESS		1	17

AMITRAZ
TOPICAL, HUMAN

Reviews	Treated	Reacted	Died
5	5	5	0
Sign		Number	Percent
PRURITIS		3	60
CONGESTION, SKIN		2	40
INFLAM, SKIN		1	20
IRRITATION, EYE(S)/LID		1	20
PRURITIS, EYE(S)		1	20
RASH		1	20
SWELLING, LIMB(S)		1	20

AMOXICILLIN
DEFECT, NOT APPLICABLE

Reviews	Treated	Reacted	Died
---------	---------	---------	------

AMOXICILLIN
DEFECT, NOT APPLICABLE

Reviews	Treated	Reacted	Died
19	0	0	0
Sign		Number	Percent
PD-COLOR, ABN		5	26
PD-UNDERFILL, PACKAGE		3	16
PD-CONTAINER(S), ABN		2	11
PD-DISPENSER, ABN		2	11
PD-UNDERFILL, VIAL(S)		2	11
PD-UNKNOWN		2	11
PD-PRODUCT DEFECT		1	5
PD-SUSPENSION, ABN		1	5
PD-VIAL(S), ABN		1	5

AMOXICILLIN
INTRAMAMMARY, CATTLE

Reviews	Treated	Reacted	Died
1	26	16	0
Sign		Number	Percent
RESIDUE, MILK		1	100

AMOXICILLIN
ORAL, CAT

Reviews	Treated	Reacted	Died
2	2	2	0
Sign		Number	Percent
VOMITING		2	100

AMOXICILLIN
ORAL, DOG

Reviews	Treated	Reacted	Died
3	3	3	0
Sign		Number	Percent
VOMITING		2	67
DEPRESSION/LETHARGY		1	33
HEMATOCHEZIA		1	33

AMOXICILLIN
PARENTERAL, CAT

Reviews	Treated	Reacted	Died
3	3	3	1
Sign		Number	Percent
ANAPHYLAXIS/TOID		1	33
DEATH		1	33
EDEMA, LUNG(S)/TRACHEA		1	33
HYPERSALIVATION		1	33
INEFFECT, ANTIBIOTIC		1	33
SWELLING, HEAD/FACE		1	33

AMOXICILLIN
PARENTERAL, DOG

Reviews	Treated	Reacted	Died
2	2	2	1
Sign		Number	Percent
ANAPHYLAXIS/TOID		1	50
DEATH		1	50
DYSPNEA		1	50
HYPERSALIVATION		1	50
PR-INTEST, LESION(S)		1	50
SWELLING, HEAD/FACE		1	50

AMOXICILLIN
UNKNOWN, CAT

Reviews	Treated	Reacted	Died
1	1	1	0
Sign		Number	Percent
FEVER, BODY		1	100
POLYPNEA		1	100
STUPOR		1	100
VOCALIZATION		1	100

AMOXICILLIN
UNKNOWN, DOG

Reviews	Treated	Reacted	Died
1	1	1	0
Sign		Number	Percent

AMOXICILLIN
UNKNOWN, DOG

Reviews	Treated	Reacted	Died
1	1	1	0
Sign		Number	Percent
ANAPHYLAXIS/TOID		1	100
VOMITING		1	100
WEAKNESS		1	100

AMOXICILLIN, CLAVULANATE
DEFECT, NOT APPLICABLE

Reviews	Treated	Reacted	Died
46	0	0	0
Sign		Number	Percent
PD-COLOR, ABN		29	63
PD-SOLUTION, ABN		25	54
PD-UNDERFILL, PACKAGE		9	20
PD-TABLET(S), ABN		2	4
PD-UNDERFILL, VIAL(S)		2	4
PD-APPLICATOR, ABN		1	2
PD-CONTAM, MOLD		1	2
PD-DISPENSER, ABN		1	2
PD-GRANULES/POWDER, ABN		1	2
PD-PRODUCT DEFECT		1	2
PD-SEAL, ABN		1	2
PD-SUSPENSION, ABN		1	2
PD-UNKNOWN		1	2

AMOXICILLIN, CLAVULANATE
ORAL, CAT

Reviews	Treated	Reacted	Died
27	36	29	4
Sign		Number	Percent
VOMITING		7	26
ANOREXIA		6	22
DEPRESSION/LETHARGY		6	22
CONVULSION(S)		4	15
FEVER, BODY		3	11
ATAXIA		2	7
DIARRHEA		2	7
TWITCH		2	7

AMOXICILLIN, CLAVULANATE
ORAL, CAT

Reviews 27	Treated 36	Reacted 29	Died 4
Sign		Number	Percent
WBC HI, BLD		2	7
WEAKNESS		2	7
ALOPECIA		1	4
ANAPHYLAXIS/TOID		1	4
ANEMIA		1	4
APPLICATION SITE, ALOPECIA		1	4
ARREST, HEART		1	4
BANDS HI, BLD		1	4
BLINDNESS, TEMP		1	4
COLLAPSE		1	4
CONFUSION		1	4
CONGESTION, LUNG(S)		1	4
CPK HI, BLD		1	4
DEAFNESS, TEMP		1	4
DEATH		1	4
DEATH(EUTHANIZED)		1	4
DIARRHEA, BLOODY		1	4
DIARRHEA, MUCOID		1	4
DYSPNEA		1	4
GLOBULIN HI, BLD		1	4
GLUCOSE HI, BLD		1	4
HYPERSALIVATION		1	4
HYPOTHERMIA, BODY		1	4
INCONTINENCE, URINARY		1	4
INEFFECT		1	4
MONOS LO, BLD		1	4
NYSTAGMUS		1	4
ODOR, MOUTH		1	4
PD-COLOR, ABN		1	4
PD-SOLUTION, ABN		1	4
POLYPNEA		1	4
PR-BLADDER, LESION(S)		1	4
PR-LUNG(S), EDEMA		1	4
PR-LUNG(S), LESION(S)		1	4
RECUMBENCY		1	4
SALIVA, ABN		1	4
SGPT/ALT HI, BLD		1	4
SOMNOLENCE		1	4
STAGGERING		1	4
STUMBLING		1	4

AMOXICILLIN, CLAVULANATE
ORAL, CAT

Reviews	Treated	Reacted	Died
27	36	29	4
Sign		Number	Percent
STUPOR		1	4
UNPALATABLE		1	4
VESTIBULAR DISORDER		1	4
VOCALIZATION		1	4

AMOXICILLIN, CLAVULANATE
ORAL, DOG

Reviews	Treated	Reacted	Died
44	54	44	10
Sign		Number	Percent
VOMITING		10	23
ANOREXIA		9	20
DEATH		8	18
DEPRESSION/LETHARGY		6	14
DIARRHEA		5	11
FEVER, BODY		4	9
TREMBLING		4	9
ATAXIA		3	7
BUN HI, BLD		3	7
INEFFECT, ANTIBIOTIC		3	7
PR-SKIN, LESION(S)		3	7
PRURITIS		3	7
ANEMIA, AUTOIMMUNE HEM		2	5
ARREST, HEART		2	5
CONVULSION(S)		2	5
DEATH(EUTHANIZED)		2	5
DIFFICULTY RISING		2	5
DYSPNEA		2	5
EDEMA, HEAD/FACE		2	5
ICTERUS		2	5
LIVER ENZYMES HI, BLD		2	5
MELENA		2	5
SEGS HI, BLD		2	5
SGOT/AST HI, BLD		2	5
SGPT/ALT HI, BLD		2	5
VOCALIZATION		2	5
VOMITING, BLOODY		2	5
WEAKNESS		2	5

AMOXICILLIN, CLAVULANATE
ORAL, DOG

Reviews 44	Treated 54	Reacted 44	Died 10
Sign		Number	Percent
ALK PHOS HI, BLD		1	2
ANAPHYLAXIS/TOID		1	2
ANEMIA		1	2
ANEMIA, HEMOLYTIC		1	2
BLD, URINE		1	2
BREATHING ABN		1	2
CA LO, BLD		1	2
CONFUSION		1	2
DEATH(STILLBORN)		1	2
DYSMETRIA		1	2
ERUPTION(S)		1	2
HYPERESTHESIA		1	2
HYPERSALIVATION		1	2
ICTERUS, BODY		1	2
INCONTINENCE, URINARY		1	2
INEFFECT		1	2
INFECTION, SKIN		1	2
INTERACTION, DRUG(S)		1	2
NAUSEA		1	2
NYSTAGMUS		1	2
PAIN		1	2
PLATELETS LO, BLD		1	2
POLYDIPSIA		1	2
POLYPNEA		1	2
POLYURIA		1	2
PROTEIN(TOT) HI, BLD		1	2
SLOUGH, TONGUE		1	2
STOOL ABN		1	2
SWELLING, HEAD/FACE		1	2
SYNCOPE		1	2
THRASHING/PADDLING		1	2
TREMBLING, FACE		1	2
ULCER(S), MUCOCUTANEOU		1	2
ULCER(S), SKIN		1	2
URTICARIA		1	2
WBC LO, BLD		1	2
WEIGHT LOSS		1	2

AMOXICILLIN, CLAVULANATE

AMOXICILLIN, CLAVULANATE
UNKNOWN, CAT

Reviews	Treated	Reacted	Died
1	1	1	0
Sign		Number	Percent
CONVULSION(S)		1	100

AMPICILLIN
DEFECT, NOT APPLICABLE

Reviews	Treated	Reacted	Died
3	0	0	0
Sign		Number	Percent
PD-SOLUTION, ABN		2	67
PD-COLOR, ABN		1	33
PD-VIAL(S), DAMAGED		1	33

AMPICILLIN
PARENTERAL, DOG

Reviews	Treated	Reacted	Died
1	1	1	0
Sign		Number	Percent
ANAPHYLAXIS/TOID		1	100

AMPROLIUM
ORAL, DOG

Reviews	Treated	Reacted	Died
1	4	4	1
Sign		Number	Percent
BLD, URINE		1	100
CONVULSION(S)		1	100
MYDRIASIS		1	100
TREMBLING		1	100

ARECOLINE
ORAL, DOG

Reviews	Treated	Reacted	Died
1	2	2	1

ARECOLINE
ORAL, DOG

Reviews 1	Treated 2	Reacted 2	Died 1
Sign		Number	Percent
BRADYCARDIA		1	100
CONVULSION(S)		1	100
DEATH		1	100
PR-LIVER, LESION(S)		1	100
PR-LUNG(S), LESION(S)		1	100
SHOCK		1	100
STUPOR		1	100
TOX		1	100
UNCONSCIOUS		1	100

ATIPAMEZOLE
DEFECT, NOT APPLICABLE

Reviews 2	Treated 0	Reacted 0	Died 0
Sign		Number	Percent
PD-MISSING, LABEL(S)		1	50
PD-SOLUTION, ABN		1	50

ATIPAMEZOLE
MISSING, DOG

Reviews 1	Treated 1	Reacted 1	Died 0
Sign		Number	Percent
HYPERPNEA		1	100

ATIPAMEZOLE
PARENTERAL, CAT

Reviews 9	Treated 10	Reacted 10	Died 2
Sign		Number	Percent
HYPERSALIVATION		6	67
APNEA		2	22
HYPERPNEA		2	22
ANAPHYLAXIS/TOID		1	11

ATIPAMEZOLE
PARENTERAL, CAT

Reviews	Treated	Reacted	Died
9	10	10	2
Sign		Number	Percent
ANESTH RECOV PROLONGED		1	11
ARREST, HEART		1	11
ATAXIA		1	11
BLD, EAR(S)		1	11
COLLAPSE		1	11
CONGESTION, SKIN		1	11
DEATH		1	11
HORNER'S SYNDROME		1	11
HYPOTHERMIA		1	11
IRRITATION, EAR(S)		1	11
MUCOUS MEMBR, ABN COLO		1	11
PROLAPSE, THIRD EYELID		1	11
RECUMBENCY		1	11
SWELLING, HEAD/FACE		1	11
TWITCH		1	11
VOCALIZATION		1	11

ATIPAMEZOLE
PARENTERAL, DOG

Reviews	Treated	Reacted	Died
29	29	29	9
Sign		Number	Percent
DEATH		9	31
INEFFECT, REVERSAL		8	28
DEPRESSION/LETHARGY		4	14
APNEA		3	10
ARREST, HEART		3	10
HYPERPNEA		3	10
ALK PHOS HI, BLD		2	7
ANESTH RECOV PROLONGED		2	7
CONFUSION		2	7
CONVULSION(S)		2	7
HYPERACTIVITY		2	7
MORIBUND		2	7
PALLOR, MUCOUS MEMBRAN		2	7
POLYPNEA		2	7
SGPT/ALT HI, BLD		2	7
VOCALIZATION		2	7

ATIPAMEZOLE
PARENTERAL, DOG

Reviews 29	Treated 29	Reacted 29	Died 9
Sign		Number	Percent
ANOREXIA		1	3
ANURIA		1	3
BLD, LUNG(S)/TRACHEA		1	3
BRADYCARDIA		1	3
BUN HI, BLD		1	3
CIRCLING		1	3
COLLAPSE		1	3
CREATININE HI, BLD		1	3
DIARRHEA		1	3
DIC		1	3
EDEMA, LUNG(S)/TRACHEA		1	3
FEVER, BODY		1	3
HYPERESTHESIA		1	3
HYPOTHERMIA		1	3
ICTERUS, BODY		1	3
INCONTINENCE, URINARY		1	3
MURMUR, HEART		1	3
MYDRIASIS		1	3
NERVOUSNESS		1	3
OPISTHOTONOS		1	3
P HI, BLD		1	3
PR-HEART, LESION(S)		1	3
PR-MULT SITES, BLD		1	3
PR-STOMACH, LESION(S)		1	3
PROLAPSE, THIRD EYELID		1	3
RECUMBENCY		1	3
SEDATION RELAPSE		1	3
SEGS HI, BLD		1	3
SGOT/AST HI, BLD		1	3
SPASM		1	3
STARING		1	3
STOOL ABN		1	3
TREMBLING		1	3
TWITCH		1	3
VOMITING		1	3

ATIPAMEZOLE
SUPPOSITORY, DOG

ATIPAMEZOLE
SUPPOSITORY, DOG

Reviews	Treated	Reacted	Died
1	1	1	0
Sign		Number	Percent
INEFFECT, REVERSAL		1	100

ATIPAMEZOLE
UNKNOWN, CAT

Reviews	Treated	Reacted	Died
5	5	5	2
Sign		Number	Percent
APNEA		2	40
CONVULSION(S)		2	40
BRADYCARDIA		1	20
DEATH		1	20
DEPRESSION/LETHARGY		1	20
SPASM		1	20
VOCALIZATION		1	20

ATIPAMEZOLE
UNKNOWN, DOG

Reviews	Treated	Reacted	Died
11	11	11	3
Sign		Number	Percent
DEATH		3	27
DIARRHEA, BLOODY		3	27
APNEA		1	9
ARREST, HEART		1	9
DEPRESSION/LETHARGY		1	9
FEVER, BODY		1	9
FIBRILLATION, VENTRICU		1	9
HYPERSALIVATION		1	9
INEFFECT, REVERSAL		1	9
NERVOUSNESS		1	9
POLYPNEA		1	9
PR-STOMACH, LESION(S)		1	9
PRESSURE LO, BLD		1	9
SEDATION RELAPSE		1	9
TACHYCARDIA		1	9
TREMBLING		1	9

ATIPAMEZOLE
UNKNOWN, DOG

Reviews	Treated	Reacted	Died
11	11	11	3
Sign		Number	Percent
VOLVULUS, STOMACH		1	9

BACITRACIN, HYDROCORTISONE, NEOMYCIN, POLYMYXIN B
OPHTHALMIC, CAT

Reviews	Treated	Reacted	Died
1	1	1	0
Sign		Number	Percent
ANAPHYLAXIS/TOID		1	100
DYSPNEA		1	100
FEVER, BODY		1	100
FROTH, MOUTH/LIP(S)		1	100
GLUCOSE HI, BLD		1	100
LIPASE HI, BLD		1	100
MELENA		1	100
SGPT/ALT HI, BLD		1	100
VOMITING		1	100

BACITRACIN, HYDROCORTISONE, NEOMYCIN, POLYMYXIN B
OPHTHALMIC, NOT APPLICABLE

Reviews	Treated	Reacted	Died
1	0	0	0
Sign		Number	Percent
PD-UNDERFILL, TUBE(S)		1	100

BACITRACIN, NEOMYCIN, POLYMYXIN B
DEFECT, NOT APPLICABLE

Reviews	Treated	Reacted	Died
1	0	0	0
Sign		Number	Percent
PD-UNDERFILL, TUBE(S)		1	100

BACITRACIN, NEOMYCIN, POLYMYXIN B
OPHTHALMIC, CAT

BACITRACIN, NEOMYCIN, POLYMYXIN B
OPHTHALMIC, CAT

Reviews	Treated	Reacted	Died
3	5	5	1
Sign		Number	Percent
APNEA		1	33
ARREST, HEART		1	33
DEATH		1	33
HYPERPNEA		1	33
PALLOR		1	33
PULSE THREADY		1	33
SWELLING, EYE(S)/LID(S)		1	33
ULCER(S), CORNEA(S)		1	33
VOMITING		1	33

BALSAM PERU, TRYPSIN, CASTOR OIL
INHALATION, HUMAN

Reviews	Treated	Reacted	Died
1	1	1	0
Sign		Number	Percent
BRONCHITIS		1	100
CHOKING		1	100
COUGHING		1	100

BETAMETHASONE
PARENTERAL, DOG

Reviews	Treated	Reacted	Died
2	11	11	0
Sign		Number	Percent
BRADYCARDIA		1	50
DEPRESSION/LETHARGY		1	50
POLYURIA		1	50
PUPIL(S), AREFLEXIA		1	50
RECUMBENCY		1	50

BETAMETHASONE, CLOTRIMAZOLE, GENTAMICIN
ORAL, DOG

Reviews	Treated	Reacted	Died
5	5	5	0

BETAMETHASONE, CLOTRIMAZOLE, GENTAMICIN
ORAL, DOG

Reviews	Treated	Reacted	Died
5	5	5	0
Sign	Number		Percent
DIARRHEA	2		40
VOMITING	2		40
DIARRHEA, MILD	1		20

BETAMETHASONE, CLOTRIMAZOLE, GENTAMICIN
TOPICAL, DOG

Reviews	Treated	Reacted	Died
66	74	74	2
Sign	Number		Percent
DEAFNESS, TEMP	48		73
DEAFNESS	10		15
ATAXIA	3		5
DEAFNESS, PARTIAL	3		5
HEAD TILT	2		3
CONGESTION, EYE(S)/LID	1		2
CONGESTION, SKIN	1		2
DEATH(STILLBORN)	1		2
DEPRESSION/LETHARGY	1		2
INEFFECT, OTHER DRUG(S)	1		2
INFLAM, SKIN	1		2
IRRITATION, EAR(S)	1		2
TWITCH	1		2
VESTIBULAR DISORDER	1		2
WEAKNESS	1		2

BETAMETHASONE, GENTAMICIN
DEFECT, NOT APPLICABLE

Reviews	Treated	Reacted	Died
3	0	0	0
Sign	Number		Percent
PD-PRODUCT DEFECT	2		67
PD-VIAL(S), LEAKING	1		33

BETAMETHASONE, GENTAMICIN
OPHTHALMIC, CAT

BETAMETHASONE, GENTAMICIN
OPHTHALMIC, CAT

Reviews	Treated	Reacted	Died
4	4	4	0
Sign		Number	Percent
STAGGERING		2	50
ANOREXIA		1	25
BALANCE DISORDER		1	25
DEPRESSION/LETHARGY		1	25
EYE DISORDER		1	25
RELUCTANT TO MOVE		1	25
SWELLING, EYE(S)/LID(S)		1	25
ULCER(S), CORNEA(S)		1	25
VOMITING		1	25
WEIGHT LOSS		1	25

BETAMETHASONE, GENTAMICIN
TOPICAL, CAT

Reviews	Treated	Reacted	Died
1	1	1	0
Sign		Number	Percent
ANISOCORIA		1	100
ATAXIA		1	100

BETAMETHASONE, GENTAMICIN
TOPICAL, DOG

Reviews	Treated	Reacted	Died
5	5	5	1
Sign		Number	Percent
DEAFNESS, TEMP		2	40
ANEMIA		1	20
APPLICATION SITE INFLAM		1	20
BUN HI, BLD		1	20
CREATININE HI, BLD		1	20
DEAFNESS		1	20
DEATH(EUTHANIZED)		1	20
POLYDIPSIA		1	20
POLYURIA		1	20
RELUCTANT TO MOVE		1	20

BETAMETHASONE, GENTAMICIN
TOPICAL, HUMAN

Reviews	Treated	Reacted	Died
1	1	1	0
Sign		Number	Percent
APPLICATION SITE ERYTHEMA		1	100

BUTORPHANOL
DEFECT, NOT APPLICABLE

Reviews	Treated	Reacted	Died
11	0	0	0
Sign		Number	Percent
PD-TABLET(S), ABN		5	45
PD-SEAL, ABN		3	27
PD-UNDERFILL, VIAL(S)		2	18
PD-VIAL(S), DAMAGED		2	18
PD-COLOR, ABN		1	9
PD-CONTAINER(S), DAMAG		1	9
PD-VIAL(S), LEAKING		1	9

BUTORPHANOL
MISSING, CAT

Reviews	Treated	Reacted	Died
2	3	3	3
Sign		Number	Percent
DEATH		2	100
BLD, MOUTH/LIP(S)		1	50
EPISTAXIS		1	50

BUTORPHANOL
MISSING, DOG

Reviews	Treated	Reacted	Died
1	1	1	1
Sign		Number	Percent
DEATH		1	100

BUTORPHANOL
ORAL, CAT

BUTORPHANOL
ORAL, CAT

Reviews	Treated	Reacted	Died
1	1	1	1
Sign		Number	Percent
APPREHENSION		1	100

BUTORPHANOL
ORAL, DOG

Reviews	Treated	Reacted	Died
4	4	4	0
Sign		Number	Percent
DEPRESSION/LETHARGY		2	50
LIVER ENZYMES HI, BLD		2	50
ALK PHOS HI, BLD		1	25
SGPT/ALT HI, BLD		1	25

BUTORPHANOL
ORAL, VARIOUS

Reviews	Treated	Reacted	Died
1	3	3	0
Sign		Number	Percent
LIVER ENZYMES HI, BLD		1	100

BUTORPHANOL
PARENTERAL, CAT

Reviews	Treated	Reacted	Died
12	33	33	3
Sign		Number	Percent
ANESTH RECOV PROLONGED		3	25
DEATH		3	25
ANESTH RECOV TURBULENT		2	17
ATAXIA		2	17
ANAPHYLAXIS/TOID		1	8
APNEA		1	8
ARREST, HEART		1	8
BLD, RETINA		1	8
CONVULSION(S)		1	8
DEPRESSION/LETHARGY		1	8

BUTORPHANOL
PARENTERAL, CAT

Reviews	Treated	Reacted	Died
12	33	33	3
Sign		Number	Percent
EDEMA, HEAD/FACE		1	8
FEVER, BODY		1	8
HYPERACTIVITY		1	8
HYPOTHERMIA, BODY		1	8
INJ SITE PAIN		1	8
MYDRIASIS		1	8
RECUMBENCY		1	8
SWELLING, FEET/DIGIT(S)		1	8
THRASHING/PADDLING		1	8
VISION DISORDER		1	8
VOCALIZATION		1	8

BUTORPHANOL
PARENTERAL, CATTLE

Reviews	Treated	Reacted	Died
1	2	2	0
Sign		Number	Percent
INEFFECT, ANALGESIA		1	100
PD-POTENCY, LO		1	100

BUTORPHANOL
PARENTERAL, DOG

Reviews	Treated	Reacted	Died
6	49	49	1
Sign		Number	Percent
ANESTH RECOV TURBULENT		1	17
CONVULSION(S)		1	17
DEATH		1	17
INEFFECT, ANESTHESIA		1	17
INTERACTION, DRUG(S)		1	17
RECUMBENCY		1	17

BUTORPHANOL
PARENTERAL, HORSE

BUTORPHANOL
PARENTERAL, HORSE

Reviews	Treated	Reacted	Died
1	1	1	0
Sign		Number	Percent
DYSPNEA		1	100
HYPERPNEA		1	100
INTERACTION, DRUG(S)		1	100

BUTORPHANOL
UNKNOWN, CAT

Reviews	Treated	Reacted	Died
3	102	5	4
Sign		Number	Percent
DEATH		2	67
ANISOCORIA		1	33
MYDRIASIS		1	33
URINATION		1	33

BUTORPHANOL
UNKNOWN, DOG

Reviews	Treated	Reacted	Died
3	17	6	1
Sign		Number	Percent
BLOAT		1	33
DEATH		1	33
DIARRHEA		1	33
DISTENTION, ABDOMEN		1	33
HYPOMOTILITY		1	33

BUTORPHANOL
UNKNOWN, RABBIT

Reviews	Treated	Reacted	Died
1	1	1	1
Sign		Number	Percent
APNEA		1	100
DEATH		1	100

BUTORPHANOL
UNKNOWN, VARIOUS

Reviews	Treated	Reacted	Died
2	12	12	0
Sign		Number	Percent
ANESTH RECOV PROLONGED		1	50
INEFFECT, ANESTHESIA		1	50
PD-VIAL(S), ABN		1	50

CARBADOX
ORAL, HORSE

Reviews	Treated	Reacted	Died
2	2	2	2
Sign		Number	Percent
COLLAPSE		1	50
DEATH		1	50
DISTRESS, RESP		1	50
PAIN, ABDOMEN		1	50

CARPROFEN
DEFECT, NOT APPLICABLE

Reviews	Treated	Reacted	Died
66	0	0	0
Sign		Number	Percent
PD-TABLET(S), ABN		21	32
PD-SEAL, ABN		13	20
PD-PRODUCT DEFECT		10	15
PD-ODOR, ABN		6	9
PD-UNDERFILL, PACKAGE		4	6
PD-UNDERFILL, VIAL(S)		4	6
PD-CAP(S), ABN		3	5
PD-UNKNOWN		3	5
UNPALATABLE		3	5
PD-CONTAINER(S), DAMAG		1	2
PD-MISSING, LABEL(S)		1	2
PD-TUBE(S), ABN		1	2

CARPROFEN
MISSING, DOG

CARPROFEN
MISSING, DOG

Reviews	Treated	Reacted	Died
1	1	1	0
Sign		Number	Percent
ALK PHOS HI, BLD		1	100
ANOREXIA		1	100
BILIRUBIN(TOT) HI, BLD		1	100
SGPT/ALT HI, BLD		1	100

CARPROFEN
ORAL, CAT

Reviews	Treated	Reacted	Died
104	131	104	5
Sign		Number	Percent
VOMITING		47	45
DEPRESSION/LETHARGY		33	32
BUN HI, BLD		26	25
ANOREXIA		25	24
CREATININE HI, BLD		24	23
LIVER ENZYMES HI, BLD		9	9
DEHYDRATION		7	7
SGPT/ALT HI, BLD		7	7
VOMITING, BLOODY		7	7
P HI, BLD		6	6
FEVER, BODY		5	5
ANEMIA		4	4
BILIRUBIN(TOT) HI, BLD		4	4
DIARRHEA		4	4
GLUCOSE HI, BLD		4	4
KIDNEY FAILURE		4	4
DEATH		3	3
MELENA		3	3
WEAKNESS		3	3
ACCIDENTAL EXPOSURE		2	2
ALK PHOS HI, BLD		2	2
ANISOCORIA		2	2
ATAXIA		2	2
BLD, URINE		2	2
CASTS, URINE		2	2
DEATH(EUTHANIZED)		2	2
HYPERSALIVATION		2	2
ICTERUS, BODY		2	2

CARPROFEN
ORAL, CAT

Reviews 104	Treated 131	Reacted 104	Died 5
Sign		Number	Percent
K HI, BLD		2	2
PROTEIN(TOT) HI, BLD		2	2
PROTEIN, URINE		2	2
ADIPSIA		1	1
AGGRESSION		1	1
ALBUMIN HI, BLD		1	1
ALKALINE URINE		1	1
AZOTEMIA		1	1
BEHAVIOR DISORDER		1	1
BLD(HEMATOMA)		1	1
BLD, RECTUM		1	1
CHLORIDE LO, BLD		1	1
CHOLESTEROL HI, BLD		1	1
CO2 LO, BLD		1	1
COAGULATION DISORDER		1	1
CONSTIPATION		1	1
DIARRHEA, BLOODY		1	1
DIARRHEA, MILD		1	1
DYSPNEA		1	1
GAGGING		1	1
GINGIVITIS		1	1
GLOBULIN HI, BLD		1	1
GLUCOSE, URINE		1	1
HEMATOCHEZIA		1	1
HIDING		1	1
HYPERACTIVITY		1	1
HYPERESTHESIA		1	1
HYPOTHERMIA		1	1
ICTERUS, SERUM		1	1
KIDNEY DISORDER		1	1
KIDNEY VALUES HI, BLD		1	1
LYMPHS LO, BLD		1	1
MUCOUS MEMBR, ABN COLO		1	1
MYDRIASIS		1	1
NA LO, BLD		1	1
NEUROLOGICAL DISORDER		1	1
ODOR, MOUTH		1	1
OLIGURIA		1	1
PAIN		1	1
PALLOR		1	1

CARPROFEN
ORAL, CAT

Reviews	Treated	Reacted	Died
104	131	104	5
Sign		Number	Percent
PALLOR, MUCOUS MEMBRAN		1	1
POLYDIPSIA		1	1
POSTURE ABN		1	1
PR-SM INTEST, LESION(S)		1	1
PR-STOMACH, LESION(S)		1	1
PROLAPSE, THIRD EYELID		1	1
SEGS HI, BLD		1	1
SPEC GRAVITY LO, URINE		1	1
STOMATITIS		1	1
TWITCH		1	1
ULCER(S), PYLORUS		1	1

CARPROFEN
ORAL, DOG

Reviews	Treated	Reacted	Died
2423	2570	2464	473
Sign		Number	Percent
VOMITING		777	32
SGPT/ALT HI, BLD		659	27
ALK PHOS HI, BLD		639	26
ANOREXIA		592	24
DEPRESSION/LETHARGY		544	22
BILIRUBIN(TOT) HI, BLD		308	13
DEATH		244	10
BUN HI, BLD		240	10
DIARRHEA		239	10
CREATININE HI, BLD		199	8
SGOT/AST HI, BLD		183	8
DEATH(EUTHANIZED)		178	7
ANEMIA		165	7
ICTERUS, BODY		160	7
LIVER ENZYMES HI, BLD		148	6
CONVULSION(S)		126	5
WBC HI, BLD		126	5
POLYDIPSIA		125	5
ATAXIA		124	5
MELENA		111	5
PR-LIVER, LESION(S)		91	4

CARPROFEN
ORAL, DOG

Reviews 2423	Treated 2570	Reacted 2464	Died 473
Sign		Number	Percent
INTERACTION, DRUG(S)		90	4
WEIGHT LOSS		89	4
ALBUMIN LO, BLD		87	4
POLYURIA		87	4
PLATELETS LO, BLD		86	4
WEAKNESS		84	3
DIARRHEA, BLOODY		69	3
CHOLESTEROL HI, BLD		64	3
VOMITING, BLOODY		62	3
AMYLASE HI, BLD		61	3
BLD, URINE		59	2
POLYPNEA		57	2
P HI, BLD		54	2
CONFUSION		52	2
FEVER, BODY		50	2
RECUMBENCY		48	2
GGT HI, BLD		45	2
HEMATOCHEZIA		45	2
KIDNEY FAILURE		44	2
SPEC GRAVITY LO, URINE		42	2
PROTEIN(TOT) LO, BLD		41	2
US-LIVER ABN		38	2
ICTERUS		35	1
INCONTINENCE, URINARY		35	1
DEHYDRATION		33	1
PARESIS, HIND LIMB(S)		33	1
HEPATOMEGALY		32	1
PAIN, ABDOMEN		32	1
RADIOGRAPH(S) ABN		31	1
AGGRESSION		30	1
COLLAPSE		30	1
PROTEIN, URINE		30	1
DYSPNEA		29	1
HEAD TILT		29	1
HYPERACTIVITY		29	1
LIPASE HI, BLD		29	1
LIVER DISORDER		29	1
ALOPECIA		28	1
ANEMIA, AUTOIMMUNE HEM		28	1
BILE ACIDS HI, BLD		28	1

CARPROFEN
ORAL, DOG

Reviews 2423	Treated 2570	Reacted 2464	Died 473
Sign		Number	Percent
BILIRUBIN, URINE		28	1
EPISTAXIS		27	1
GLUCOSE HI, BLD		25	1
ASCITES		24	1
PALLOR, MUCOUS MEMBRAN		24	1
PR-KIDNEY(S), LESION(S		24	1
PRURITIS		24	1
SEGS HI, BLD		24	1
BEHAVIOR DISORDER		23	1
COAGULATION DISORDER		23	1
HYPERSALIVATION		23	1
NYSTAGMUS		23	1
NERVOUSNESS		22	1
VESTIBULAR DISORDER		22	1
ADIPSIA		21	1
TREMBLING		21	1
DISTENTION, ABDOMEN		20	1
ABN COLOR, URINE		19	1
ANEMIA, REGEN		19	1
DIARRHEA, MILD		19	1
INEFFECT, ANALGESIA		19	1
LIVER FAILURE		19	1
PANCREATITIS		19	1
APPREHENSION		18	1
GLUCOSE, URINE		18	1
TACHYCARDIA		18	1
WBC LO, BLD		18	1
HYPERPNEA		17	1
ULCER(S), GI		17	1
ICTERUS, SERUM		16	1
PARESIS		16	1
VOCALIZATION		16	1
PR-STOMACH, LESION(S)		15	1
US ABN		15	1
CA HI, BLD		14	1
GLOBULIN HI, BLD		14	1
PALLOR		14	1
THYROID HORMONE(S) LO		14	1
BLD(ECCHYMOSES)		13	1
BLD(PETECHIAE)		13	1

CARPROFEN
ORAL, DOG

Reviews 2423	Treated 2570	Reacted 2464	Died 473
Sign		Number	Percent
DERMATITIS, MOIST		13	1
STAGGERING		13	1
ULCER(S), STOMACH		13	1
CASTS, URINE		12	
CIRCLING		12	
GLUCOSE LO, BLD		12	
HEPATITIS		12	
K HI, BLD		12	
KIDNEY VALUES HI, BLD		12	
SHOCK		12	
ULCER(S), MOUTH/LIP(S)		12	
BANDS HI, BLD		11	
BLD, MOUTH/LIP(S)		11	
BLINDNESS		11	
CONGESTION, SKIN		11	
PROTEIN(TOT) HI, BLD		11	
SPLENOMEGALY		11	
ANEMIA, HEMOLYTIC		10	
BLD, RECTUM		10	
COOMBS TEST POS		10	
CPK HI, BLD		10	
KIDNEY DISORDER		10	
PACING		10	
PR-SM INTEST, LESION(S)		10	
ALBUMIN HI, BLD		9	
ANURIA		9	
EDEMA, HEAD/FACE		9	
HAIR, SHEDDING		9	
INCONTINENCE, FECAL		9	
INEFFECT, ANTIINFLAM		9	
NEUROLOGICAL DISORDER		9	
PARALYSIS, HIND LIMB(S)		9	
PR-PANCREAS, LESION(S)		9	
PR-SPLEEN, LESION(S)		9	
RETICULOCYTES HI, BLD		9	
BLD		8	
BUN LO, BLD		8	
CA LO, BLD		8	
CHLORIDE LO, BLD		8	
CONSTIPATION		8	

CARPROFEN
ORAL, DOG

Reviews 2423	Treated 2570	Reacted 2464	Died 473
Sign		Number	Percent
DIARRHEA, SEVERE		8	
DIFFICULTY RISING		8	
EDEMA, LIMB(S)		8	
INFLAM, SKIN		8	
LYMPHS HI, BLD		8	
NA LO, BLD		8	
PERITONITIS		8	
POLYCYTHEMIA		8	
PT PROLONGED, BLD		8	
PTT PROLONGED, BLD		8	
AZOTEMIA		7	
BLD, ABDOMEN		7	
COUGHING		7	
DEAFNESS		7	
DIARRHEA, WATERY		7	
GASTROENTERITIS		7	
INCONTINENCE		7	
INFECTION, URINARY TRA		7	
K LO, BLD		7	
PAIN		7	
PICA		7	
RBC, ANISO		7	
SHAKING		7	
STOOL, MUCOID		7	
SWELLING, HEAD/FACE		7	
TRIGLYCERIDES HI, BLD		7	
URTICARIA		7	
VOMITING, SEVERE		7	
WBC, URINE		7	
DIABETES MELLITUS		6	
DIARRHEA, MUCOID		6	
ILL		6	
MICROORANISMS, URINE		6	
POLYPHAGIA		6	
RBC, POLYCHROM		6	
RELUCTANT TO MOVE		6	
SCALE(S), SKIN		6	
SEGS LO, BLD		6	
SOMNOLENCE		6	
STUMBLING		6	

CARPROFEN
ORAL, DOG

Reviews 2423	Treated 2570	Reacted 2464	Died 473
Sign		Number	Percent
VOMITING, UNPRODUCTIVE		6	
ARRHYTHMIA		5	
BLD, EYE(S)		5	
BLD, GI		5	
CRYSTALS, URINE		5	
DIC		5	
EDEMA		5	
EFFUSION, PERICARDIAL		5	
GAGGING		5	
GLOBULIN LO, BLD		5	
HAIR, ABN		5	
INEFFECT, LOSS OF EFFE		5	
INFECTION, SKIN		5	
LYMPHS LO, BLD		5	
MYDRIASIS		5	
PLATELETS HI, BLD		5	
RBC, NUCLEATED		5	
SKIN, CRUST(S)		5	
STOOL ABN		5	
STUPOR		5	
UVEITIS		5	
ANEMIA, SPHERO		4	
BILIRUBIN(DIR) HI, BLD		4	
BLD, LUNG(S)/TRACHEA		4	
BREATHING ABN		4	
CACHEXIA		4	
CAPILLARY REFILL PROLO		4	
COLITIS		4	
CYSTITIS		4	
DEATH(TX FAILURE)		4	
DEMENTIA		4	
DISCHARGE, NOSE		4	
DIZZINESS		4	
EFFUSION, PERITONEAL		4	
FLATULENCE		4	
HEAD PRESSING		4	
HEMOGLOBIN, URINE		4	
HYPERESTHESIA		4	
LESION(S), SKIN		4	
MASS, ABDOMEN		4	

CARPROFEN
ORAL, DOG

Reviews 2423	Treated 2570	Reacted 2464	Died 473
Sign		Number	Percent
MONOS HI, BLD		4	
MURMUR, HEART		4	
NA HI, BLD		4	
NEOPLASM		4	
ODOR, MOUTH		4	
PAIN, BACK		4	
PANCREAS ENZYMES HI, B		4	
PERFORATION, STOMACH		4	
PR-HEART, LESION(S)		4	
PROPRIOCEPTIVE DISORDE		4	
RASH		4	
TWITCH		4	
UNCONSCIOUS		4	
ACIDOSIS		3	
ANEMIA, BLD LOSS		3	
ARREST, HEART		3	
BITING/CHEWING		3	
BLD(HEMATOMA)		3	
BLD, ANUS		3	
BLD, THORAX		3	
BLD, VAGINA		3	
BLINDNESS, TEMP		3	
BLOAT		3	
CALCULI, URINE		3	
DIABETES M, POOR REGUL		3	
DISTRESS, RESP		3	
DYSPHAGIA		3	
EDEMA, LUNG(S)/TRACHEA		3	
EFFUSION, PLEURAL		3	
ENLARGEMENT, LYMPH NOD		3	
ERUCTATION		3	
EXERCISE INTOLERANCE		3	
GASTRITIS		3	
HIDING		3	
HYPOTHERMIA		3	
HYPOTHERMIA, BODY		3	
INSOMNIA		3	
KETONES, URINE		3	
LAMENESS		3	
MORIBUND		3	

CARPROFEN
ORAL, DOG

Reviews	Treated	Reacted	Died
2423	2570	2464	473
Sign		Number	Percent
NAUSEA		3	
NEOPLASM, LIVER		3	
ODOR, URINE		3	
P LO, BLD		3	
PAIN, JOINT(S)		3	
PARALYSIS		3	
PERFORATION, GI		3	
POLLAKIURIA		3	
POLYCYTHEMIA(RELATIVE)		3	
PR-GI, LESION(S)		3	
PR-SKIN, LESION(S)		3	
PULSE THREADY		3	
RETINA ABN		3	
SEDATION		3	
SKIN DISORDER		3	
SKIN, DRY		3	
SLEEP ABN		3	
STARING		3	
STIFFNESS		3	
SWELLING, LIMB(S)		3	
ULCER(S), PYLORUS		3	
ULCER(S), SKIN		3	
ULCER(S), TONGUE		3	
UREMIA		3	
UROBILINOGEN HI, URINE		3	
VESICLE(S)/BULLAE, SKI		3	
WEIGHT INCREASE		3	
A/G RATIO LO, BLD		2	
ACCIDENTAL EXPOSURE		2	
ACID URINE		2	
AMMONIA HI, BLD		2	
APLASIA, BONE MARROW		2	
ARTHRITIS		2	
ATROPHY, MUSCLE(S)		2	
BALANCE DISORDER		2	
BILIRUBIN(IND) HI, BLD		2	
BORBORYGMI		2	
CARDIOMEGALY		2	
CHOLESTEROL LO, BLD		2	
CO2 HI, BLD		2	

CARPROFEN
ORAL, DOG

Reviews 2423	Treated 2570	Reacted 2464	Died 473
Sign		Number	Percent
CONGESTION, EAR(S)		2	
CREATININE LO, BLD		2	
DEAFNESS, PARTIAL		2	
DEFECATION		2	
DISTRESS		2	
ECG, ABN		2	
EDEMA, VENTRAL		2	
ENTERITIS		2	
ERUPTION(S)		2	
FIBROSIS		2	
GI, ABNORMAL		2	
GINGIVITIS		2	
GLAUCOMA		2	
GLOSSITIS		2	
HEART DISORDER		2	
HYPERPIGMENTATION, SKI		2	
HYPHEMA		2	
HYPOADRENOCORTICISM		2	
KERATOCONJUNCTIVITIS S		2	
LICKING		2	
LIPIDS HI, BLD		2	
LOCOMOTION DISORDER		2	
MASS, SKIN		2	
MG LO, BLD		2	
MICROORGANISMS, URINE		2	
NECROSIS		2	
NOSE ABN		2	
NYSTAGMUS, ROTARY		2	
OLIGURIA		2	
PANCREAS DISORDER		2	
PARALYSIS, FACIAL NERV		2	
PR-BONE MARROW, LESION		2	
PR-COLON, LESION(S)		2	
PR-INTEST, LESION(S)		2	
PR-LUNG(S), EDEMA		2	
PR-LUNG(S), LESION(S)		2	
PR-MESENTERY, LESION(S)		2	
PRESSURE HI, BLD		2	
PROLAPSE, THIRD EYELID		2	
PRURITIS, FEET/DIGIT(S)		2	

CARPROFEN
ORAL, DOG

Reviews	Treated	Reacted	Died
2423	2570	2464	473
Sign		Number	Percent
PUPIL(S), AREFLEXIA		2	
PUSTULE(S)		2	
RBC ABN		2	
REFLEX(ES) ABN		2	
RETICULOCYTES LO, BLD		2	
SEDATION PROLONGED		2	
SHAKING, HEAD/FACE		2	
SKIN, SCAB(S)		2	
SNEEZING		2	
SOUND ABN, RESPIRATORY		2	
SWELLING, EYE(S)/LID(S)		2	
TENESMUS, RECTAL		2	
TONGUE, ABN		2	
UNPALATABLE		2	
URINATION ABN		2	
URINE ABN		2	
ABN ODOR, URINE		1	
AGRANULOCYTOSIS, BLD		1	
ANA POS		1	
ANESTH RECOV PROLONGED		1	
ANISOCORIA		1	
APNEA		1	
BASOS HI, BLD		1	
BLD, EAR(S)		1	
BLD, MULT SITES		1	
BLD, PASSING		1	
BLD, RETINA		1	
BLEPHAROSPASM		1	
BRADYCARDIA		1	
BREATHING, DIFFICULT		1	
CA/P RATIO LO, BLD		1	
CATARACT(S)		1	
CHLORIDE HI, BLD		1	
CNS INFARCT		1	
CONGESTION		1	
CONGESTION, EYE(S)/LID		1	
CONGESTION, MUCOUS MEM		1	
CONJUNCTIVITIS		1	
CSF ABN		1	
CYANOSIS		1	

CARPROFEN
ORAL, DOG

Reviews 2423	Treated 2570	Reacted 2464	Died 473
Sign		Number	Percent
CYANOSIS, MUCOUS MEMBR		1	
DEAFNESS, TEMP		1	
DEFECATION ABN		1	
DIARRHEA, PROJECTILE		1	
DISCHARGE, EYE(S)/LID(S)		1	
DISCOMFORT		1	
DISSOCIATION		1	
DYSMETRIA		1	
EDEMA, LARYNX		1	
EDEMA, MULTIPLE SITES		1	
EDEMA, SCROTUM		1	
EFFUSION, JOINT(S)		1	
ENCEPHALOPATHY		1	
EOSINOS HI, BLD		1	
EPIPHORA		1	
EYE DISORDER		1	
FEVER, JOINT(S)		1	
GRANULOMA		1	
HCO3 HI, BLD		1	
HEAD BOBBING		1	
HEART FAILURE		1	
HYPERKERATOSIS		1	
HYPOPNEA		1	
IMPROVEMENT, UNEXPECT		1	
INFECTION		1	
INFECTION, FEET/DIGIT(1	
INFLAM		1	
JOINT DISORDER		1	
KETOSIS		1	
LDH HI, BLD		1	
LICKING, FEET/DIGIT(S)		1	
MONOS LO, BLD		1	
MUCOUS MEMBR, ABN COLO		1	
MUCOUS MEMBR, RED		1	
MYOGLOBIN, URINE		1	
NA:K LO, BLD		1	
NEPHRITIS		1	
NEUROPATHY		1	
NYSTAGMUS, HORIZONTAL		1	
ODOR		1	

CARPROFEN
ORAL, DOG

Reviews	Treated	Reacted	Died
2423	2570	2464	473
Sign		Number	Percent
OTITIS		1	
PAIN, HIND LIMB(S)		1	
PAIN, NECK		1	
PANCYTOPENIA		1	
PAPULE(S)		1	
PLATELETS ABN		1	
PNEUMONIA, ASPIRATION		1	
PR-ASCITES		1	
PR-LYMPH NODE(S), LESI		1	
PR-MULT SITES, CONGEST		1	
PR-NERVE(S), LESION(S)		1	
PR-NOSE, LESION(S)		1	
PR-PERITONEAL EFFUSION		1	
PR-SM INTEST, LESION(S)		1	
PR-TONGUE, LESION(S)		1	
PR-WHOLE BODY, LESION(S)		1	
PRESSURE LO, BLD		1	
PROTRUSION, EYE(S)		1	
RBC, MICRO		1	
REFLUX, STOMACH		1	
RELUCTANT TO CLIMB		1	
REPRODUCTION DISORDER		1	
RESPIRATORY DISORDER		1	
RUPTURE, STOMACH		1	
SEBORRHEA		1	
SHOCK, ENDOTOXEMIA		1	
SKIN, NECROSIS		1	
SLOUGH, FEET/DIGIT(S)		1	
SLOUGH, TONGUE		1	
SOUND ABN, VOICE		1	
SPASM		1	
SPEC GRAVITY HI, URINE		1	
STIFFNESS, HIND LIMB(S)		1	
STRANGURIA		1	
SWELLING		1	
SWELLING, ANUS		1	
SWELLING, EAR(S)		1	
SWELLING, JOINT(S)		1	
SWELLING, NECK		1	
SWELLING, TONGUE		1	

CARPROFEN
ORAL, DOG

Reviews	Treated	Reacted	Died
2423	2570	2464	473
Sign		Number	Percent
SWELLING, VENTRUM		1	
TEETH, ABN		1	
TENESMUS		1	
TREMBLING, FACE		1	
ULCER(S)		1	
ULCER(S), CORNEA(S)		1	
ULCER(S), MUCOCUTANEOU		1	
URINATION		1	
VASCULITIS		1	
VESICLE(S)/BULLAE, MOU		1	
VISION DISORDER		1	

CARPROFEN
ORAL, HUMAN

Reviews	Treated	Reacted	Died
1	1	1	0
Sign		Number	Percent
AGGRESSION		1	100
DEPRESSION/LETHARGY		1	100
VOMITING		1	100

CARPROFEN
ORAL, OTHER

Reviews	Treated	Reacted	Died
4	4	4	1
Sign		Number	Percent
ATAXIA		1	25
EPISTAXIS		1	25
LIVER ENZYMES HI, BLD		1	25
MASS, SKIN		1	25
POLYPNEA		1	25
PROPRIOCEPTIVE DISORDE		1	25
REFLEX(ES) ABN		1	25
THYROID HORMONE(S) LO		1	25
WEAKNESS		1	25

CARPROFEN
ORAL, VARIOUS

Reviews	Treated	Reacted	Died
2	6	5	1
Sign		Number	Percent
DEATH		1	50
DIARRHEA		1	50
KIDNEY FAILURE		1	50
POLYDIPSIA		1	50
VOMITING		1	50

CARPROFEN
PARENTERAL, DOG

Reviews	Treated	Reacted	Died
1	1	1	0
Sign		Number	Percent
ATAXIA		1	100

CARPROFEN
TOPICAL, DOG

Reviews	Treated	Reacted	Died
1	1	1	0
Sign		Number	Percent
ATAXIA		1	100
PARESIS, HIND LIMB(S)		1	100
TREMBLING		1	100

CARPROFEN
UNKNOWN, DOG

Reviews	Treated	Reacted	Died
6	6	6	1
Sign		Number	Percent
ALK PHOS HI, BLD		1	17
ATAXIA		1	17
DEATH		1	17
EPISTAXIS		1	17
GGT HI, BLD		1	17
HYPERACTIVITY		1	17
PARESIS		1	17

CARPROFEN
UNKNOWN, DOG

Reviews	Treated	Reacted	Died
6	6	6	1
Sign		Number	Percent
POLYDIPSIA		1	17
POLYURIA		1	17
VESTIBULAR DISORDER		1	17

CEFADROXIL
ORAL, CAT

Reviews	Treated	Reacted	Died
3	3	3	0
Sign		Number	Percent
CONGESTION, SKIN		2	67
PRURITIS		2	67
ALOPECIA		1	33
DIARRHEA		1	33
LICKING, FEET/DIGIT(S)		1	33
SKIN, CRUST(S)		1	33
VOMITING		1	33

CEFADROXIL
UNKNOWN, DOG

Reviews	Treated	Reacted	Died
1	1	1	0
Sign		Number	Percent
VOMITING		1	100

CEFTIOFUR
PARENTERAL, CATTLE

Reviews	Treated	Reacted	Died
1	1	1	0
Sign		Number	Percent
RESIDUE, MEAT		1	100

CEFTIOFUR
PARENTERAL, HORSE

CEFTIOFUR
PARENTERAL, HORSE

Reviews	Treated	Reacted	Died
1	1	1	1
Sign		Number	Percent
ANEMIA		1	100
ANEMIA, AUTOIMMUNE HEM		1	100
ANEMIA, HEMOLYTIC		1	100
DEATH		1	100
DIC		1	100
GI, ABNORMAL		1	100
HYPOMOTILITY		1	100
PALLOR		1	100
PR-KIDNEY(S), LESION(S)		1	100
PR-LIVER, LESION(S)		1	100
RECUMBENCY		1	100

CEFTIOFUR
PARENTERAL, HUMAN

Reviews	Treated	Reacted	Died
2	2	2	0
Sign		Number	Percent
CONGESTION, SKIN		1	50
INJ SITE PAIN		1	50
INJ SITE SWELLING		1	50
SWELLING, TONGUE		1	50

CEPHAPIRIN BENZATHINE
DEFECT, NOT APPLICABLE

Reviews	Treated	Reacted	Died
2	0	0	0
Sign		Number	Percent
PD-SEAL, ABN		1	50
PD-TUBE(S), DAMAGED		1	50
PD-TUBE(S), LEAKING		1	50
PD-UNDERFILL, PACKAGE		1	50

CEPHAPIRIN BENZATHINE
INTRAMAMMARY, CATTLE

CEPHAPIRIN BENZATHINE
INTRAMAMMARY, CATTLE

Reviews	Treated	Reacted	Died
9	79	65	2
Sign		Number	Percent
RESIDUE, MILK		7	78
DEATH		1	11
PD-CAP(S), ABN		1	11
PD-TUBE(S), ABN		1	11

CEPHAPIRIN SODIUM
INTRAMAMMARY, CATTLE

Reviews	Treated	Reacted	Died
20	168	118	0
Sign		Number	Percent
RESIDUE, MILK		20	100
INEFFECT, ANTIBIOTIC		1	5

CEPHAPIRIN SODIUM
PARENTERAL, CATTLE

Reviews	Treated	Reacted	Died
1	1	1	0
Sign		Number	Percent
RESIDUE, MEAT		1	100

CEPHAPIRIN SODIUM
PARENTERAL, HORSE

Reviews	Treated	Reacted	Died
1	1	1	1
Sign		Number	Percent
ANEMIA		1	100
ANEMIA, AUTOIMMUNE HEM		1	100
ANEMIA, HEMOLYTIC		1	100
DEATH		1	100
DIC		1	100
GI, ABNORMAL		1	100
HYPOMOTILITY		1	100
PALLOR		1	100
PR-KIDNEY(S), LESION(S)		1	100

CEPHAPIRIN SODIUM
PARENTERAL, HORSE

Reviews	Treated	Reacted	Died
1	1	1	1
Sign		Number	Percent
PR-LIVER, LESION(S)		1	100
RECUMBENCY		1	100

CHLORAMPHENICOL
DEFECT, NOT APPLICABLE

Reviews	Treated	Reacted	Died
1	0	0	0
Sign		Number	Percent
PD-GEL/PASTE, ABN		1	100

CHLORAMPHENICOL
OPHTHALMIC, CAT

Reviews	Treated	Reacted	Died
1	2	2	0
Sign		Number	Percent
BLEPHAROSPASM		1	100
CONGESTION, EYE(S)/LID		1	100
IRRITATION, EYE(S)/LID		1	100

CHLORAMPHENICOL
ORAL, DOG

Reviews	Treated	Reacted	Died
1	1	1	0
Sign		Number	Percent
DEPRESSION/LETHARGY		1	100
VOMITING		1	100

CHLORHEXIDINE
DEFECT, NOT APPLICABLE

Reviews	Treated	Reacted	Died
8	0	0	0
Sign		Number	Percent

CHLORHEXIDINE
DEFECT, NOT APPLICABLE

Reviews	Treated	Reacted	Died
8	0	0	0
Sign		Number	Percent
PD-MISSING, CAP		4	50
PD-CAP(S), ABN		3	38
PD-VIAL(S), LEAKING		2	25
PD-GEL/PASTE, ABN		1	13
PD-MISSING, LABEL(S)		1	13
PD-SEAL, ABN		1	13
PD-TUBE(S), LEAKING		1	13

CHLORTETRACYCLINE
DEFECT, NOT APPLICABLE

Reviews	Treated	Reacted	Died
4	0	0	0
Sign		Number	Percent
PD-SEAL, ABN		2	50
PD-CONTAINER(S), ABN		1	25
PD-TABLET(S), ABN		1	25

CHLORTETRACYCLINE, SULFAMETHAZINE
DEFECT, NOT APPLICABLE

Reviews	Treated	Reacted	Died
3	0	0	0
Sign		Number	Percent
PD-CONTAINER(S), DAMAG		3	100
PD-GRANULES/POWDER, ABN		1	33

CHORIONIC GONADOTROPIN
PARENTERAL, HORSE

Reviews	Treated	Reacted	Died
2	2	2	1
Sign		Number	Percent
ANAPHYLAXIS/TOID		2	100
SWEATING		2	100
ATAXIA		1	50
DEATH		1	50

CHORIONIC GONADOTROPIN
PARENTERAL, HORSE

Reviews	Treated	Reacted	Died
2	2	2	1
Sign		Number	Percent
DIARRHEA, BLOODY		1	50
DYSPNEA		1	50
EDEMA, HEAD/FACE		1	50
PAIN, ABDOMEN		1	50
PAWING		1	50
POLYCYTHEMIA		1	50
RADIOGRAPH(S) ABN		1	50
SWELLING, HEAD/FACE		1	50
URTICARIA		1	50

CLENBUTEROL
ORAL, HORSE

Reviews	Treated	Reacted	Died
1	1	1	1
Sign		Number	Percent
DEATH		1	100

CLINDAMYCIN
ORAL, CAT

Reviews	Treated	Reacted	Died
2	2	2	0
Sign		Number	Percent
DIARRHEA, MILD		1	50
DIARRHEA, WATERY		1	50
PLATELETS LO, BLD		1	50

CLINDAMYCIN
ORAL, DOG

Reviews	Treated	Reacted	Died
3	3	3	0
Sign		Number	Percent
AGGRESSION		1	33
ATAXIA		1	33
DIARRHEA		1	33

CLINDAMYCIN
ORAL, DOG

Reviews	Treated	Reacted	Died
3	3	3	0
Sign		Number	Percent
PLATELETS LO, BLD		1	33
VOMITING, BLOODY		1	33

CLINDAMYCIN
ORAL, HUMAN

Reviews	Treated	Reacted	Died
1	1	1	0
Sign		Number	Percent
TASTE ABNORMALITY		1	100

CLOMIPRAMINE
DEFECT, NOT APPLICABLE

Reviews	Treated	Reacted	Died
15	0	0	0
Sign		Number	Percent
PD-UNDERFILL, PACKAGE		12	80
PD-MISSING, CAP		2	13
PD-MISSING, LABEL(S)		2	13
PD-PRODUCT DEFECT		1	7

CLOMIPRAMINE
ORAL, BIRD

Reviews	Treated	Reacted	Died
1	1	1	1
Sign		Number	Percent
ALBUMIN LO, BLD		1	100
ATAXIA		1	100
CA LO, BLD		1	100
CHLORIDE HI, BLD		1	100
CONVULSION(S)		1	100
CPK HI, BLD		1	100
DEATH		1	100
DIARRHEA, SEVERE		1	100
GLOBULIN LO, BLD		1	100

CLOMIPRAMINE
ORAL, BIRD

Reviews	Treated	Reacted	Died
1	1	1	1
Sign		Number	Percent
GLUCOSE LO, BLD		1	100
K HI, URINE		1	100
PROTEIN(TOT) LO, BLD		1	100
SGOT/AST HI, BLD		1	100
STAGGERING		1	100
URIC ACID HI, BLD		1	100
VOMITING		1	100

CLOMIPRAMINE
ORAL, CAT

Reviews	Treated	Reacted	Died
4	4	4	0
Sign		Number	Percent
MYDRIASIS		2	50
ALK PHOS HI, BLD		1	25
ANOREXIA		1	25
ATAXIA		1	25
BILIRUBIN(TOT) HI, BLD		1	25
BLD, RECTUM		1	25
CHLORIDE LO, BLD		1	25
CONFUSION		1	25
CONSTIPATION		1	25
DEPRESSION/LETHARGY		1	25
FEVER, BODY		1	25
HYPERSALIVATION		1	25
NA LO, BLD		1	25
PROTEIN(TOT) HI, BLD		1	25
TWITCH		1	25
VOMITING		1	25

CLOMIPRAMINE
ORAL, DOG

Reviews	Treated	Reacted	Died
57	60	59	5
Sign		Number	Percent
DEPRESSION/LETHARGY		28	49

CLOMIPRAMINE
ORAL, DOG

Reviews 57	Treated 60	Reacted 59	Died 5
Sign		Number	Percent
ANOREXIA		14	25
ALK PHOS HI, BLD		13	23
SGPT/ALT HI, BLD		13	23
VOMITING		12	21
SGOT/AST HI, BLD		9	16
TREMBLING		9	16
ATAXIA		8	14
AGGRESSION		7	12
BILIRUBIN(TOT) HI, BLD		6	11
PR-LIVER, LESION(S)		6	11
WEIGHT LOSS		6	11
CONVULSION(S)		5	9
MYDRIASIS		5	9
POLYDIPSIA		5	9
BILE ACIDS HI, BLD		4	7
NERVOUSNESS		4	7
VOCALIZATION		4	7
DEATH		3	5
DIARRHEA		3	5
GLOBULIN HI, BLD		3	5
INTERACTION, DRUG(S)		3	5
RECUMBENCY		3	5
US-LIVER ABN		3	5
ANEMIA		2	4
BILIRUBIN, URINE		2	4
BRADYCARDIA		2	4
CHOLESTEROL HI, BLD		2	4
CONFUSION		2	4
DEATH(EUTHANIZED)		2	4
GGT HI, BLD		2	4
HYPERACTIVITY		2	4
ICTERUS, BODY		2	4
PLATELETS LO, BLD		2	4
POLYURIA		2	4
THRASHING/PADDLING		2	4
ALBUMIN LO, BLD		1	2
AMYLASE HI, BLD		1	2
ANISOCORIA		1	2
ARRHYTHMIA		1	2
BANDS HI, BLD		1	2

CLOMIPRAMINE
ORAL, DOG

Reviews 57	Treated 60	Reacted 59	Died 5
Sign		Number	Percent
BLD, URINE		1	2
BLOAT		1	2
BUN LO, BLD		1	2
CA HI, BLD		1	2
CA LO, BLD		1	2
COUGHING		1	2
CPK HI, BLD		1	2
CREATININE HI, BLD		1	2
CREATININE LO, BLD		1	2
DEFECATION		1	2
DEHYDRATION		1	2
DIARRHEA, BLOODY		1	2
DIARRHEA, MILD		1	2
DISCOMFORT		1	2
DISTENTION, ABDOMEN		1	2
DISTENTION, BLADDER		1	2
EDEMA, HEAD/FACE		1	2
EXERCISE INTOLERANCE		1	2
GLOBULIN LO, BLD		1	2
HEPATITIS		1	2
HEPATOMEGALY		1	2
HYPERPNEA		1	2
HYPERSALIVATION		1	2
HYPOTHERMIA		1	2
ICTERUS		1	2
K LO, BLD		1	2
LESION(S), SKIN		1	2
LICKING		1	2
LIPASE HI, BLD		1	2
LIVER DISORDER		1	2
LYMPHS LO, BLD		1	2
MELENA		1	2
MURMUR, HEART		1	2
PAIN		1	2
PAIN, ABDOMEN		1	2
POLYCYTHEMIA		1	2
POLYPNEA		1	2
PROTEIN(TOT) LO, BLD		1	2
REACTION, UNSPECIFIED		1	2
SEDATION		1	2

CLOMIPRAMINE
ORAL, DOG

Reviews	Treated	Reacted	Died
57	60	59	5
Sign		Number	Percent
SHAKING		1	2
SKIN, NECROSIS		1	2
SPLENOMEGALY		1	2
STOOL ABN		1	2
TACHYCARDIA		1	2
TENESMUS		1	2
THYROID HORMONE(S) HI		1	2
TWITCH		1	2
UNCONSCIOUS		1	2
US ABN		1	2
VOMITING, SEVERE		1	2
WBC HI, BLD		1	2

CLOPROSTENOL
TOPICAL, HUMAN

Reviews	Treated	Reacted	Died
1	1	1	0
Sign		Number	Percent
RESPIRATORY DISORDER		1	100

CLOPROSTENOL
UNKNOWN, CATTLE

Reviews	Treated	Reacted	Died
1	35	35	0
Sign		Number	Percent
INEFFECT, ESTRUS SYNCH		1	100

CLORSULON, IVERMECTIN
ORAL, DOG

Reviews	Treated	Reacted	Died
1	1	1	0
Sign		Number	Percent
ATAXIA		1	100
MYDRIASIS		1	100

CLORSULON, IVERMECTIN
PARENTERAL, CAT

Reviews	Treated	Reacted	Died
1	1	1	0
Sign		Number	Percent
ATAXIA		1	100

CLOXACILLIN BENZATHINE
DEFECT, NOT APPLICABLE

Reviews	Treated	Reacted	Died
1	0	0	0
Sign		Number	Percent
PD-TUBE(S), DAMAGED		1	100
PD-TUBE(S), LEAKING		1	100

CLOXACILLIN BENZATHINE
INTRAMAMMARY, CATTLE

Reviews	Treated	Reacted	Died
1	2	2	0
Sign		Number	Percent
RESIDUE, MILK		1	100

COPPER NAPHTHENATE
TOPICAL, GOAT

Reviews	Treated	Reacted	Died
1	1	1	0
Sign		Number	Percent
APPLICATION SITE INFLAM		1	100
APPLICATION SITE PAIN		1	100

COPPER NAPHTHENATE
TOPICAL, HUMAN

Reviews	Treated	Reacted	Died
1	1	1	0
Sign		Number	Percent
RESPIRATORY DISORDER		1	100

DENTAL AND ORAL CARE PRODUCTS
ORAL, DOG

Reviews	Treated	Reacted	Died
1	1	1	0
Sign		Number	Percent
APPLICATION SITE PRURITIS		1	100
APPREHENSION		1	100
CONGESTION, SKIN		1	100
PRURITIS		1	100
SWELLING, MOUTH/LIP(S)		1	100
TACHYCARDIA		1	100

DESLORELIN
DEFECT, NOT APPLICABLE

Reviews	Treated	Reacted	Died
8	0	0	0
Sign		Number	Percent
PD-SYRINGE, ABN		7	88
PD-CONTAINER(S), DAMAG		1	13

DESLORELIN
PARENTERAL, HORSE

Reviews	Treated	Reacted	Died
20	368	168	0
Sign		Number	Percent
DIESTRUS, PROLONGED		15	75
INEFFECT, OVULATION		4	20
ESTRUS CYCLE ABNORMAL		2	10
FERTILITY, REDUCED		1	5
INJ SITE INFLAM		1	5
US ABN		1	5

DESOXYCORTICOSTERONE
DEFECT, NOT APPLICABLE

Reviews	Treated	Reacted	Died
1	0	0	0
Sign		Number	Percent
PD-UNDERFILL, VIAL(S)		1	100

DESOXYCORTICOSTERONE
PARENTERAL, DOG

Reviews	Treated	Reacted	Died
3	3	3	1
Sign		Number	Percent
CONGESTION, SKIN		2	67
DEATH		1	33
HYPERACTIVITY		1	33
SWELLING, HEAD/FACE		1	33
TACHYCARDIA		1	33
URTICARIA		1	33

DETOMIDINE
DEFECT, NOT APPLICABLE

Reviews	Treated	Reacted	Died
2	0	0	0
Sign		Number	Percent
PD-UNDERFILL, VIAL(S)		1	50
PD-VIAL(S), LEAKING		1	50

DETOMIDINE
MISSING, DOG

Reviews	Treated	Reacted	Died
1	1	1	0
Sign		Number	Percent
FEVER, BODY		1	100

DETOMIDINE
ORAL, DOG

Reviews	Treated	Reacted	Died
1	1	1	0
Sign		Number	Percent
SEDATION		1	100

DETOMIDINE
PARENTERAL, CAT

Reviews	Treated	Reacted	Died
---------	---------	---------	------

DETOMIDINE
PARENTERAL, CAT

Reviews	Treated	Reacted	Died
1	1	1	0
Sign		Number	Percent
BRADYCARDIA		1	100
CONVULSION(S)		1	100
DEPRESSION/LETHARGY		1	100

DETOMIDINE
PARENTERAL, DOG

Reviews	Treated	Reacted	Died
2	3	3	0
Sign		Number	Percent
INEFFECT, ANESTHESIA		1	50
SEDATION		1	50
VOMITING		1	50

DETOMIDINE
PARENTERAL, HORSE

Reviews	Treated	Reacted	Died
8	21	14	2
Sign		Number	Percent
DYSYPNEA		3	38
DEATH		2	25
ANESTH RECOV PROLONGED		1	13
CULTURE/TITER DATA ABN		1	13
HYPERPNEA		1	13
INEFFECT, ANESTHESIA		1	13
INJ SITE ABSCESS		1	13
INJ SITE EDEMA		1	13
INJ SITE SLOUGH		1	13
PD-POTENCY, LO		1	13
POLYPNEA		1	13
SWELLING, HEAD/FACE		1	13
TACHYCARDIA		1	13
URTICARIA		1	13

DETOMIDINE
UNKNOWN, DOG

DETOMIDINE
UNKNOWN, DOG

Reviews	Treated	Reacted	Died
1	1	1	0
Sign	Number		Percent
DEPRESSION/LETHARGY	1		100
HYPERPNEA	1		100
RECUMBENCY	1		100

DETOMIDINE
UNKNOWN, HORSE

Reviews	Treated	Reacted	Died
3	17	12	0
Sign	Number		Percent
INEFFECT, SEDATION	2		67
HYPERPNEA	1		33
PD-POTENCY, LO	1		33
POLYPNEA	1		33

DETOMIDINE
VARIOUS, HORSE

Reviews	Treated	Reacted	Died
1	1	1	0
Sign	Number		Percent
DISTRESS, RESP	1		100
DYSYPNEA	1		100
SWELLING	1		100

DEVICE: ADHESIVE, TISSUE
TOPICAL, CAT

Reviews	Treated	Reacted	Died
1	1	1	0
Sign	Number		Percent
APPLICATION SITE LESION(S)	1		100

DEVICE: CATHETER, GASTROSTOMY
NOT APPLICABLE, CAT

DEVICE: CATHETER, GASTROSTOMY
NOT APPLICABLE, CAT

Reviews	Treated	Reacted	Died
1	1	1	1
Sign		Number	Percent
DEATH(EUTHANIZED)		1	100
PD-PRODUCT DEFECT		1	100

DEVICE: COLLECTION, BLOOD
DEFECT, NOT APPLICABLE

Reviews	Treated	Reacted	Died
1	0	0	0
Sign		Number	Percent
PD-PRODUCT DEFECT		1	100

DEVICE: LUBRICANT, OPHTHALMIC
OPHTHALMIC, CAT

Reviews	Treated	Reacted	Died
2	2	2	0
Sign		Number	Percent
ULCER(S), CORNEA(S)		2	100
INEFFECT		1	50

DEVICE: SUTURE
PARENTERAL, DOG

Reviews	Treated	Reacted	Died
1	2	2	0
Sign		Number	Percent
DEHISCENCE		1	100
PD-PRODUCT DEFECT		1	100

DEXAMETHASONE
PARENTERAL, DOG

Reviews	Treated	Reacted	Died
1	1	1	0
Sign		Number	Percent
BRADYCARDIA		1	100

DEXAMETHASONE
PARENTERAL, DOG

Reviews	Treated	Reacted	Died
1	1	1	0
Sign		Number	Percent
HYPOPNEA		1	100
PUPIL(S), AREFLEXIA		1	100
RECUMBENCY		1	100
SHOCK		1	100

DEXAMETHASONE
PARENTERAL, HORSE

Reviews	Treated	Reacted	Died
1	1	1	0
Sign		Number	Percent
LAMINITIS		1	100

DEXAMETHASONE, NEOMYCIN, THIABENDAZOLE
OPHTHALMIC, CAT

Reviews	Treated	Reacted	Died
1	1	1	0
Sign		Number	Percent
CONJUNCTIVITIS		1	100
EPIPHORA		1	100

DEXAMETHASONE, NEOMYCIN, THIABENDAZOLE
TOPICAL, CAT

Reviews	Treated	Reacted	Died
1	1	1	0
Sign		Number	Percent
DEAFNESS		1	100

DEXAMETHASONE, NEOMYCIN, THIABENDAZOLE
TOPICAL, DOG

Reviews	Treated	Reacted	Died
3	3	3	0
Sign		Number	Percent

DEXAMETHASONE, NEOMYCIN, THIABENDAZOLE
TOPICAL, DOG

Reviews	Treated	Reacted	Died
3	3	3	0
Sign		Number	Percent
ATAXIA		1	33
CONFUSION		1	33
CONGESTION, EAR(S)		1	33
CONGESTION, SKIN		1	33
DEPRESSION/LETHARGY		1	33
FEVER, BODY		1	33
VESICLE(S)/BULLAE, SKI		1	33
VOCALIZATION		1	33
VOMITING		1	33

DEXTROSE, GLYCINE, MULTIPLE ELECTROLYTES
DEFECT, NOT APPLICABLE

Reviews	Treated	Reacted	Died
2	0	0	0
Sign		Number	Percent
PD-UNDERFILL, PACKAGE		2	100

DEXTROSE, LACTATED RINGER'S SOLUTION
PARENTERAL, VARIOUS

Reviews	Treated	Reacted	Died
1	5	5	3
Sign		Number	Percent
ANOREXIA		1	100
DEATH		1	100
DEPRESSION/LETHARGY		1	100
FEVER, BODY		1	100
INJ SITE PAIN		1	100
INJ SITE SLOUGH		1	100

DICHLOROPHENE, TOLUENE
ORAL, CAT

Reviews	Treated	Reacted	Died
4	13	8	0
Sign		Number	Percent

DICHLOROPHENE, TOLUENE
ORAL, CAT

Reviews	Treated	Reacted	Died
4	13	8	0
Sign		Number	Percent
ATAXIA		3	75
VOMITING		3	75
ADIPSIA		1	25
ANOREXIA		1	25
HYPERACTIVITY		1	25
HYPERSALIVATION		1	25
ILL		1	25
SHAKING, HEAD/FACE		1	25
TREMBLING		1	25

DICHLOROPHENE, TOLUENE
ORAL, DOG

Reviews	Treated	Reacted	Died
2	2	2	0
Sign		Number	Percent
ADIPSIA		1	50
ANOREXIA		1	50
DIARRHEA, MILD		1	50
FROTH, MOUTH/LIP(S)		1	50

DICHLOROPHENE, TOLUENE
UNKNOWN, CAT

Reviews	Treated	Reacted	Died
1	1	1	0
Sign		Number	Percent
FROTH, MOUTH/LIP(S)		1	100
VOMITING		1	100

DIETHYLCARBAMAZINE
DEFECT, NOT APPLICABLE

Reviews	Treated	Reacted	Died
12	0	0	0
Sign		Number	Percent
PD-TABLET(S), ABN		3	25

DIETHYLCARBAMAZINE
DEFECT, NOT APPLICABLE

Reviews	Treated	Reacted	Died
12	0	0	0
Sign		Number	Percent
PD-CONTAM, INSECTS		2	17
PD-SEAL, ABN		2	17
PD-UNDERFILL, PACKAGE		2	17
PD-UNKNOWN		2	17
PD-MISSING, LABEL(S)		1	8
PD-ODOR, ABN		1	8

DIETHYLCARBAMAZINE
ORAL, DOG

Reviews	Treated	Reacted	Died
11	12	12	1
Sign		Number	Percent
INEFFECT, HW ADULTS		4	36
ALK PHOS HI, BLD		1	9
BUN HI, BLD		1	9
CHOLESTEROL HI, BLD		1	9
CREATININE HI, BLD		1	9
DEATH		1	9
DIARRHEA		1	9
EPISTAXIS		1	9
INEFFECT, ASCARIDS PRE		1	9
INFLAM, SKIN		1	9
SGPT/ALT HI, BLD		1	9
SNEEZING		1	9
SPEC GRAVITY LO, URINE		1	9

DIETHYLCARBAMAZINE, OXIBENDAZOLE
DEFECT, NOT APPLICABLE

Reviews	Treated	Reacted	Died
36	0	0	0
Sign		Number	Percent
UNPALATABLE, WON'T EAT		16	44
PD-TABLET(S), ABN		6	17
PD-UNKNOWN		6	17
PD-CONTAM, INSECTS		4	11
PD-SEAL, ABN		2	6

DIETHYLCARBAMAZINE, OXIBENDAZOLE
DEFECT, NOT APPLICABLE

Reviews	Treated	Reacted	Died
36	0	0	0
Sign	Number		Percent
UNPALATABLE, WON'T SWA	2		6
PD-COLOR, ABN	1		3
PD-LABEL(S), ABN	1		3
PD-MISSING, LABEL(S)	1		3
PD-UNDERFILL, PACKAGE	1		3

DIETHYLCARBAMAZINE, OXIBENDAZOLE
ORAL, DOG

Reviews	Treated	Reacted	Died
41	47	47	9
Sign	Number		Percent
VOMITING	9		22
ALK PHOS HI, BLD	8		20
ANOREXIA	6		15
DEATH	6		15
SGPT/ALT HI, BLD	5		12
DEPRESSION/LETHARGY	4		10
DIARRHEA	4		10
INEFFECT, HW ANTIGEN	4		10
BILIRUBIN(TOT) HI, BLD	3		7
INEFFECT, HOOKS PREVEN	3		7
INEFFECT, HW ADULTS	3		7
INTERACTION, DRUG(S)	3		7
LIVER ENZYMES HI, BLD	3		7
LIVER FAILURE	3		7
ANAPHYLAXIS/TOID	2		5
BILIRUBIN, URINE	2		5
COLLAPSE	2		5
INEFFECT, ASCARIDS PRE	2		5
INEFFECT, HW LARVAE	2		5
LIVER DISORDER	2		5
PR-LIVER, LESION(S)	2		5
SHOCK	2		5
ABN COLOR, URINE	1		2
ANEMIA	1		2
BILE ACIDS HI, BLD	1		2
CHOLESTEROL HI, BLD	1		2
CHOLESTEROL LO, BLD	1		2

DIETHYLCARBAMAZINE, OXIBENDAZOLE
ORAL, DOG

Reviews	Treated	Reacted	Died
41	47	47	9
Sign		Number	Percent
CONVULSION(S)		1	2
DEHYDRATION		1	2
GLUCOSE, URINE		1	2
HEMATOCHEZIA		1	2
INEFFECT, HW MICROFILA		1	2
INEFFECT, WHIPS PREVEN		1	2
KETONES, URINE		1	2
MICROORGANISMS, URINE		1	2
POLYCYTHEMIA(RELATIVE)		1	2
POLYDIPSIA		1	2
PROTEIN(TOT) HI, BLD		1	2
TACHYCARDIA		1	2
TENESMUS, RECTAL		1	2
TRIGLYCERIDES HI, BLD		1	2
WBC HI, BLD		1	2
WBC, URINE		1	2
WEIGHT LOSS		1	2

DIFLOXACIN
DEFECT, NOT APPLICABLE

Reviews	Treated	Reacted	Died
1	0	0	0
Sign		Number	Percent
PD-MISSING, LABEL(S)		1	100

DIFLOXACIN
ORAL, CAT

Reviews	Treated	Reacted	Died
1	1	1	0
Sign		Number	Percent
ANOREXIA		1	100
ATAXIA		1	100
HYPERSALIVATION		1	100

DIFLOXACIN

DIFLOXACIN
ORAL, DOG

Reviews	Treated	Reacted	Died
2	2	2	1
Sign		Number	Percent
BLINDNESS		1	50
JOINT DISORDER		1	50

DIMETHYL SULFOXIDE (DMSO)
DEFECT, NOT APPLICABLE

Reviews	Treated	Reacted	Died
2	0	0	0
Sign		Number	Percent
PD-ODOR, ABN		1	50
PD-VIAL(S), LEAKING		1	50

DIMETHYL SULFOXIDE (DMSO), FLUOCINOLONE
DEFECT, NOT APPLICABLE

Reviews	Treated	Reacted	Died
3	0	0	0
Sign		Number	Percent
PD-CAP(S), ABN		1	33
PD-COLOR, ABN		1	33
PD-CONTAINER(S), DAMAG		1	33
PD-VIAL(S), LEAKING		1	33

DINOPROST TROMETHAMINE
PARENTERAL, CATTLE

Reviews	Treated	Reacted	Died
5	78	13	6
Sign		Number	Percent
INJ SITE INFECT		4	80
INJ SITE SWELLING		3	60
DEATH		2	40
MYOSITIS		2	40
ANOREXIA		1	20
DEATH(EUTHANIZED)		1	20
INJ SITE INFLAM		1	20
INJ SITE SEPSIS		1	20

DINOPROST TROMETHAMINE
PARENTERAL, CATTLE

Reviews	Treated	Reacted	Died
5	78	13	6
Sign		Number	Percent
INJ SITE SLOUGH		1	20
RECUMBENCY		1	20
SWELLING, LIMB(S)		1	20

DINOPROST TROMETHAMINE
PARENTERAL, HORSE

Reviews	Treated	Reacted	Died
1	6	4	0
Sign		Number	Percent
DYSPNEA		1	100
PAIN, ABDOMEN		1	100
SWEATING		1	100

DIPHENHYDRAMINE
PARENTERAL, FERRET

Reviews	Treated	Reacted	Died
1	1	1	0
Sign		Number	Percent
ANAPHYLAXIS/TOID		1	100
VOMITING		1	100

DORAMECTIN
DEFECT, NOT APPLICABLE

Reviews	Treated	Reacted	Died
21	0	0	0
Sign		Number	Percent
PD-VIAL(S), LEAKING		7	33
PD-CAP(S), ABN		3	14
PD-SOLUTION, ABN		3	14
PD-PRODUCT DEFECT		2	10
PD-UNKNOWN		2	10
PD-CONTAINER(S), ABN		1	5
PD-CONTAINER(S), DAMAG		1	5
PD-DISPENSER, ABN		1	5

DORAMECTIN
DEFECT, NOT APPLICABLE

Reviews	Treated	Reacted	Died
21	0	0	0
Sign		Number	Percent
PD-VIAL(S), ABN		1	5
PD-VIAL(S), DAMAGED		1	5

DORAMECTIN
OPHTHALMIC, HUMAN

Reviews	Treated	Reacted	Died
1	1	1	0
Sign		Number	Percent
IRRITATION, EYE(S)/LID		1	100
PAIN, EYE(S)/LID(S)		1	100

DORAMECTIN
ORAL, CAT

Reviews	Treated	Reacted	Died
2	2	2	0
Sign		Number	Percent
CONVULSION(S)		1	50
DEPRESSION/LETHARGY		1	50
HYPERACTIVITY		1	50
MYDRIASIS		1	50

DORAMECTIN
ORAL, DOG

Reviews	Treated	Reacted	Died
3	3	3	0
Sign		Number	Percent
ANOREXIA		1	33
ATAXIA		1	33
BLINDNESS, TEMP		1	33
DEMENTIA		1	33
DIARRHEA, BLOODY		1	33
DIARRHEA, SEVERE		1	33
HYPERACTIVITY		1	33
HYPOTHERMIA, BODY		1	33

DORAMECTIN
ORAL, DOG

Reviews	Treated	Reacted	Died
3	3	3	0
Sign		Number	Percent
PARALYSIS, ALL LIMBS		1	33
PROPRIOCEPTIVE DISORDE		1	33
STUPOR		1	33
TREMBLING		1	33
VOCALIZATION		1	33

DORAMECTIN
ORAL, GOAT

Reviews	Treated	Reacted	Died
1	1	1	0
Sign		Number	Percent
ATAXIA		1	100
BLINDNESS		1	100

DORAMECTIN
ORAL, HORSE

Reviews	Treated	Reacted	Died
1	1	1	1
Sign		Number	Percent
DEATH (EUTHANIZED)		1	100
PAIN, ABDOMEN		1	100

DORAMECTIN
ORAL, HUMAN

Reviews	Treated	Reacted	Died
2	2	2	0
Sign		Number	Percent
PAIN, ABDOMEN		2	100
DIARRHEA		1	50
NAUSEA		1	50
PAIN, MUSCLE(S)		1	50

DORAMECTIN

DORAMECTIN
PARENTERAL, CATTLE

Reviews	Treated	Reacted	Died
3	1232	185	5
Sign		Number	Percent
CONJUNCTIVITIS		1	33
COUGHING		1	33
DEATH		1	33
DEPRESSION/LETHARGY		1	33
DISCHARGE, EYE(S)/LID(S)		1	33
DISCHARGE, NOSE		1	33
INEFFECT		1	33
INEFFECT, LICE		1	33

DORAMECTIN
PARENTERAL, DOG

Reviews	Treated	Reacted	Died
1	1	1	0
Sign		Number	Percent
ANOREXIA		1	100
ATAXIA		1	100
BLINDNESS, TEMP		1	100
DEPRESSION/LETHARGY		1	100
TREMBLING		1	100

DORAMECTIN
PARENTERAL, HUMAN

Reviews	Treated	Reacted	Died
5	5	4	0
Sign		Number	Percent
DEPRESSION/LETHARGY		2	40
HEADACHE		2	40
DYSPNEA		1	20
FEVER, BODY		1	20
PAIN		1	20
STIFFNESS, HAND(S)		1	20
SWELLING		1	20
VISION DISORDER		1	20

DORAMECTIN

DORAMECTIN
PARENTERAL, PIG

Reviews	Treated	Reacted	Died
16	35663	5105	0
Sign		Number	Percent
INEFFECT, MITES		14	88
LESION(S), SKIN		3	19
PRURITIS		3	19
HAIR, ABN		1	6
INEFFECT		1	6
INEFFECT, LICE		1	6

DORAMECTIN
PARENTERAL, VARIOUS

Reviews	Treated	Reacted	Died
1	1	0	0
Sign		Number	Percent
G-HAIR, ABN COLOR		1	100

DORAMECTIN
TOPICAL, CATTLE

Reviews	Treated	Reacted	Died
163	60019	23344	10
Sign		Number	Percent
INEFFECT, LICE		87	53
PRURITIS		71	44
ALOPECIA		55	34
INEFFECT, LICE BITING		35	21
INEFFECT, LICE SUCKING		30	18
DEATH		4	2
INEFFECT, WORMS		4	2
RECUMBENCY		4	2
LICKING		3	2
APPLICATION SITE ALOPECIA		2	1
COLLAPSE		2	1
EDEMA, HEAD/FACE		2	1
INEFFECT, GRUBS		2	1
INEFFECT, PARASITE(S)		2	1
LOSS OF CONDITION		2	1
PARESIS, HIND LIMB(S)		2	1
PR-SKIN, LESION(S)		2	1

DORAMECTIN
TOPICAL, CATTLE

Reviews	Treated	Reacted	Died
163	60019	23344	10
Sign		Number	Percent
WEIGHT LOSS		2	1
ANAPHYLAXIS/TOID		1	1
ANEMIA		1	1
BIRTH DEFECT(S), HEAD/		1	1
DEMENTIA		1	1
DIARRHEA		1	1
FEVER, BODY		1	1
HYPERKERATOSIS		1	1
INEFFECT, ASCARIDS		1	1
INEFFECT, EAR MITES		1	1
INEFFECT, MITES		1	1
INEFFECT, NEMATODES		1	1
INEFFECT, STRONGYLES		1	1
IRRITATION, SKIN		1	1
OPISTHOTONOS		1	1
PR-MENINGES, LESION(S)		1	1
PR-MUSCLE(S), LESION(S)		1	1
PR-SPINAL CORD, LESION		1	1
PR-STOMACH, LESION(S)		1	1
RASH		1	1
SKIN, CRUST(S)		1	1
WEAKNESS		1	1

DORAMECTIN
TOPICAL, HUMAN

Reviews	Treated	Reacted	Died
8	8	8	0
Sign		Number	Percent
DIZZINESS		2	25
NAUSEA		2	25
APPLICATION SITE LESION(S)		1	13
DEPRESSION/LETHARGY		1	13
DIARRHEA		1	13
ENLARGEMENT(S)		1	13
HYPERESTHESIA		1	13
HYPOESTHESIA		1	13
ILL		1	13
INFLAM, SKIN		1	13

DORAMECTIN
TOPICAL, HUMAN

Reviews	Treated	Reacted	Died
8	8	8	0
Sign		Number	Percent
IRRITATION, EYE(S)/LID		1	13
IRRITATION, SKIN		1	13
NEUROLOGICAL DISORDER		1	13
SHAKING		1	13
SWELLING		1	13
SWELLING, JOINT(S)		1	13
VESICLE(S)/BULLAE, SKI		1	13

DORAMECTIN
UNKNOWN, CATTLE

Reviews	Treated	Reacted	Died
6	6186	1841	1
Sign		Number	Percent
INEFFECT, LICE		2	33
ANAPHYLAXIS/TOID		1	17
COLLAPSE		1	17
DEATH		1	17
INEFFECT		1	17
INEFFECT, SMALL STRONG		1	17
INEFFECT, WORMS		1	17

DORAMECTIN
UNKNOWN, HUMAN

Reviews	Treated	Reacted	Died
2	2	2	0
Sign		Number	Percent
DEPRESSION/LETHARGY		1	50
INJ SITE INFLAM		1	50
NAUSEA		1	50

DORAMECTIN
UNKNOWN, PIG

Reviews	Treated	Reacted	Died
2	3900	900	0

DORAMECTIN
UNKNOWN, PIG

Reviews	Treated	Reacted	Died
2	3900	900	0
Sign	Number		Percent
INEFFECT, MITES	2		100
INFLAM, SKIN	1		50
PRURITIS	1		50

DORAMECTIN
VARIOUS, HUMAN

Reviews	Treated	Reacted	Died
1	1	0	0
Sign	Number		Percent
CONGESTION, EYE(S)/LID	1		100
HYPOTHERMIA	1		100
SHAKING	1		100
VOMITING	1		100

DOXAPRAM
DEFECT, NOT APPLICABLE

Reviews	Treated	Reacted	Died
1	0	0	0
Sign	Number		Percent
PD-LABEL(S), ABN	1		100

DOXYCYCLINE
ORAL, DOG

Reviews	Treated	Reacted	Died
1	1	1	0
Sign	Number		Percent
CONVULSION(S)	1		100

DOXYCYCLINE
TOPICAL, DOG

Reviews	Treated	Reacted	Died
2	2	2	0

DOXYCYCLINE
TOPICAL, DOG

Reviews	Treated	Reacted	Died
2	2	2	0
Sign		Number	Percent
RADIOGRAPH(S) ABN		1	50
SWELLING, EYE(S)/LID(S)		1	50
SWELLING, HEAD/FACE		1	50

EAR CLEANSERS/ASTRINGENTS
TOPICAL, CAT

Reviews	Treated	Reacted	Died
1	1	1	0
Sign		Number	Percent
ANOREXIA		1	100
ATAXIA		1	100
DEAFNESS		1	100
WEIGHT LOSS		1	100

ENALAPRIL
ORAL, CAT

Reviews	Treated	Reacted	Died
1	1	1	1
Sign		Number	Percent
CONVULSION(S)		1	100
DEATH(EUTHANIZED)		1	100
DEPRESSION/LETHARGY		1	100

ENALAPRIL
ORAL, DOG

Reviews	Treated	Reacted	Died
7	7	7	4
Sign		Number	Percent
DEATH		3	43
ALK PHOS HI, BLD		1	14
BLD, MOUTH/LIP(S)		1	14
BLD, SKIN		1	14
BUN HI, BLD		1	14
COLITIS		1	14

ENALAPRIL
ORAL, DOG

Reviews	Treated	Reacted	Died
7	7	7	4
Sign		Number	Percent
CREATININE HI, BLD		1	14
DEATH(EUTHANIZED)		1	14
DEHYDRATION		1	14
DEPRESSION/LETHARGY		1	14
EDEMA, LUNG(S)/TRACHEA		1	14
GGT HI, BLD		1	14
ICTERUS, BODY		1	14
KIDNEY FAILURE		1	14
SKIN, NECROSIS		1	14

ENROFLOXACIN
DEFECT, NOT APPLICABLE

Reviews	Treated	Reacted	Died
112	0	0	0
Sign		Number	Percent
PD-SOLUTION, ABN		110	98
PD-SEAL, ABN		3	3
PD-COLOR, ABN		1	1
PD-VIAL(S), ABN		1	1

ENROFLOXACIN
OPHTHALMIC, HUMAN

Reviews	Treated	Reacted	Died
1	1	1	0
Sign		Number	Percent
MYDRIASIS		1	100
PAIN, EYE(S)/LID(S)		1	100
SWELLING, EYE(S)/LID(S)		1	100
VISION DISORDER		1	100

ENROFLOXACIN
ORAL, CAT

Reviews	Treated	Reacted	Died
83	106	93	4

ENROFLOXACIN
ORAL, CAT

Reviews 83	Treated 106	Reacted 93	Died 4
Sign		Number	Percent
MYDRIASIS		53	64
BLINDNESS		39	47
RETINA ABN		38	46
REFLEX(ES) ABN		22	27
BLINDNESS, PARTIAL		14	17
PUPIL(S), AREFLEXIA		11	13
VISION DISORDER		5	6
ATAXIA		4	5
CONFUSION		4	5
CONVULSION(S)		4	5
ERG ABN		4	5
HIDING		4	5
NERVOUSNESS		4	5
BEHAVIOR DISORDER		3	4
BLINDNESS, TEMP		3	4
BUN HI, BLD		3	4
CREATININE HI, BLD		3	4
DEPRESSION/LETHARGY		3	4
HALLUCINATION		3	4
VOMITING		3	4
AGGRESSION		2	2
AMYLASE HI, BLD		2	2
ANOREXIA		2	2
APPREHENSION		2	2
CA HI, BLD		2	2
CHOLESTEROL HI, BLD		2	2
CONGESTION, SKIN		2	2
DEATH(EUTHANIZED)		2	2
EOSINOS HI, BLD		2	2
GLUCOSE HI, BLD		2	2
NA HI, BLD		2	2
PR- RETINA(S), LESION(S)		2	2
PRESSURE HI, BLD		2	2
SPEC GRAVITY LO, URINE		2	2
VOCALIZATION		2	2
ANISOCORIA		1	1
CPK HI, BLD		1	1
DISSOCIATION		1	1
DISTRESS		1	1
EDEMA, HEAD/FACE		1	1

ENROFLOXACIN
ORAL, CAT

Reviews	Treated	Reacted	Died
83	106	93	4
Sign		Number	Percent
GLUCOSE, URINE		1	1
HEAD BOBBING		1	1
HYPERACTIVITY		1	1
HYPERSENSITIVE, SOUND		1	1
LICKING		1	1
LIPASE HI, BLD		1	1
MONOS HI, BLD		1	1
NEUROLOGICAL DISORDER		1	1
PHOTOSENSITIZATION		1	1
PROPRIOCEPTIVE DISORDE		1	1
PROTEIN(TOT) HI, BLD		1	1
PRURITIS		1	1
SEDATION		1	1
SEGS HI, BLD		1	1
SGOT/AST HI, BLD		1	1
SGPT/ALT HI, BLD		1	1
STAGGERING		1	1
STUMBLING		1	1
VESTIBULAR DISORDER		1	1
WBC HI, BLD		1	1

ENROFLOXACIN
ORAL, DOG

Reviews	Treated	Reacted	Died
26	28	28	6
Sign		Number	Percent
VOMITING		9	35
BLINDNESS		5	19
ANOREXIA		4	15
CONVULSION(S)		4	15
RETINA ABN		3	12
WBC HI, BLD		3	12
ALK PHOS HI, BLD		2	8
ANEMIA		2	8
ATAXIA		2	8
DEATH		2	8
DEATH(EUTHANIZED)		2	8
DEHYDRATION		2	8

ENROFLOXACIN
ORAL, DOG

Reviews 26	Treated 28	Reacted 28	Died 6
Sign		Number	Percent
DEPRESSION/LETHARGY		2	8
EDEMA, HEAD/FACE		2	8
FEVER, BODY		2	8
LESION(S), SKIN		2	8
PLATELETS LO, BLD		2	8
PR-KIDNEY(S), LESION(S)		2	8
PR-LIVER, LESION(S)		2	8
AMYLASE HI, BLD		1	4
BILIRUBIN(TOT) HI, BLD		1	4
BLD, EYE(S)		1	4
BLD, SKIN		1	4
BLD, URINE		1	4
CATARACT(S)		1	4
CELLULITIS		1	4
CONGESTION, SKIN		1	4
DIARRHEA, WATERY		1	4
EDEMA, LIMB(S)		1	4
EPISTAXIS		1	4
ERG ABN		1	4
ERUPTION(S)		1	4
GLUCOSE LO, BLD		1	4
HEPATITIS		1	4
ILL		1	4
INFLAM, SKIN		1	4
KIDNEY FAILURE		1	4
LIPASE HI, BLD		1	4
MELENA		1	4
MYDRIASIS		1	4
PAIN		1	4
PAIN, ABDOMEN		1	4
PAIN, LIMB(S)		1	4
PALLOR, MUCOUS MEMBRAN		1	4
PANCREATITIS		1	4
PNEUMONIA		1	4
PR-BLADDER, LESION(S)		1	4
PR-BONE MARROW, LESION		1	4
PR-SKIN, LESION(S)		1	4
PR-SPLEEN, LESION(S)		1	4
PR-STOMACH, LESION(S)		1	4
PRESSURE HI, BLD		1	4

ENROFLOXACIN
ORAL, DOG

Reviews	Treated	Reacted	Died
26	28	28	6
Sign		Number	Percent
RECUMBENCY		1	4
REFLEX(ES) ABN		1	4
SGPT/ALT HI, BLD		1	4
SKIN, SCAB(S)		1	4
SORE(S)		1	4
SOUND ABN, RESPIRATORY		1	4
STAGGERING		1	4
TREMBLING		1	4
ULCER(S), SKIN		1	4
UREMIA		1	4
URTICARIA		1	4
UVEITIS		1	4
VISION DISORDER		1	4
WBC LO, BLD		1	4
WEAKNESS		1	4
WEIGHT LOSS		1	4

ENROFLOXACIN
ORAL, HUMAN

Reviews	Treated	Reacted	Died
2	2	2	0
Sign		Number	Percent
INSOMNIA		2	100
DIARRHEA		1	50
HEADACHE		1	50
PAIN, BRISKET/CHEST		1	50
TASTE ABNORMALITY		1	50

ENROFLOXACIN
PARENTERAL, CAT

Reviews	Treated	Reacted	Died
39	41	39	4
Sign		Number	Percent
MYDRIASIS		22	56
BLINDNESS		17	44
RETINA ABN		16	41

ENROFLOXACIN
PARENTERAL, CAT

Reviews 39	Treated 41	Reacted 39	Died 4
Sign		Number	Percent
REFLEX(ES) ABN		10	26
BLINDNESS, PARTIAL		7	18
PUPIL(S), AREFLEXIA		6	15
ERG ABN		5	13
ANOREXIA		2	5
BLINDNESS, TEMP		2	5
CONFUSION		2	5
CONVULSION(S)		2	5
INJ SITE NECROSIS		2	5
ANISOCORIA		1	3
BLEPHAROSPASM		1	3
BUN HI, BLD		1	3
CA HI, BLD		1	3
CIRCLING		1	3
CREATININE HI, BLD		1	3
DEATH(EUTHANIZED)		1	3
DEPRESSION/LETHARGY		1	3
DISCHARGE, EYE(S)/LID(S)		1	3
HALLUCINATION		1	3
HYPERACTIVITY		1	3
HYPERSENSITIVE, SOUND		1	3
INFLAM, SKIN		1	3
INJ SITE ALOPECIA		1	3
INJ SITE INFLAM		1	3
INJ SITE PRURITIS		1	3
LESION(S), SKIN		1	3
LIPASE HI, BLD		1	3
NA HI, BLD		1	3
NERVOUSNESS		1	3
PARESIS, HIND LIMB(S)		1	3
PHOTOPHOBIA		1	3
PR-EYE(S)/LID(S), LESI		1	3
PRESSURE HI, BLD		1	3
PROLAPSE, THIRD EYELID		1	3
PROPRIOCEPTIVE DISORDE		1	3
PROTEIN(TOT) HI, BLD		1	3
SGOT/AST HI, BLD		1	3
SGPT/ALT HI, BLD		1	3
SKIN, NECROSIS		1	3
STUMBLING		1	3

ENROFLOXACIN
PARENTERAL, CAT

Reviews	Treated	Reacted	Died
39	41	39	4
Sign		Number	Percent
TREMBLING		1	3
TWITCH		1	3
VISION DISORDER		1	3

ENROFLOXACIN
PARENTERAL, CATTLE

Reviews	Treated	Reacted	Died
2	11	10	0
Sign		Number	Percent
INEFFECT, ANTIBIOTIC		1	50
INJ SITE SWELLING		1	50
LAMENESS		1	50

ENROFLOXACIN
PARENTERAL, DOG

Reviews	Treated	Reacted	Died
6	8	8	3
Sign		Number	Percent
VOMITING		2	33
ACCIDENTAL EXPOSURE		1	17
ATAXIA		1	17
BUN HI, BLD		1	17
CONVULSION(S)		1	17
CREATININE HI, BLD		1	17
DEATH		1	17
DEATH(EUTHANIZED)		1	17
GLUCOSE LO, BLD		1	17
KIDNEY FAILURE		1	17
SPEC GRAVITY LO, URINE		1	17
STAGGERING		1	17
TREMBLING		1	17

ENROFLOXACIN
PARENTERAL, HUMAN

ENROFLOXACIN
PARENTERAL, HUMAN

Reviews	Treated	Reacted	Died
1	1	1	0
Sign		Number	Percent
INJ SITE PAIN		1	100

ENROFLOXACIN
UNKNOWN, CAT

Reviews	Treated	Reacted	Died
4	4	4	0
Sign		Number	Percent
MYDRIASIS		2	50
REFLEX(ES) ABN		2	50
RETINA ABN		2	50
BLINDNESS, PARTIAL		1	25
CONVULSION(S)		1	25
ERG ABN		1	25
HEAD TILT		1	25
INJ SITE NECROSIS		1	25

ENROFLOXACIN
UNKNOWN, CATTLE

Reviews	Treated	Reacted	Died
1	8	8	0
Sign		Number	Percent
CIRCLING		1	100
FROTH, MOUTH/LIP(S)		1	100
HYPERACTIVITY		1	100
INJ SITE PAIN		1	100

ENROFLOXACIN
UNKNOWN, DOG

Reviews	Treated	Reacted	Died
2	2	2	0
Sign		Number	Percent
ANEMIA		1	50
PLATELETS LO, BLD		1	50
VOMITING		1	50

ENROFLOXACIN
UNKNOWN, DOG

Reviews	Treated	Reacted	Died
2	2	2	0
Sign		Number	Percent
VOMITING, BLOODY		1	50

ENROFLOXACIN
UNKNOWN, HORSE

Reviews	Treated	Reacted	Died
1	1	1	0
Sign		Number	Percent
ANAPHYLAXIS/TOID		1	100
CONGESTION		1	100
EDEMA, HEAD/FACE		1	100

ENROFLOXACIN
UNKNOWN, HUMAN

Reviews	Treated	Reacted	Died
2	2	2	0
Sign		Number	Percent
INJ SITE BLD		1	50
INJ SITE PAIN		1	50

ENROFLOXACIN
VARIOUS, CAT

Reviews	Treated	Reacted	Died
1	1	1	0
Sign		Number	Percent
BLINDNESS, PARTIAL		1	100
MYDRIASIS		1	100
PUPIL(S), AREFLEXIA		1	100

ENROFLOXACIN, SILVER SULFADIAZINE
TOPICAL, DOG

Reviews	Treated	Reacted	Died
1	1	1	0

ENROFLOXACIN, SILVER SULFADIAZINE
TOPICAL, DOG

Reviews	Treated	Reacted	Died
1	1	1	0
Sign		Number	Percent
CONGESTION, EAR(S)		1	100
SWELLING, EAR(S)		1	100

EPRINOMECTIN
ORAL, DOG

Reviews	Treated	Reacted	Died
1	1	1	0
Sign		Number	Percent
BLINDNESS		1	100
HYPERSALIVATION		1	100
MYDRIASIS		1	100

EPRINOMECTIN
ORAL, HORSE

Reviews	Treated	Reacted	Died
1	1	1	0
Sign		Number	Percent
PAIN, ABDOMEN		1	100

EPRINOMECTIN
TOPICAL, CATTLE

Reviews	Treated	Reacted	Died
2	211	211	1
Sign		Number	Percent
ANAPHYLAXIS/TOID		1	50
ANOREXIA		1	50
DEATH		1	50
RECUMBENCY		1	50
UDDER, HYPOGALACTIA		1	50

EPSIPRANTEL
MISSING, DOG

EPSIPRANTEL
MISSING, DOG

Reviews	Treated	Reacted	Died
1	1	1	0
Sign		Number	Percent
DIARRHEA		1	100
DIARRHEA, MUCOID		1	100
VOMITING		1	100

EPSIPRANTEL
ORAL, CAT

Reviews	Treated	Reacted	Died
10	10	10	1
Sign		Number	Percent
INEFFECT, TAPES		5	50
DEPRESSION/LETHARGY		3	30
ANOREXIA		1	10
APPREHENSION		1	10
DEATH		1	10
TWITCH		1	10

EPSIPRANTEL
ORAL, DOG

Reviews	Treated	Reacted	Died
11	20	20	0
Sign		Number	Percent
INEFFECT, TAPES		10	91
DIARRHEA		1	9

ERYTHROMYCIN
DEFECT, NOT APPLICABLE

Reviews	Treated	Reacted	Died
2	0	0	0
Sign		Number	Percent
PD-MISSING, LABEL(S)		1	50
PD-UNDERFILL, VIAL(S)		1	50

ESTRADIOL, PROGESTERONE

ESTRADIOL, PROGESTERONE
DEFECT, NOT APPLICABLE

Reviews	Treated	Reacted	Died
12	0	0	0
Sign		Number	Percent
PD-UNDERFILL, PACKAGE		6	50
PD-IMPLANT, ABN		5	42
PD-APPLICATOR, ABN		1	8
PD-PRODUCT DEFECT		1	8

ESTRADIOL, PROGESTERONE
PARENTERAL, CATTLE

Reviews	Treated	Reacted	Died
3	474	102	0
Sign		Number	Percent
BLD, VAGINA		1	33
ESTRUS		1	33
ESTRUS BEHAVIOR		1	33
HYPERALIVATION		1	33
NERVOUSNESS		1	33
PD-IMPLANT, ABN		1	33
POLYPNEA		1	33
RECUMBENCY		1	33
SWELLING, EYE(S)/LID(S)		1	33

ESTRADIOL, TESTOSTERONE
DEFECT, NOT APPLICABLE

Reviews	Treated	Reacted	Died
4	0	0	0
Sign		Number	Percent
PD-UNDERFILL, PACKAGE		3	75
PD-IMPLANT, ABN		2	50

ESTRADIOL, TESTOSTERONE
PARENTERAL, CATTLE

Reviews	Treated	Reacted	Died
1	150	25	0
Sign		Number	Percent
PD-IMPLANT, ABN		1	100

ESTRADIOL, TRENBOLONE
DEFECT, NOT APPLICABLE

Reviews	Treated	Reacted	Died
2	0	0	0
Sign		Number	Percent
PD-UNDERFILL, PACKAGE		2	100
PD-SEAL, ABN		1	50

ESTRADIOL, TRENBOLONE
PARENTERAL, CATTLE

Reviews	Treated	Reacted	Died
1	140	28	0
Sign		Number	Percent
ESTRUS BEHAVIOR		1	100

ESTRADIOL, TRENBOLONE
UNKNOWN, CATTLE

Reviews	Treated	Reacted	Died
1	260	6	0
Sign		Number	Percent
ANOREXIA		1	100
POLYPNEA		1	100

ETODOLAC
DEFECT, NOT APPLICABLE

Reviews	Treated	Reacted	Died
2	0	0	0
Sign		Number	Percent
PD-CONTAINER(S), ABN		1	50
PD-CONTAINER(S), DAMAG		1	50
PD-MISSING, LABEL(S)		1	50
PD-SEAL, ABN		1	50

ETODOLAC
ORAL, DOG

Reviews	Treated	Reacted	Died
---------	---------	---------	------

ETODOLAC
ORAL, DOG

Reviews 388	Treated 457	Reacted 434	Died 47
Sign		Number	Percent
VOMITING		76	20
ANOREXIA		62	16
DIARRHEA, BLOODY		59	15
DIARRHEA		54	14
ALK PHOS HI, BLD		48	12
KERATOCONJUNCTIVITIS S		41	11
DEPRESSION/LETHARGY		40	10
SGPT/ALT HI, BLD		37	10
LIVER ENZYMES HI, BLD		27	7
MELENA		24	6
ANEMIA		19	5
BILIRUBIN(TOT) HI, BLD		19	5
PROTEIN(TOT) LO, BLD		18	5
POLYDIPSIA		17	4
CONVULSION(S)		16	4
ALBUMIN LO, BLD		15	4
DEATH		15	4
POLYURIA		15	4
HEMATOCHEZIA		14	4
ATAXIA		13	3
DEATH(EUTHANIZED)		13	3
WBC HI, BLD		12	3
WEIGHT LOSS		11	3
BUN HI, BLD		10	3
PLATELETS LO, BLD		10	3
PR-LIVER, LESION(S)		9	2
ICTERUS, BODY		8	2
CREATININE HI, BLD		7	2
FEVER, BODY		7	2
ICTERUS		7	2
BLD, URINE		6	2
CONJUNCTIVITIS		6	2
SGOT/AST HI, BLD		6	2
VOMITING, BLOODY		6	2
BEHAVIOR DISORDER		5	1
EPISTAXIS		5	1
GGT HI, BLD		5	1
URINATION ABN		5	1
AMYLASE HI, BLD		4	1
BLD(PETECHIAE)		4	1

ETODOLAC
ORAL, DOG

Reviews 388	Treated 457	Reacted 434	Died 47
Sign		Number	Percent
DIARRHEA, WATERY		4	1
FLATULENCE		4	1
HEAD TILT		4	1
INEFFECT, ANALGESIA		4	1
INTERACTION, DRUG(S)		4	1
KIDNEY FAILURE		4	1
RECUMBENCY		4	1
SEGS HI, BLD		4	1
URTICARIA		4	1
ADIPSIA		3	1
AGGRESSION		3	1
ALOPECIA		3	1
BLD, GI		3	1
DIARRHEA, MUCOID		3	1
DIARRHEA, SEVERE		3	1
DISCHARGE, EYE(S)/LID(S)		3	1
DISTENTION, ABDOMEN		3	1
DYSPNEA		3	1
EDEMA, VENTRAL		3	1
GLOBULIN LO, BLD		3	1
HEPATITIS		3	1
HYPERACTIVITY		3	1
INCONTINENCE, URINARY		3	1
LIPASE HI, BLD		3	1
PALLOR, MUCOUS MEMBRAN		3	1
PR-KIDNEY(S), LESION(S)		3	1
SEDATION		3	1
SPEC GRAVITY LO, URINE		3	1
ULCER(S), CORNEA(S)		3	1
ANEMIA, REGEN		2	1
COLITIS		2	1
CONFUSION		2	1
DIARRHEA, MILD		2	1
GI, ABNORMAL		2	1
INFECTION, URINARY TRA		2	1
INFLAM, SKIN		2	1
K HI, BLD		2	1
KIDNEY DISORDER		2	1
KIDNEY VALUES HI, BLD		2	1
NERVOUSNESS		2	1

ETODOLAC
ORAL, DOG

Reviews 388	Treated 457	Reacted 434	Died 47
Sign		Number	Percent
NYSTAGMUS		2	1
P HI, BLD		2	1
PAIN, ABDOMEN		2	1
POLYPNEA		2	1
PR-GI, LESION(S)		2	1
PR-PANCREAS, LESION(S)		2	1
SOMNOLENCE		2	1
STAGGERING		2	1
THYROID HORMONE(S) LO		2	1
US-LIVER ABN		2	1
VESTIBULAR DISORDER		2	1
WEAKNESS		2	1
ANAPHYLAXIS/TOID		1	
ANEMIA, AUTOIMMUNE HEM		1	
ASCITES		1	
AZOTEMIA		1	
BILE ACIDS HI, BLD		1	
BILIRUBIN, URINE		1	
BLD		1	
BLD(HEMATOMA)		1	
BLD, RECTUM		1	
BLEPHAROSPASM		1	
BLINDNESS		1	
BUN LO, BLD		1	
CA HI, BLD		1	
CASTS, URINE		1	
CHOLESTEROL HI, BLD		1	
CIRCLING		1	
COLLAPSE		1	
CONGESTION, PHARYNX		1	
COUGHING		1	
CPK HI, BLD		1	
DEAFNESS		1	
DEHYDRATION		1	
DEMENTIA		1	
DIABETES MELLITUS		1	
DIARRHEA, PROJECTILE		1	
DIC		1	
DISCHARGE, NOSE		1	
EAR DISORDER		1	

ETODOLAC
ORAL, DOG

Reviews	Treated	Reacted	Died
388	457	434	47
Sign		Number	Percent
EDEMA		1	
EDEMA, LARYNX		1	
EDEMA, LIMB(S)		1	
ELIMINATION ABN		1	
ENLARGEMENT, LYMPH NOD		1	
EOSINOS HI, BLD		1	
GASTROENTERITIS		1	
GLUCOSE LO, BLD		1	
HAIR, SHEDDING		1	
HEALING IMPAIRED		1	
HORNER'S SYNDROME		1	
HYPERESTHESIA		1	
HYPERMOTILITY		1	
HYPHEMA		1	
HYPOTHERMIA, BODY		1	
ICTERUS, SERUM		1	
INCONTINENCE, FECAL		1	
INEFFECT		1	
IRRITATION, EYE(S)/LID		1	
IRRITATION, PHARYNX/TH		1	
LARYNGITIS		1	
LICKING		1	
LIVER DISORDER		1	
LIVER FAILURE		1	
LIVER PROFILE HI		1	
LYMPHS LO, BLD		1	
MONOS HI, BLD		1	
NAUSEA		1	
ODOR, URINE		1	
OTITIS		1	
PACING		1	
PAIN		1	
PAIN, EYE(S)/LID(S)		1	
PANCREATITIS		1	
PARALYSIS, FACIAL NERV		1	
PHARYNGITIS		1	
PHLEBITIS		1	
PHOTOPHOBIA		1	
PICA		1	
POLYCYTHEMIA		1	

ETODOLAC
ORAL, DOG

Reviews	Treated	Reacted	Died
388	457	434	47
Sign		Number	Percent
PR-HEART, LESION(S)		1	
PR-LUNG(S), EDEMA		1	
PR-LUNG(S), LESION(S)		1	
PR-MULT SITES, LESION(S)		1	
PR-SKIN, LESION(S)		1	
PR-STOMACH, LESION(S)		1	
PROLAPSE, THIRD EYELID		1	
PROTEIN, URINE		1	
PRURITIS		1	
RBC, NUCLEATED		1	
RELUCTANT TO CLIMB		1	
RELUCTANT TO MOVE		1	
SHOCK		1	
STOOL ABN		1	
STRANGURIA		1	
SWELLING, HEAD/FACE		1	
SWELLING, LIMB(S)		1	
TOX		1	
TREMBLING		1	
TWITCH		1	
ULCER(S), PYLORUS		1	
ULCER(S), TONGUE		1	
WBC, URINE		1	

ETODOLAC
TOPICAL, DOG

Reviews	Treated	Reacted	Died
1	1	1	0
Sign		Number	Percent
VOMITING, BLOODY		1	100

ETODOLAC
UNKNOWN, DOG

Reviews	Treated	Reacted	Died
8	8	8	0
Sign		Number	Percent

ETODOLAC
UNKNOWN, DOG

Reviews	Treated	Reacted	Died
8	8	8	0
Sign		Number	Percent
DIARRHEA		3	38
ANOREXIA		2	25
LIVER ENZYMES HI, BLD		2	25
BILIRUBIN(TOT) HI, BLD		1	13
DEPRESSION/LETHARGY		1	13
DIARRHEA, BLOODY		1	13
DIARRHEA, MILD		1	13
ENTERITIS		1	13
ICTERUS		1	13
INTERACTION, DRUG(S)		1	13
MASS, SKIN		1	13
RADIOGRAPH(S) ABN		1	13
SGPT/ALT HI, BLD		1	13

FAMPHUR
DEFECT, NOT APPLICABLE

Reviews	Treated	Reacted	Died
5	0	0	0
Sign		Number	Percent
PD-CONTAINER(S), DAMAG		2	40
PD-APPLICATOR, ABN		1	20
PD-CAP(S), ABN		1	20
PD-ODOR, ABN		1	20

FAMPHUR
INHALATION, HUMAN

Reviews	Treated	Reacted	Died
1	1	1	0
Sign		Number	Percent
COUGHING		1	100
NAUSEA		1	100
PNEUMONIA, ASPIRATION		1	100
RADIOGRAPH(S) ABN		1	100

FAMPHUR

FAMPHUR
TOPICAL, CATTLE

Reviews	Treated	Reacted	Died
1	164	1	0
Sign		Number	Percent
INEFFECT, LICE		1	100

FAMPHUR
TOPICAL, HUMAN

Reviews	Treated	Reacted	Died
10	10	10	0
Sign		Number	Percent
IRRITATION, EYE(S)/LID		6	60
NAUSEA		4	40
INFLAM, SKIN		2	20
VOMITING		2	20
ABRASION, CORNEA(S)		1	10
ACCIDENTAL EXPOSURE		1	10
DIARRHEA		1	10
FEVER, BODY		1	10
HEADACHE		1	10
SWEATING		1	10

FAMPHUR
UNKNOWN, CATTLE

Reviews	Treated	Reacted	Died
2	1040	1036	0
Sign		Number	Percent
INEFFECT, GRUBS		2	100

FAMPHUR
UNKNOWN, HUMAN

Reviews	Treated	Reacted	Died
2	2	2	0
Sign		Number	Percent
COUGHING		1	50
SWELLING, HEAD/FACE		1	50
VOMITING		1	50

FEBANTEL, PRAZIQUANTEL, PYRANTEL
DEFECT, NOT APPLICABLE

Reviews	Treated	Reacted	Died
1	0	0	0
Sign		Number	Percent
PD-MISSING, LABEL(S)		1	100

FEBANTEL, PRAZIQUANTEL, PYRANTEL
ORAL, CAT

Reviews	Treated	Reacted	Died
1	1	1	0
Sign		Number	Percent
ANEMIA		1	100
ANOREXIA		1	100
BILIRUBIN(TOT) HI, BLD		1	100
BLD, URINE		1	100
COUGHING		1	100
DEHYDRATION		1	100
DEPRESSION/LETHARGY		1	100
DIARRHEA, MILD		1	100
FEVER, BODY		1	100
ICTERUS, BODY		1	100

FEBANTEL, PRAZIQUANTEL, PYRANTEL
ORAL, DOG

Reviews	Treated	Reacted	Died
8	17	10	2
Sign		Number	Percent
VOMITING		4	50
DIARRHEA		3	38
ANOREXIA		2	25
LIVER ENZYMES HI, BLD		2	25
ATAXIA		1	13
CONGESTION, SKIN		1	13
DEATH		1	13
DEATH(EUTHANIZED)		1	13
DEATH(STILLBORN)		1	13
DEHYDRATION		1	13
HYPERPNEA		1	13
INEFFECT, ASCARIDS		1	13
INEFFECT, HOOKS		1	13

FEBANTEL, PRAZIQUANTEL, PYRANTEL
ORAL, DOG

Reviews	Treated	Reacted	Died
8	17	10	2
Sign		Number	Percent
KIDNEY VALUES HI, BLD		1	13
LESION(S), SKIN		1	13
PANCREAS ENZYMES HI, B		1	13
POLYDIPSIA		1	13
RECUMBENCY		1	13
RELUCTANT TO MOVE		1	13
SKIN, SCAB(S)		1	13
SLOUGH, SKIN		1	13
TACHYCARDIA		1	13
WEAKNESS		1	13

FENBENDAZOLE
ORAL, CAT

Reviews	Treated	Reacted	Died
1	1	1	0
Sign		Number	Percent
PARESIS, HIND LIMB(S)		1	100

FENBENDAZOLE
ORAL, CATTLE

Reviews	Treated	Reacted	Died
1	200	40	0
Sign		Number	Percent
ANOREXIA		1	100
UDDER, HYPOGALACTIA		1	100

FENBENDAZOLE
ORAL, DOG

Reviews	Treated	Reacted	Died
2	3	3	1
Sign		Number	Percent
ANAPHYLAXIS/TOID		1	50
DEATH		1	50
ILL		1	50

FENBENDAZOLE
ORAL, DOG

Reviews	Treated	Reacted	Died
2	3	3	1
Sign		Number	Percent
VOMITING		1	50

FENBENDAZOLE
ORAL, HORSE

Reviews	Treated	Reacted	Died
1	1	1	0
Sign		Number	Percent
APNEA		1	100
COLLAPSE		1	100
PARALYSIS		1	100

FENBENDAZOLE
ORAL, HUMAN

Reviews	Treated	Reacted	Died
1	1	1	0
Sign		Number	Percent
DIARRHEA		1	100
VOMITING		1	100

FENBENDAZOLE
UNKNOWN, DOG

Reviews	Treated	Reacted	Died
1	1	1	0
Sign		Number	Percent
ANOREXIA		1	100
DIARRHEA, BLOODY		1	100
VOMITING		1	100

FENTANYL
TOPICAL, DOG

Reviews	Treated	Reacted	Died
1	1	1	0

FENTANYL
TOPICAL, DOG

Reviews	Treated	Reacted	Died
1	1	1	0
Sign		Number	Percent
INFLAM, SKIN		1	100
SKIN, NECROSIS		1	100

FENTHION
DEFECT, NOT APPLICABLE

Reviews	Treated	Reacted	Died
3	0	0	0
Sign		Number	Percent
PD-VIAL(S), LEAKING		3	100

FENTHION
TOPICAL, CATTLE

Reviews	Treated	Reacted	Died
2	212	202	0
Sign		Number	Percent
ANOREXIA		1	50
DEPRESSION/LETHARGY		1	50
DIARRHEA		1	50
EPIPHORA		1	50
HYPERSALIVATION		1	50
INEFFECT, GRUBS		1	50
RECUMBENCY		1	50

FLORFENICOL
DEFECT, NOT APPLICABLE

Reviews	Treated	Reacted	Died
2	0	0	0
Sign		Number	Percent
PD-CAP(S), ABN		1	50
PD-VIAL(S), ABN		1	50
PD-VIAL(S), DAMAGED		1	50
PD-VIAL(S), LEAKING		1	50

FLORFENICOL
PARENTERAL, CATTLE

Reviews	Treated	Reacted	Died
11	58	39	5
Sign		Number	Percent
COLLAPSE		3	27
DEATH		3	27
ANAPHYLAXIS/TOID		2	18
HYPERPNEA		2	18
HYPERMOTILITY		2	18
INJ SITE SWELLING		2	18
LAMENESS		2	18
RECUMBENCY		2	18
THRASHING/PADDLING		2	18
ATAXIA		1	9
DISCHARGE, EYE(S)/LID(S)		1	9
EDEMA, CORNEA(S)		1	9
PARESIS		1	9
STAGGERING		1	9
STIFFNESS, FRONT LIMB(1	9

FLORFENICOL
PARENTERAL, DEER

Reviews	Treated	Reacted	Died
1	1	1	1
Sign		Number	Percent
ANAPHYLAXIS/TOID		1	100
DEATH		1	100

FLORFENICOL
PARENTERAL, DOG

Reviews	Treated	Reacted	Died
1	1	1	0
Sign		Number	Percent
INJ SITE PAIN		1	100

FLORFENICOL
PARENTERAL, HORSE

Reviews	Treated	Reacted	Died
---------	---------	---------	------

FLORFENICOL
PARENTERAL, HORSE

Reviews	Treated	Reacted	Died
2	2	2	2
Sign		Number	Percent
ANOREXIA		2	100
DEPRESSION/LETHARGY		2	100
DIARRHEA		2	100
FEVER, BODY		2	100
TOX		2	100
DEATH		1	50
DEATH(EUTHANIZED)		1	50
INJ SITE SWELLING		1	50
PAIN, ABDOMEN		1	50
PLATELETS LO, BLD		1	50

FLORFENICOL
PARENTERAL, HUMAN

Reviews	Treated	Reacted	Died
9	9	9	0
Sign		Number	Percent
INJ SITE PAIN		3	33
INJ SITE SWELLING		3	33
BLD		2	22
INJ SITE INFLAM		2	22
INJ SITE STIFFNESS		2	22
PARESTHESIA		1	11
STIFFNESS, HAND(S)		1	11
SWELLING		1	11
SWELLING, JOINT(S)		1	11

FLORFENICOL
UNKNOWN, CATTLE

Reviews	Treated	Reacted	Died
2	43	21	3
Sign		Number	Percent
DEATH		2	100
DIARRHEA		1	50
DYSPNEA		1	50
KICKING		1	50

FLORFENICOL
UNKNOWN, GOAT

Reviews	Treated	Reacted	Died
1	1	1	1
Sign	Number		Percent
DEPRESSION/LETHARGY	1		100
HYPOTHERMIA, BODY	1		100
KIDNEY FAILURE	1		100
NERVOUSNESS	1		100
PARESIS	1		100

FLUNIXIN
PARENTERAL, CAT

Reviews	Treated	Reacted	Died
1	1	1	1
Sign	Number		Percent
ANESTH RECOV PROLONGED	1		100
DEATH	1		100
INJ SITE BLD	1		100

FLUNIXIN
PARENTERAL, CATTLE

Reviews	Treated	Reacted	Died
2	6	6	5
Sign	Number		Percent
ANAPHYLAXIS/TOID	2		100
COLLAPSE	2		100
ATAXIA	1		50
DEATH	1		50
HYPERPNEA	1		50
HYPERSALIVATION	1		50
THRASHING/PADDLING	1		50

FLUNIXIN
PARENTERAL, DOG

Reviews	Treated	Reacted	Died
1	1	1	0
Sign	Number		Percent
VOMITING	1		100

FLUNIXIN
PARENTERAL, HORSE

Reviews	Treated	Reacted	Died
18	19	19	6
Sign		Number	Percent
INJ SITE ABSCESS		6	33
INJ SITE SWELLING		5	28
CONVULSION(S)		4	22
DEATH		4	22
COLLAPSE		2	11
FEVER, BODY		2	11
URTICARIA		2	11
CONFUSION		1	6
DEATH(EUTHANIZED)		1	6
HYPERTONIA		1	6
INJ SITE EDEMA		1	6
INJ SITE EFFUSION		1	6
INJ SITE EMPHYSEMA		1	6
INJ SITE FIBROSIS		1	6
INJ SITE NECROSIS		1	6
JERKING		1	6
LAMENESS		1	6
PAIN, ABDOMEN		1	6
REARING		1	6
RECUMBENCY		1	6
SPASM		1	6
STIFFNESS, NECK		1	6
SWEATING		1	6
SWELLING, HEAD/FACE		1	6
SWELLING, NECK		1	6
THRASHING/PADDLING		1	6

FLUNIXIN
PARENTERAL, RABBIT

Reviews	Treated	Reacted	Died
1	1	1	1
Sign		Number	Percent
DEATH		1	100

FLUNIXIN
SUPPOSITORY, HORSE

FLUNIXIN
SUPPOSITORY, HORSE

Reviews	Treated	Reacted	Died
1	1	1	0
Sign		Number	Percent
DEPRESSION/LETHARGY		1	100
RELUCTANT TO MOVE		1	100
SOMNOLENCE		1	100

FLUNIXIN
TOPICAL, HUMAN

Reviews	Treated	Reacted	Died
1	1	1	0
Sign		Number	Percent
IRRITATION, SKIN		1	100

FLUNIXIN
UNKNOWN, CATTLE

Reviews	Treated	Reacted	Died
1	3	3	3
Sign		Number	Percent
DEATH		1	100

FLUNIXIN
UNKNOWN, HUMAN

Reviews	Treated	Reacted	Died
1	1	1	0
Sign		Number	Percent
LIVER ENZYMES HI, BLD		1	100

FUROSEMIDE
ORAL, DOG

Reviews	Treated	Reacted	Died
4	4	4	0
Sign		Number	Percent
POLYURIA		2	50
INCONTINENCE		1	25

FUROSEMIDE
ORAL, DOG

Reviews	Treated	Reacted	Died
4	4	4	0
Sign		Number	Percent
POLYDIPSIA		1	25
PRESSURE LO, BLD		1	25
SPEC GRAVITY LO, URINE		1	25

FUROSEMIDE
PARENTERAL, CAT

Reviews	Treated	Reacted	Died
1	1	1	0
Sign		Number	Percent
K LO, BLD		1	100

GENTAMICIN
ORAL, DOG

Reviews	Treated	Reacted	Died
1	1	1	0
Sign		Number	Percent
ANOREXIA		1	100
PAIN, ABDOMEN		1	100
PALLOR		1	100

GENTAMICIN
PARENTERAL, CAT

Reviews	Treated	Reacted	Died
1	1	1	1
Sign		Number	Percent
DEATH		1	100

GENTAMICIN
PARENTERAL, HORSE

Reviews	Treated	Reacted	Died
1	1	1	1
Sign		Number	Percent

GENTAMICIN
PARENTERAL, HORSE

Reviews	Treated	Reacted	Died
1	1	1	1
Sign			Percent
CONGESTION, LUNG(S)		1	100
DEATH(EUTHANIZED)		1	100
EFFUSION, PLEURAL		1	100
KIDNEY FAILURE		1	100
POLYPNEA		1	100
RECUMBENCY		1	100
WEAKNESS		1	100

GENTAMICIN
TOPICAL, DOG

Reviews	Treated	Reacted	Died
2	2	2	1
Sign			Percent
ANEMIA		1	50
APPLICATION SITE INFLAM		1	50
BUN HI, BLD		1	50
CREATININE HI, BLD		1	50
DEATH(EUTHANIZED)		1	50
POLYDIPSIA		1	50
POLYURIA		1	50
RELUCTANT TO MOVE		1	50

GENTAMICIN
TOPICAL, HUMAN

Reviews	Treated	Reacted	Died
1	1	1	0
Sign			Percent
APPLICATION SITE ERYTHEMA		1	100

GLYCOPYRROLATE
DEFECT, NOT APPLICABLE

Reviews	Treated	Reacted	Died
1	0	0	0
Sign			Percent

GLYCOPYRROLATE
DEFECT, NOT APPLICABLE

Reviews	Treated	Reacted	Died
1	0	0	0
Sign		Number	Percent
PD-LABEL(S), ABN		1	100

GLYCOPYRROLATE
MISSING, DOG

Reviews	Treated	Reacted	Died
1	1	1	0
Sign		Number	Percent
BEHAVIOR DISORDER		1	100

GLYCOSAMINOGLYCAN POLYSULFATE
PARENTERAL, CAT

Reviews	Treated	Reacted	Died
1	1	1	0
Sign		Number	Percent
DEPRESSION/LETHARGY		1	100
VOMITING		1	100

GLYCOSAMINOGLYCAN POLYSULFATE
PARENTERAL, DOG

Reviews	Treated	Reacted	Died
6	10	10	1
Sign		Number	Percent
DEPRESSION/LETHARGY		3	50
BLINDNESS		2	33
EXERCISE INTOLERANCE		2	33
HYPERSALIVATION		2	33
INJ SITE PAIN		2	33
INJ SITE SWELLING		2	33
POLYPNEA		2	33
SWELLING, LIMB(S)		2	33
VOMITING		2	33
ALOPECIA		1	17
ATAXIA		1	17
COAGULATION DISORDER		1	17

GLYCOSAMINOGLYCAN POLYSULFATE
PARENTERAL, DOG

Reviews	Treated	Reacted	Died
6	10	10	1
Sign			Percent
CONVULSION(S)		1	17
HYPERACTIVITY		1	17
INEFFECT		1	17
INEFFECT, ANTIINFLAM		1	17
INJ SITE STIFFNESS		1	17
LAMENESS		1	17
NYSTAGMUS		1	17
PARESIS		1	17
PRURITIS		1	17
TWITCH		1	17
UVEITIS		1	17
VOCALIZATION		1	17

GLYCOSAMINOGLYCAN POLYSULFATE
PARENTERAL, HORSE

Reviews	Treated	Reacted	Died
3	4	4	0
Sign			Percent
INJ SITE SWELLING		2	67
INJ SITE ABSCESS		1	33
INJ SITE PAIN		1	33
PAIN, ABDOMEN		1	33
URTICARIA		1	33

GONADORELIN
DEFECT, NOT APPLICABLE

Reviews	Treated	Reacted	Died
1	0	0	0
Sign			Percent
PD-CAP(S), ABN		1	100

GRISEOFULVIN
ORAL, CAT

Reviews	Treated	Reacted	Died
---------	---------	---------	------

GRISEOFULVIN
ORAL, CAT

Reviews	Treated	Reacted	Died
4	4	4	3
Sign		Number	Percent
WBC LO, BLD		3	75
ANEMIA		2	50
ANOREXIA		2	50
DEATH(EUTHANIZED)		2	50
VOMITING		2	50
DEATH		1	25
DEPRESSION/LETHARGY		1	25
DIARRHEA		1	25
DISCHARGE, NOSE		1	25
FEVER, BODY		1	25

GRISEOFULVIN
ORAL, DOG

Reviews	Treated	Reacted	Died
1	1	1	0
Sign		Number	Percent
PARALYSIS		1	100
TREMBLING		1	100

GUAIFENSIN
DEFECT, NOT APPLICABLE

Reviews	Treated	Reacted	Died
4	0	0	0
Sign		Number	Percent
PD-SOLUTION, ABN		2	50
PD-CAP(S), ABN		1	25
PD-UNDERFILL, VIAL(S)		1	25
PD-VIAL(S), LEAKING		1	25

HEMOGLOBIN GLUTAMER
PARENTERAL, DOG

Reviews	Treated	Reacted	Died
8	9	9	8
Sign		Number	Percent

HEMOGLOBIN GLUTAMER
PARENTERAL, DOG

Reviews	Treated	Reacted	Died
8	9	9	8
Sign		Number	Percent
DEATH		3	38
EDEMA, LIMB(S)		2	25
NYSTAGMUS, HORIZONTAL		2	25
ABN COLOR, URINE		1	13
ATAXIA		1	13
DEATH(EUTHANIZED)		1	13
DEATH(TX FAILURE)		1	13
EDEMA, HEAD/FACE		1	13
INEFFECT		1	13
INJ SITE EDEMA		1	13
LAMENESS		1	13
PARALYSIS, HIND LIMB(S)		1	13
PARESIS, HIND LIMB(S)		1	13
PR-INJ SITE, LESION(S)		1	13
SEGS HI, BLD		1	13
SLOUGH		1	13
SLOUGH, FEET/DIGIT(S)		1	13
SWELLING, LIMB(S)		1	13
VOMITING		1	13
WBC HI, BLD		1	13

HETACILLIN
INTRAMAMMARY, CATTLE

Reviews	Treated	Reacted	Died
3	7	7	1
Sign		Number	Percent
RESIDUE, MILK		2	67
DEATH(SLAUGHTERED)		1	33
INEFFECT, ANTIBIOTIC		1	33

HOMEOPATHIC PREPARATIONS
ORAL, DOG

Reviews	Treated	Reacted	Died
1	1	1	1
Sign		Number	Percent
DEATH(EUTHANIZED)		1	100

HOMEOPATHIC PREPARATIONS
ORAL, DOG

Reviews	Treated	Reacted	Died
1	1	1	1
Sign		Number	Percent
PARESIS, HIND LIMB(S)		1	100
PROPRIOCEPTIVE DISORDE		1	100
WEAKNESS		1	100

HYALURONATE
DEFECT, NOT APPLICABLE

Reviews	Treated	Reacted	Died
9	0	0	0
Sign		Number	Percent
PD-UNDERFILL, VIAL(S)		3	33
PD-SEAL, ABN		2	22
PD-SOLUTION, ABN		2	22
PD-SYRINGE, ABN		1	11
PD-VIAL(S), DAMAGED		1	11

HYALURONATE
PARENTERAL, HORSE

Reviews	Treated	Reacted	Died
5	7	7	0
Sign		Number	Percent
ARTHRITIS		2	40
EFFUSION, JOINT(S)		2	40
BIRTH DEFECT(S)		1	20
PAIN, ABDOMEN		1	20
PAIN, JOINT(S)		1	20
SWELLING, JOINT(S)		1	20

INSULIN
PARENTERAL, DOG

Reviews	Treated	Reacted	Died
1	1	1	0
Sign		Number	Percent
INEFFECT, LOSS OF EFFE		1	100

IRON DEXTRAN
MISSING, PIG

Reviews	Treated	Reacted	Died
1	1	1	0
Sign		Number	Percent
INEFFECT		1	100

IRON DEXTRAN
PARENTERAL, CATTLE

Reviews	Treated	Reacted	Died
2	470	62	33
Sign		Number	Percent
COLLAPSE		2	100
DEATH		2	100
INJ SITE ABSCESS		2	100
FEVER, BODY		1	50
INJ SITE EMPHYSEMA		1	50
INJ SITE SWELLING		1	50
MORIBUND		1	50

IRON DEXTRAN
PARENTERAL, PIG

Reviews	Treated	Reacted	Died
1	20	20	20
Sign		Number	Percent
DEATH		1	100

IRON DEXTRAN
VARIOUS, CATTLE

Reviews	Treated	Reacted	Died
1	235	32	20
Sign		Number	Percent
DEATH		1	100

ISOFLUPREDONE
PARENTERAL, CATTLE

Reviews	Treated	Reacted	Died
---------	---------	---------	------

ISOFLUPREDONE
PARENTERAL, CATTLE

Reviews	Treated	Reacted	Died
5	373	103	103
Sign		Number	Percent
K LO, BLD		4	80
DEATH		3	60
ALBUMIN LO, BLD		1	20
ANAPHYLAXIS/TOID		1	20
ANOREXIA		1	20
BILIRUBIN(TOT) HI, BLD		1	20
BUN HI, BLD		1	20
CPK HI, BLD		1	20
CREATININE HI, BLD		1	20
DEHYDRATION		1	20
DEPRESSION/LETHARGY		1	20
DIARRHEA		1	20
FROTH, MOUTH/LIP(S)		1	20
GGT HI, BLD		1	20
KETOSIS		1	20
MG LO, BLD		1	20
P LO, BLD		1	20
PAIN		1	20
URTICARIA		1	20
WBC HI, BLD		1	20
WEAKNESS		1	20

ISOFLUPREDONE, NEOMYCIN
PARENTERAL, CATTLE

Reviews	Treated	Reacted	Died
5	373	103	103
Sign		Number	Percent
K LO, BLD		4	80
DEATH		3	60
ALBUMIN LO, BLD		1	20
ANAPHYLAXIS/TOID		1	20
ANOREXIA		1	20
BILIRUBIN(TOT) HI, BLD		1	20
BUN HI, BLD		1	20
CPK HI, BLD		1	20
CREATININE HI, BLD		1	20
DEHYDRATION		1	20
DEPRESSION/LETHARGY		1	20

ISOFLUPREDONE, NEOMYCIN
PARENTERAL, CATTLE

Reviews	Treated	Reacted	Died
5	373	103	103
Sign		Number	Percent
DIARRHEA		1	20
FROTH, MOUTH/LIP(S)		1	20
GGT HI, BLD		1	20
KETOSIS		1	20
MG LO, BLD		1	20
P LO, BLD		1	20
PAIN		1	20
URTICARIA		1	20
WBC HI, BLD		1	20
WEAKNESS		1	20

ISOFLURANE
INHALATION, BIRD

Reviews	Treated	Reacted	Died
1	1	1	1
Sign		Number	Percent
ARREST, HEART		1	100
DEATH		1	100

ISOFLURANE
INHALATION, CAT

Reviews	Treated	Reacted	Died
6	113	15	2
Sign		Number	Percent
ANESTH RECOV PROLONGED		1	17
APNEA		1	17
BLD, LUNG(S)/TRACHEA		1	17
BLINDNESS		1	17
CYANOSIS, MUCOUS MEMBR		1	17
DEATH		1	17
DEPRESSION/LETHARGY		1	17
DYSPNEA		1	17
ECG ABN		1	17
FIBRILLATION, VENTRICU		1	17
HYPOPNEA		1	17
INEFFECT, ANESTHESIA		1	17

ISOFLURANE
INHALATION, CAT

Reviews	Treated	Reacted	Died
6	113	15	2
Sign		Number	Percent
PR-LIVER, LESION(S)		1	17
TACHYCARDIA, VENTRICUL		1	17

ISOFLURANE
INHALATION, DOG

Reviews	Treated	Reacted	Died
7	15	12	3
Sign		Number	Percent
ARREST, HEART		2	29
INEFFECT, ANESTHESIA		2	29
APNEA		1	14
BEHAVIOR DISORDER		1	14
CHEMISTRY ABN		1	14
CONVULSION(S)		1	14
DEATH		1	14
DEATH(EUTHANIZED)		1	14
HYPOPNEA		1	14
ILL		1	14
TREMBLING		1	14
TREMBLING, FACE		1	14

ISOFLURANE
INHALATION, UNKNOWN

Reviews	Treated	Reacted	Died
1	5	5	0
Sign		Number	Percent
INEFFECT, ANESTHESIA		1	100
PD-ODOR, ABN		1	100

ISOFLURANE
INHALATION, VARIOUS

Reviews	Treated	Reacted	Died
1	30	30	0
Sign		Number	Percent

ISOFLURANE
INHALATION, VARIOUS

Reviews	Treated	Reacted	Died
1	30	30	0
Sign		Number	Percent
INEFFECT, ANESTHESIA		1	100

IVERMECTIN
INTRANASAL, DOG

Reviews	Treated	Reacted	Died
1	1	1	1
Sign		Number	Percent
ATAXIA		1	100
BLINDNESS		1	100
DEATH(EUTHANIZED)		1	100
HEAD PRESSING		1	100
MYDRIASIS		1	100
PROPRIOCEPTIVE DISORDE		1	100

IVERMECTIN
MISSING, BIRD

Reviews	Treated	Reacted	Died
1	3	3	1
Sign		Number	Percent
DEATH		1	100
DEPRESSION/LETHARGY		1	100
HYPERPNEA		1	100
TREMBLING		1	100
WEAKNESS		1	100

IVERMECTIN
MISSING, CAT

Reviews	Treated	Reacted	Died
1	2	1	0
Sign		Number	Percent
ADIPSIA		1	100
ANOREXIA		1	100
ATAXIA		1	100
BLINDNESS		1	100

IVERMECTIN
MISSING, CAT

Reviews	Treated	Reacted	Died
1	2	1	0
Sign		Number	Percent
FEVER, BODY		1	100
TREMBLING		1	100

IVERMECTIN
MISSING, DOG

Reviews	Treated	Reacted	Died
1	1	1	1
Sign		Number	Percent
DEATH		1	100
FROTH, MOUTH/LIP(S)		1	100
TACHYCARDIA		1	100
TREMBLING		1	100
UNCONSCIOUS		1	100
WEAKNESS		1	100

IVERMECTIN
ORAL, CAT

Reviews	Treated	Reacted	Died
3	3	3	0
Sign		Number	Percent
ATAXIA		2	67
BLINDNESS		1	33
CONFUSION		1	33
HYPOTHERMIA, BODY		1	33
MYDRIASIS		1	33
REFLEX(ES) ABN		1	33
VOMITING		1	33
WEAKNESS		1	33

IVERMECTIN
ORAL, DOG

Reviews	Treated	Reacted	Died
41	43	43	11
Sign		Number	Percent

IVERMECTIN
ORAL, DOG

Reviews 41	Treated 43	Reacted 43	Died 11
Sign		Number	Percent
VOMITING		18	44
ATAXIA		12	29
DEPRESSION/LETHARGY		12	29
TREMBLING		12	29
DEATH		11	27
CONVULSION(S)		7	17
MYDRIASIS		6	15
UNCONSCIOUS		6	15
ANOREXIA		4	10
HYPERSALIVATION		4	10
BLINDNESS, TEMP		3	7
FEVER, BODY		3	7
RECUMBENCY		3	7
WEAKNESS		3	7
APNEA		2	5
BLINDNESS		2	5
DEHYDRATION		2	5
DIARRHEA		2	5
DYSPNEA		2	5
EDEMA, LUNG(S)/TRACHEA		2	5
PUPIL(S), AREFLEXIA		2	5
REFLEX(ES) ABN		2	5
SHOCK		2	5
URTICARIA		2	5
BLD(PETECHIAE)		1	2
BLINDNESS, PARTIAL		1	2
BRADYCARDIA		1	2
COLLAPSE		1	2
COUGHING		1	2
CYANOSIS, MUCOUS MEMBR		1	2
DIARRHEA, BLOODY		1	2
DIARRHEA, MILD		1	2
DYSPHAGIA		1	2
HEAD TILT		1	2
HYPERESTHESIA		1	2
HYPOPNEA		1	2
HYPOTHERMIA		1	2
HYPOTHERMIA, BODY		1	2
ICTERUS		1	2
MELENA		1	2

IVERMECTIN
ORAL, DOG

Reviews	Treated	Reacted	Died
41	43	43	11
Sign		Number	Percent
MIOSIS		1	2
MUCOUS MEMBR, RED		1	2
NYSTAGMUS		1	2
OBSTRUCTION, INTESTINE		1	2
PARESIS		1	2
POLYPNEA		1	2
PR-LUNG(S), EDEMA		1	2
PR-SM INTEST, LESION(S)		1	2
PR-SPLEEN, LESION(S)		1	2
PRURITIS		1	2
RADIOGRAPH(S) ABN		1	2
SPLENOMEGALY		1	2
STUPOR		1	2
SWELLING, HEAD/FACE		1	2
TABLET(S), UNDIGEST		1	2
VOMITING, BLOODY		1	2

IVERMECTIN
ORAL, HORSE

Reviews	Treated	Reacted	Died
2	4	4	1
Sign		Number	Percent
ATAXIA		1	50
DEATH		1	50
PARESTHESIA, MOUTH/LIP		1	50
PR-KIDNEY(S), LESION(S)		1	50
PR-LIVER, LESION(S)		1	50
PR-LUNG(S), LESION(S)		1	50
PR-SPLEEN, LESION(S)		1	50

IVERMECTIN
PARENTERAL, CAT

Reviews	Treated	Reacted	Died
6	9	8	3
Sign		Number	Percent
ATAXIA		3	50

IVERMECTIN
PARENTERAL, CAT

Reviews	Treated	Reacted	Died
6	9	8	3
Sign		Number	Percent
DEATH		3	50
DEPRESSION/LETHARGY		3	50
MYDRIASIS		2	33
NEUROLOGICAL DISORDER		2	33
TREMBLING		2	33
ANISOCORIA		1	17
HYPERESTHESIA		1	17
PAIN		1	17
STUPOR		1	17

IVERMECTIN
PARENTERAL, DOG

Reviews	Treated	Reacted	Died
9	10	10	5
Sign		Number	Percent
ATAXIA		5	56
DEATH		3	33
DEPRESSION/LETHARGY		2	22
NERVOUSNESS		2	22
RECUMBENCY		2	22
TREMBLING		2	22
BLINDNESS		1	11
CNS DISORDER		1	11
CONFUSION		1	11
DEATH (EUTHANIZED)		1	11
DIFFICULTY RISING		1	11
HEAD PRESSING		1	11
HYPERSALIVATION		1	11
HYPOPNEA		1	11
MIOSIS		1	11
MYDRIASIS		1	11
POLYPNEA		1	11
PULSE THREADY		1	11
STAGGERING		1	11
VOCALIZATION		1	11
VOMITING		1	11

IVERMECTIN
TOPICAL, CATTLE

Reviews	Treated	Reacted	Died
8	1458	154	1
Sign			Percent
INEFFECT, LICE		5	63
DIARRHEA		2	25
ANAPHYLAXIS/TOID		1	13
ATAXIA		1	13
EDEMA, EYE(S)/LID(S)		1	13
HYPERPNEA		1	13
HYPERSALIVATION		1	13
INEFFECT, WORMS		1	13
RECUMBENCY		1	13

IVERMECTIN
TOPICAL, DOG

Reviews	Treated	Reacted	Died
1	1	1	1
Sign			Percent
ATAXIA		1	100
CONVULSION(S)		1	100
DEATH		1	100
HEART FAILURE		1	100
HYPERSALIVATION		1	100
MYDRIASIS		1	100
SWELLING, TONGUE		1	100

IVERMECTIN
UNKNOWN, CAT

Reviews	Treated	Reacted	Died
1	1	1	0
Sign			Percent
ATAXIA		1	100
CPK HI, BLD		1	100
MURMUR, HEART		1	100
MYDRIASIS		1	100
TREMBLING		1	100

IVERMECTIN

IVERMECTIN
UNKNOWN, DOG

Reviews	Treated	Reacted	Died
5	5	5	4
Sign		Number	Percent
DEATH		2	40
ATAXIA		1	20
BLINDNESS, TEMP		1	20
DEATH (EUTHANIZED)		1	20
DEPRESSION/LETHARGY		1	20
DYSMETRIA		1	20
HYPERACTIVITY		1	20
HYPERPNEA		1	20
HYPERSALIVATION		1	20
MYDRIASIS		1	20
RECUMBENCY		1	20
RETINA ABN		1	20
STUPOR		1	20
TREMBLING		1	20
UNCONSCIOUS		1	20

IVERMECTIN
VARIOUS, DOG

Reviews	Treated	Reacted	Died
1	60	9	9
Sign		Number	Percent
DEATH		1	100
HYPERACTIVITY		1	100
VOCALIZATION		1	100

IVERMECTIN, PYRANTEL
ORAL, DOG

Reviews	Treated	Reacted	Died
40	41	41	6
Sign		Number	Percent
VOMITING		10	25
DIARRHEA		7	18
DEPRESSION/LETHARGY		6	15
DEATH		5	13
DIARRHEA, BLOODY		4	10
HYPERSALIVATION		4	10

IVERMECTIN, PYRANTEL
ORAL, DOG

Reviews 40	Treated 41	Reacted 41	Died 6
Sign		Number	Percent
INEFFECT, ASCARIDS PRE		4	10
INEFFECT, HOOKS		4	10
INEFFECT, HOOKS PREVEN		4	10
CONVULSION(S)		3	8
FROTH, MOUTH/LIP(S)		3	8
ANOREXIA		2	5
ATAXIA		2	5
DISCOMFORT		2	5
FEVER, BODY		2	5
ICTERUS		2	5
MYDRIASIS		2	5
ANEMIA		1	3
ARRHYTHMIA		1	3
BLD, ABDOMEN		1	3
BLINDNESS, TEMP		1	3
BREATHING ABN		1	3
CONFUSION		1	3
DEATH(EUTHANIZED)		1	3
DEHYDRATION		1	3
DIARRHEA, MILD		1	3
DISTRESS, RESP		1	3
DYSPNEA		1	3
GASTROENTERITIS		1	3
HYPERACTIVITY		1	3
HYPERPNEA		1	3
ILL		1	3
INEFFECT, ASCARIDS		1	3
INEFFECT, HW LARVAE		1	3
INEFFECT, WORMS		1	3
NAUSEA		1	3
OBSTRUCTION, INTESTINE		1	3
PAIN, ABDOMEN		1	3
PALLOR, MUCOUS MEMBRAN		1	3
PD-PRODUCT DEFECT		1	3
PRURITIS		1	3
RADIOGRAPH(S) ABN		1	3
RECUMBENCY		1	3
SGPT/ALT HI, BLD		1	3
SPLENOMEGALY		1	3
STAGGERING		1	3

IVERMECTIN, PYRANTEL
ORAL, DOG

Reviews	Treated	Reacted	Died
40	41	41	6
Sign		Number	Percent
SWELLING, HEAD/FACE		1	3
TABLET(S), UNDIGEST		1	3
TACHYCARDIA		1	3
TREMBLING		1	3
TREMBLING, FACE		1	3
VOMITING, UNPRODUCTIVE		1	3
WEAKNESS		1	3

KETAMINE
DEFECT, NOT APPLICABLE

Reviews	Treated	Reacted	Died
12	0	0	0
Sign		Number	Percent
PD-UNDERFILL, VIAL(S)		6	50
PD-POTENCY, LO		4	33
PD-PRODUCT DEFECT		2	17
PD-COLOR, ABN		1	8
PD-SEAL, ABN		1	8
PD-SOLUTION, ABN		1	8
PD-UNDERFILL, PACKAGE		1	8

KETAMINE
MISSING, CAT

Reviews	Treated	Reacted	Died
2	6	6	0
Sign		Number	Percent
BITING/CHEWING		1	50
PRURITIS		1	50
SEDATION PROLONGED		1	50

KETAMINE
MISSING, DOG

Reviews	Treated	Reacted	Died
1	1	1	1

KETAMINE
MISSING, DOG

Reviews	Treated	Reacted	Died
1	1	1	1
Sign		Number	Percent
CONGESTION, LUNG(S)		1	100
DEATH		1	100
PR-LUNG(S), EDEMA		1	100
PR-MULT SITES, CONGEST		1	100

KETAMINE
NOT APPLICABLE, DOG

Reviews	Treated	Reacted	Died
1	1	1	0
Sign		Number	Percent
BLD, URINE		1	100
BUN HI, BLD		1	100

KETAMINE
PARENTERAL, CAT

Reviews	Treated	Reacted	Died
57	365	205	38
Sign		Number	Percent
DEATH		22	39
INEFFECT, ANESTHESIA		13	23
APNEA		11	19
ANESTH RECOV PROLONGED		7	12
ARREST, HEART		7	12
ATAXIA		6	11
BLINDNESS		5	9
PD-POTENCY, LO		5	9
PD-POTENCY, HI		4	7
CONVULSION(S)		3	5
HYPERACTIVITY		3	5
INTERACTION, DRUG(S)		3	5
ANESTH RECOV TURBULENT		2	4
CONFUSION		2	4
FEVER, BODY		2	4
POLYPNEA		2	4
PR-HEART, LESION(S)		2	4
RECUMBENCY		2	4

KETAMINE
PARENTERAL, CAT

Reviews 57	Treated 365	Reacted 205	Died 38
Sign		Number	Percent
AGGRESSION		1	2
ANEMIA		1	2
ANESTH TOO DEEP		1	2
BEHAVIOR DISORDER		1	2
BLD, LUNG(S)/TRACHEA		1	2
BLD, RETINA		1	2
BRADYCARDIA		1	2
BREATHING, PERIODIC		1	2
COLLAPSE		1	2
DISTRESS, RESP		1	2
ECG ABN		1	2
EDEMA, HEAD/FACE		1	2
EDEMA, LIMB(S)		1	2
EDEMA, MULTIPLE SITES		1	2
EDEMA, SCROTUM		1	2
EDEMA, VENTRAL		1	2
HEART DISORDER		1	2
HYPERSALIVATION		1	2
HYPOPNEA		1	2
INEFFECT, SEDATION		1	2
INJ SITE EDEMA		1	2
INJ SITE PAIN		1	2
INJ SITE SWELLING		1	2
LAMENESS		1	2
LICKING		1	2
MYDRIASIS		1	2
NERVOUSNESS		1	2
PR-LIVER, LESION(S)		1	2
PROTEIN(TOT) LO, BLD		1	2
REFLEX(ES) ABN		1	2
SEDATION PROLONGED		1	2
SWELLING, FEET/DIGIT(S)		1	2
SWELLING, LIMB(S)		1	2
TREMBLING		1	2
ULCER(S), TONGUE		1	2
UNCONSCIOUS		1	2
VESTIBULAR DISORDER		1	2
WBC HI, BLD		1	2

KETAMINE
PARENTERAL, DOG

Reviews	Treated	Reacted	Died
14	102	102	5
Sign		Number	Percent
INEFFECT, ANESTHESIA		5	36
ANESTH RECOV TURBULENT		3	21
DEATH		3	21
ARREST, HEART		2	14
APNEA		1	7
ATAXIA		1	7
BLD, URINE		1	7
BLINDNESS		1	7
BRADYCARDIA		1	7
BUN HI, BLD		1	7
CIRCLING		1	7
CONVULSION(S)		1	7
CREATININE HI, BLD		1	7
DEATH(EUTHANIZED)		1	7
DEPRESSION/LETHARGY		1	7
FEVER, BODY		1	7
INJ SITE INFLAM		1	7
INJ SITE NECROSIS		1	7
INJ SITE SLOUGH		1	7
INJ SITE SWELLING		1	7
INTERACTION, DRUG(S)		1	7
PALLOR		1	7
STAGGERING		1	7
TWITCH		1	7

KETAMINE
PARENTERAL, HORSE

Reviews	Treated	Reacted	Died
11	47	32	0
Sign		Number	Percent
INEFFECT, ANESTHESIA		9	82
ANESTH INDUC TURBULENT		1	9
ATAXIA		1	9
PD-SOLUTION, ABN		1	9
SEDATION TOO BRIEF		1	9

KETAMINE

KETAMINE
PARENTERAL, RAT

Reviews	Treated	Reacted	Died
1	3	3	3
Sign	Number		Percent
CYANOSIS	1		100
DEATH	1		100
DYSPNEA	1		100

KETAMINE
PARENTERAL, VARIOUS

Reviews	Treated	Reacted	Died
2	20	13	0
Sign	Number		Percent
APNEA	1		50
BREATHING, PERIODIC	1		50
INEFFECT, ANESTHESIA	1		50

KETAMINE
TOPICAL, HUMAN

Reviews	Treated	Reacted	Died
1	1	1	0
Sign	Number		Percent
PAIN	1		100
VISION DISORDER	1		100

KETAMINE
UNKNOWN, CAT

Reviews	Treated	Reacted	Died
13	35	35	8
Sign	Number		Percent
DEATH	5		38
INEFFECT, ANESTHESIA	3		23
ANESTH RECOV PROLONGED	2		15
ATAXIA	2		15
BLINDNESS	2		15
DYSPHAGIA	2		15
ANOREXIA	1		8
ARREST, HEART	1		8

KETAMINE
UNKNOWN, CAT

Reviews	Treated	Reacted	Died
13	35	35	8
Sign		Number	Percent
BLD, LUNG(S)/TRACHEA		1	8
BLD, MOUTH/LIP(S)		1	8
BLINDNESS, PARTIAL		1	8
CONGESTION, LUNG(S)		1	8
CONVULSION(S)		1	8
EPISTAXIS		1	8
FEVER, BODY		1	8
HYPOPNEA		1	8
INJ SITE PAIN		1	8
INJ SITE SWELLING		1	8
LIVER ENZYMES HI, BLD		1	8
MURMUR, HEART		1	8
PR-LIVER, LESION(S)		1	8
PR-LUNG(S), EDEMA		1	8
PR-LUNG(S), LESION(S)		1	8
PR-LYMPH NODE(S), LESI		1	8
PROLAPSE, THIRD EYELID		1	8
SHAKING, HEAD/FACE		1	8
STUPOR		1	8

KETAMINE
UNKNOWN, DOG

Reviews	Treated	Reacted	Died
2	46	46	0
Sign		Number	Percent
INEFFECT		1	50
INEFFECT, ANESTHESIA		1	50

KETAMINE
UNKNOWN, HORSE

Reviews	Treated	Reacted	Died
1	2	2	0
Sign		Number	Percent
INEFFECT, ANESTHESIA		1	100

KETAMINE
UNKNOWN, VARIOUS

Reviews	Treated	Reacted	Died
1	6	6	0
Sign		Number	Percent
CONVULSION(S)		1	100
INEFFECT, ANESTHESIA		1	100

KETAMINE
VARIOUS, CAT

Reviews	Treated	Reacted	Died
1	15	3	0
Sign		Number	Percent
ANESTH RECOV TURBULENT		1	100
VOCALIZATION		1	100

KETAMINE
VARIOUS, VARIOUS

Reviews	Treated	Reacted	Died
1	5	5	0
Sign		Number	Percent
INEFFECT, ANESTHESIA		1	100

KETOPROFEN
MISSING, DOG

Reviews	Treated	Reacted	Died
1	1	1	1
Sign		Number	Percent
ANEMIA		1	100
CONVULSION(S)		1	100
INTERACTION, DRUG(S)		1	100
MELENA		1	100

KETOPROFEN
PARENTERAL, CAT

Reviews	Treated	Reacted	Died
1	20	17	0

KETOPROFEN
PARENTERAL, CAT

Reviews	Treated	Reacted	Died
1	20	17	0
Sign			
	Number	Percent	
DIARRHEA	1	100	
VOMITING	1	100	

KETOPROFEN
PARENTERAL, DOG

Reviews	Treated	Reacted	Died
5	6	6	0
Sign			
	Number	Percent	
BUN HI, BLD	2	40	
ANEMIA	1	20	
ATAXIA	1	20	
AZOTEMIA	1	20	
BLD(ECCHYMOSES)	1	20	
BLD(HEMATOMA)	1	20	
BLD, INCISION SITE	1	20	
COAGULATION DISORDER	1	20	
CREATININE HI, BLD	1	20	
DEPRESSION/LETHARGY	1	20	
FEVER, BODY	1	20	
KIDNEY FAILURE	1	20	
MELENA	1	20	
POLYDIPSIA	1	20	
POLYURIA	1	20	
VOMITING	1	20	
WEAKNESS	1	20	

KETOPROFEN
UNKNOWN, DOG

Reviews	Treated	Reacted	Died
2	4	4	0
Sign			
	Number	Percent	
BLD	1	50	
COAGULATION DISORDER	1	50	
DIARRHEA	1	50	
MELENA	1	50	
VOMITING	1	50	

LACTATED RINGER'S SOLUTION
PARENTERAL, VARIOUS

Reviews	Treated	Reacted	Died
1	25	25	0
Sign		Number	Percent
ANOREXIA		1	100
DEPRESSION/LETHARGY		1	100
FEVER, BODY		1	100
INJ SITE ABSCESS		1	100
INJ SITE PAIN		1	100
INJ SITE SLOUGH		1	100
INJ SITE SWELLING		1	100
PARESIS		1	100
PD-PRODUCT DEFECT		1	100
SWELLING, LIMB(S)		1	100

LANTANOPROST
OPHTHALMIC, CAT

Reviews	Treated	Reacted	Died
1	1	1	0
Sign		Number	Percent
BLINDNESS		1	100
NECROSIS		1	100
ULCER(S), CORNEA(S)		1	100

LEVAMISOLE
ORAL, SHEEP

Reviews	Treated	Reacted	Died
2	34	25	6
Sign		Number	Percent
DEATH		2	100
PD-PRODUCT DEFECT		1	50
SHAKING		1	50

LEVAMISOLE
TOPICAL, CATTLE

Reviews	Treated	Reacted	Died
1	7	7	0

LEVAMISOLE
TOPICAL, CATTLE

Reviews	Treated	Reacted	Died
1	7	7	0
Sign		Number	Percent
SLOUGH, SKIN		1	100

LEVAMISOLE
TOPICAL, HUMAN

Reviews	Treated	Reacted	Died
1	1	1	0
Sign		Number	Percent
NAUSEA		1	100

LEVAMISOLE
UNKNOWN, CATTLE

Reviews	Treated	Reacted	Died
1	20	20	1
Sign		Number	Percent
DEATH		1	100
FROTH, MOUTH/LIP(S)		1	100
TWITCH		1	100

LUFENURON
DEFECT, NOT APPLICABLE

Reviews	Treated	Reacted	Died
24	0	0	0
Sign		Number	Percent
PD-SYRINGE, ABN		12	50
PD-LABEL(S), ABN		5	21
PD-VIAL(S), LEAKING		4	17
PD-MISSING, LABEL(S)		2	8
PD-UNDERFILL, PACKAGE		2	8
PD-VIAL(S), DAMAGED		2	8
PD-PRODUCT DEFECT		1	4
PD-SUSPENSION, ABN		1	4
PD-TUBE(S), LEAKING		1	4

LUFENURON
ORAL, CAT

Reviews	Treated	Reacted	Died
5	5	5	0
Sign		Number	Percent
VOMITING		2	40
ADIPSIA		1	20
ANOREXIA		1	20
ATAXIA		1	20
CSF ABN		1	20
DEPRESSION/LETHARGY		1	20
ERUPTION(S)		1	20
NYSTAGMUS		1	20
PRURITIS		1	20
RECUMBENCY		1	20
SKIN, CRUST(S)		1	20
VESTIBULAR DISORDER		1	20
VOMITING, BLOODY		1	20

LUFENURON
ORAL, DOG

Reviews	Treated	Reacted	Died
8	9	8	1
Sign		Number	Percent
PRURITIS		4	50
VOMITING		4	50
ALOPECIA		2	25
CONGESTION, SKIN		2	25
DEPRESSION/LETHARGY		2	25
BUN HI, BLD		1	13
CREATININE HI, BLD		1	13
DEATH(EUTHANIZED)		1	13
DEHYDRATION		1	13
DERMATITIS, MOIST		1	13
DIARRHEA		1	13
DRY, SKIN		1	13
HYPERSALIVATION		1	13
MUCOUS MEMBR, MUDDY		1	13
PAPULE(S)		1	13
PRURITIS, FEET/DIGIT(S)		1	13
SHAKING		1	13
TREMBLING		1	13
WEIGHT LOSS		1	13

LUFENURON
PARENTERAL, CAT

Reviews 35	Treated 47	Reacted 36	Died 2
Sign		Number	Percent
INJ SITE MASS		13	37
DEPRESSION/LETHARGY		9	26
ANOREXIA		8	23
PR-INJ SITE, LESION(S)		6	17
FEVER, BODY		5	14
INJ SITE INFLAM		5	14
INJ SITE NEOPLASM		3	9
INJ SITE PAIN		3	9
DEATH		2	6
INJ SITE ABSCESS		2	6
INJ SITE SWELLING		2	6
INJ SITE ULCER(S)		2	6
SKIN, SCAB(S)		2	6
ULCER(S), SKIN		2	6
ANAPHYLAXIS/TOID		1	3
ATAXIA		1	3
CONVULSION(S)		1	3
DIARRHEA		1	3
DIARRHEA, BLOODY		1	3
DIARRHEA, WATERY		1	3
HIDING		1	3
HYPERESTHESIA		1	3
INJ SITE ALOPECIA		1	3
INJ SITE INFECT		1	3
INJ SITE PRURITIS		1	3
INJ SITE SEPSIS		1	3
INJ SITE STERILE ABSCE		1	3
LICKING		1	3
SOMNOLENCE		1	3
TACHYCARDIA		1	3
TREMBLING		1	3
VOMITING		1	3
VOMITING, SEVERE		1	3
VOMITING, UNPRODUCTIVE		1	3

LUFENURON
PARENTERAL, DOG

Reviews	Treated	Reacted	Died
---------	---------	---------	------

LUFENURON
PARENTERAL, DOG

Reviews	Treated	Reacted	Died
1	1	1	0
Sign		Number	Percent
PRURITIS		1	100
SWELLING, HEAD/FACE		1	100

LUFENURON
UNKNOWN, CAT

Reviews	Treated	Reacted	Died
2	2	2	0
Sign		Number	Percent
ANOREXIA		2	100
DEPRESSION/LETHARGY		2	100
ANEMIA, AUTOIMMUNE HEM		1	50
ATAXIA		1	50
BILIRUBIN(TOT) HI, BLD		1	50
CHLORIDE LO, BLD		1	50
COLLAPSE		1	50
CONFUSION		1	50
FEVER, BODY		1	50
HYPOTHERMIA, BODY		1	50
ICTERUS, SERUM		1	50
K LO, BLD		1	50
LYMPHS LO, BLD		1	50
MURMUR, HEART		1	50
NA LO, BLD		1	50
PALLOR, MUCOUS MEMBRAN		1	50
PLATELETS LO, BLD		1	50
RBC, NUCLEATED		1	50
SGOT/AST HI, BLD		1	50
SGPT/ALT HI, BLD		1	50

MARBOFLOXACIN
DEFECT, NOT APPLICABLE

Reviews	Treated	Reacted	Died
1	0	0	0
Sign		Number	Percent
PD-UNKNOWN		1	100

MARBOFLOXACIN
ORAL, CAT

Reviews	Treated	Reacted	Died
1	1	1	0
Sign		Number	Percent
CONVULSION(S)		1	100

MARBOFLOXACIN
ORAL, DOG

Reviews	Treated	Reacted	Died
20	23	22	0
Sign		Number	Percent
VOMITING		7	35
ANOREXIA		4	20
ANAPHYLAXIS/TOID		2	10
CONVULSION(S)		2	10
DEPRESSION/LETHARGY		2	10
SWELLING, EYE(S)/LID(S)		2	10
SWELLING, HEAD/FACE		2	10
TREMBLING		2	10
BILIRUBIN(TOT) HI, BLD		1	5
CONJUNCTIVITIS		1	5
DIARRHEA		1	5
HEAD TILT		1	5
HYPERACTIVITY		1	5
HYPERSALIVATION		1	5
ICTERUS		1	5
INEFFECT, ANTIBIOTIC		1	5
LAMENESS		1	5
NERVOUSNESS		1	5
NYSTAGMUS		1	5
POLYDIPSIA		1	5
RECUMBENCY		1	5
SWELLING, EAR(S)		1	5
URTICARIA		1	5
VAGINITIS		1	5
WEAKNESS		1	5

MECLOFENAMIC ACID
ORAL, CAT

Reviews	Treated	Reacted	Died
---------	---------	---------	------

MECLOFENAMIC ACID
ORAL, CAT

Reviews	Treated	Reacted	Died
1	1	1	0
Sign		Number	Percent
ANEMIA		1	100
BUN HI, BLD		1	100
CREATININE HI, BLD		1	100
KIDNEY FAILURE		1	100
P HI, BLD		1	100

MECLOFENAMIC ACID
ORAL, DOG

Reviews	Treated	Reacted	Died
1	1	1	0
Sign		Number	Percent
BLINDNESS		1	100
HYPHEMA		1	100

MEDETOMIDINE
DEFECT, NOT APPLICABLE

Reviews	Treated	Reacted	Died
3	0	0	0
Sign		Number	Percent
PD-UNKNOWN		2	67
PD-CONTAINER(S), ABN		1	33

MEDETOMIDINE
MISSING, DOG

Reviews	Treated	Reacted	Died
1	1	1	1
Sign		Number	Percent
CONVULSION(S)		1	100
DEATH		1	100
GLUCOSE LO, BLD		1	100
PR-COLON, LESION(S)		1	100
PR-KIDNEY(S), LESION(S)		1	100
PR-MULT SITES, BLD		1	100
TWITCH		1	100

MEDETOMIDINE
PARENTERAL, CAT

Reviews 21	Treated 25	Reacted 24	Died 7
		Number	Percent
Sign			
HYPERSALIVATION		8	38
DEATH		6	29
DYSPNEA		4	19
EDEMA, LUNG(S)/TRACHEA		4	19
APNEA		3	14
HYPERPNEA		3	14
SOUND ABN, RESPIRATORY		3	14
ANAPHYLAXIS/TOID		2	10
ANESTH RECOV PROLONGED		2	10
ARREST, HEART		2	10
HYPOTHERMIA		2	10
SWELLING, HEAD/FACE		2	10
TACHYCARDIA		2	10
UNCONSCIOUS		2	10
VOCALIZATION		2	10
ALK PHOS HI, BLD		1	5
ANOREXIA		1	5
APPREHENSION		1	5
ATAXIA		1	5
BRADYCARDIA		1	5
COLLAPSE		1	5
CONGESTION, SKIN		1	5
CONVULSION(S)		1	5
CPK HI, BLD		1	5
CYANOSIS		1	5
CYANOSIS, MUCOUS MEMBR		1	5
DEHYDRATION		1	5
DEPRESSION/LETHARGY		1	5
ECG ABN		1	5
GLUCOSE HI, BLD		1	5
HEART FAILURE		1	5
HYPOPNEA		1	5
MURMUR, HEART		1	5
MYDRIASIS		1	5
PALLOR		1	5
REFLEX(ES) ABN		1	5
SEDATION TOO DEEP		1	5
STUPOR		1	5
TREMBLING		1	5
WEAKNESS		1	5

MEDETOMIDINE
PARENTERAL, DOG

Reviews 79	Treated 90	Reacted 90	Died 15
Sign		Number	Percent
INEFFECT, SEDATION		23	29
DEATH		14	18
ARREST, HEART		9	11
APNEA		8	10
BRADYCARDIA		7	9
SEDATION PROLONGED		6	8
EDEMA, LUNG(S)/TRACHEA		5	6
ANESTH RECOV PROLONGED		3	4
COLLAPSE		3	4
CONVULSION(S)		3	4
VOMITING		3	4
ARRHYTHMIA		2	3
BLD, LUNG(S)/TRACHEA		2	3
RECUMBENCY		2	3
SEDATION DELAYED		2	3
ALK PHOS HI, BLD		1	1
ANAPHYLAXIS/TOID		1	1
ANURIA		1	1
ARRHYTHMIA, BLOCK		1	1
ATAXIA		1	1
BUN HI, BLD		1	1
COUGHING		1	1
CREATININE HI, BLD		1	1
CYANOSIS		1	1
DEPRESSION/LETHARGY		1	1
DISTENTION, ABDOMEN		1	1
DYSPNEA		1	1
FEVER, BODY		1	1
FROTH, NOSE		1	1
GAGGING		1	1
HEART DISORDER		1	1
HYPERPNEA		1	1
HYPOPNEA		1	1
ICTERUS, BODY		1	1
INJ SITE ABN		1	1
INJ SITE SLOUGH		1	1
MORIBUND		1	1
NYSTAGMUS		1	1
P HI, BLD		1	1
PALLOR		1	1

MEDETOMIDINE
PARENTERAL, DOG

Reviews	Treated	Reacted	Died
79	90	90	15
Sign		Number	Percent
PALLOR, MUCOUS MEMBRAN		1	1
PD-POTENCY, LO		1	1
PR-KIDNEY(S), LESION(S)		1	1
PR-LUNG(S), LESION(S)		1	1
PR-STOMACH, LESION(S)		1	1
PROLAPSE, THIRD EYELID		1	1
SEDATION RELAPSE		1	1
SEDATION TOO DEEP		1	1
SEGS HI, BLD		1	1
SGOT/AST HI, BLD		1	1
SGPT/ALT HI, BLD		1	1
SOUND ABN, RESPIRATORY		1	1
STAGGERING		1	1
TACHYCARDIA		1	1
TREMBLING		1	1
TWITCH		1	1
URTICARIA		1	1
US ABN		1	1
VOCALIZATION		1	1
VOLVULUS, STOMACH		1	1
VOMITING, BLOODY		1	1

MEDETOMIDINE
UNKNOWN, CAT

Reviews	Treated	Reacted	Died
4	4	4	1
Sign		Number	Percent
ANOREXIA		1	25
DEATH		1	25
DEPRESSION/LETHARGY		1	25
EDEMA, LUNG(S)/TRACHEA		1	25
GLUCOSE HI, BLD		1	25
HYPOPNEA		1	25
POLYURIA		1	25
SPASM		1	25
VOCALIZATION		1	25
VOMITING		1	25

MEDETOMIDINE
UNKNOWN, DOG

Reviews 20	Treated 25	Reacted 24	Died 3
Sign		Number	Percent
INEFFECT, SEDATION		4	20
AGGRESSION		3	15
BITING/CHEWING		3	15
BRADYCARDIA		3	15
DEATH		3	15
DIARRHEA, BLOODY		3	15
EDEMA, LUNG(S)/TRACHEA		3	15
ANAPHYLAXIS/TOID		2	10
APNEA		2	10
DEPRESSION/LETHARGY		2	10
DYSPNEA		2	10
INEFFECT, ANESTHESIA		2	10
PRESSURE LO, BLD		2	10
SEDATION PROLONGED		2	10
ARREST, HEART		1	5
ATAXIA		1	5
BLOAT		1	5
CAPILLARY REFILL PROLO		1	5
CONVULSION(S)		1	5
CYANOSIS		1	5
DISCHARGE, NOSE		1	5
EPISTAXIS		1	5
FIBRILLATION, VENTRICU		1	5
HYPERACTIVITY		1	5
HYPERALIVATION		1	5
HYPERSENSITIVE, SOUND		1	5
HYPOTHERMIA		1	5
PALLOR, MUCOUS MEMBRAN		1	5
PLATELETS ABN		1	5
PT PROLONGED, BLD		1	5
RADIOGRAPH(S) ABN		1	5
VOMITING		1	5

MEDETOMIDINE
VARIOUS, DOG

Reviews 2	Treated 2	Reacted 2	Died 1
Sign		Number	Percent

MEDETOMIDINE
VARIOUS, DOG

Reviews	Treated	Reacted	Died
2	2	2	1
Sign		Number	Percent
APNEA		1	50
CONVULSION(S)		1	50
DEATH		1	50
DEPRESSION/LETHARGY		1	50

MEDETOMIDINE
VARIOUS, VARIOUS

Reviews	Treated	Reacted	Died
1	30	20	0
Sign		Number	Percent
INEFFECT, SEDATION		1	100

MEGESTROL
ORAL, CAT

Reviews	Treated	Reacted	Died
7	7	7	1
Sign		Number	Percent
DIABETES MELLITUS		3	43
NEOPLASM, MAMMARY		3	43
ANOREXIA		2	29
DEPRESSION/LETHARGY		2	29
ATROPHY, MUSCLE(S)		1	14
DEATH(EUTHANIZED)		1	14
LAMENESS		1	14
POLYDIPSIA		1	14
POLYURIA		1	14
WEIGHT INCREASE		1	14
WEIGHT LOSS		1	14

MEGESTROL
ORAL, DOG

Reviews	Treated	Reacted	Died
2	2	2	0
Sign		Number	Percent

MEGESTROL
ORAL, DOG

Reviews	Treated	Reacted	Died
2	2	2	0
Sign		Number	Percent
ESTRUS CYCLE ABNORMAL		1	50
POLYDIPSIA		1	50
POLYURIA		1	50

MELARSOMINE
OPHTHALMIC, HUMAN

Reviews	Treated	Reacted	Died
1	1	1	0
Sign		Number	Percent
IRRITATION, EYE(S)/LID		1	100

MELARSOMINE
PARENTERAL, DOG

Reviews	Treated	Reacted	Died
153	153	153	28
Sign		Number	Percent
DEPRESSION/LETHARGY		29	19
DEATH		25	16
ANOREXIA		20	13
FEVER, BODY		20	13
INJ SITE PAIN		20	13
VOMITING		20	13
ATAXIA		18	12
INJ SITE SWELLING		18	12
HYPERSALIVATION		17	11
POLYPNEA		13	8
PROPRIOCEPTIVE DISORDE		13	8
DYSYPNEA		11	7
PARESIS, HIND LIMB(S)		10	7
DIARRHEA, BLOODY		9	6
INJ SITE MASS		9	6
PAIN		8	5
COLLAPSE		7	5
CONVULSION(S)		7	5
COUGHING		7	5
HYPERPNEA		7	5

MELARSOMINE
PARENTERAL, DOG

Reviews 153	Treated 153	Reacted 153	Died 28
Sign		Number	Percent
RELUCTANT TO MOVE		7	5
VOCALIZATION		7	5
RECUMBENCY		6	4
SGPT/ALT HI, BLD		6	4
WEAKNESS		6	4
DIARRHEA		5	3
INJ SITE ABSCESS		5	3
LAMENESS		5	3
TREMBLING		5	3
ALK PHOS HI, BLD		4	3
BLD, LUNG(S)/TRACHEA		4	3
LIVER ENZYMES HI, BLD		4	3
NERVOUSNESS		4	3
PARALYSIS, HIND LIMB(S)		4	3
PARESIS, FORE LIMB(S)		4	3
SWELLING, HEAD/FACE		4	3
VOMITING, BLOODY		4	3
APNEA		3	2
CONFUSION		3	2
CONGESTION, LUNG(S)		3	2
EDEMA, LUNG(S)/TRACHEA		3	2
EPISTAXIS		3	2
HEMATOCHEZIA		3	2
ICTERUS, BODY		3	2
NEUROLOGICAL DISORDER		3	2
PAIN, ABDOMEN		3	2
PAIN, BACK		3	2
PARALYSIS		3	2
PARESIS		3	2
POLYDIPSIA		3	2
POLYURIA		3	2
SPEC GRAVITY LO, URINE		3	2
TACHYCARDIA		3	2
AGGRESSION		2	1
ALOPECIA		2	1
ANAPHYLAXIS/TOID		2	1
ANEMIA		2	1
BILIRUBIN(TOT) HI, BLD		2	1
BRADYCARDIA		2	1
BUN HI, BLD		2	1

MELARSOMINE
PARENTERAL, DOG

Reviews 153	Treated 153	Reacted 153	Died 28
Sign		Number	Percent
CREATININE HI, BLD		2	1
CYANOSIS		2	1
DEATH(EUTHANIZED)		2	1
DEATH(TX FAILURE)		2	1
DISTRESS		2	1
EDEMA, HEAD/FACE		2	1
HYPERACTIVITY		2	1
HYPOTHERMIA		2	1
INCONTINENCE, FECAL		2	1
INJ SITE STERILE ABSCE		2	1
NYSTAGMUS		2	1
PACING		2	1
PALLOR, MUCOUS MEMBRAN		2	1
PR-LIVER, LESION(S)		2	1
PR-LUNG(S), LESION(S)		2	1
PUPIL(S), AREFLEXIA		2	1
REFLEX(ES) ABN		2	1
SHAKING		2	1
SLOUGH, SKIN		2	1
SOUND ABN, RESPIRATORY		2	1
SPASM		2	1
STUPOR		2	1
WBC HI, BLD		2	1
ABN COLOR, URINE		1	1
ALBUMIN LO, BLD		1	1
ANURIA		1	1
ANUS, PARALYSIS		1	1
ARREST, HEART		1	1
ATONY, BLADDER		1	1
ATROPHY, MUSCLE(S)		1	1
AZOTEMIA		1	1
BILIRUBIN, URINE		1	1
BITING/CHEWING		1	1
BLD(PETECHIAE)		1	1
BLD, MULT SITES		1	1
BLD, PENIS		1	1
BLD, URINE		1	1
BLINDNESS		1	1
CELLULITIS		1	1
CIRCLING		1	1

MELARSOMINE
PARENTERAL, DOG

Reviews 153	Treated 153	Reacted 153	Died 28
Sign		Number	Percent
CONGESTION, MUCOUS MEM		1	1
CONGESTION, SKIN		1	1
DEFECATION		1	1
DIARRHEA, SEVERE		1	1
DILITATION, ESOPHAGUS		1	1
DISCOMFORT		1	1
DISSOCIATION		1	1
DISTRESS, RESP		1	1
GAGGING		1	1
GASTROENTERITIS		1	1
HAIR, ABN		1	1
HEAD TILT		1	1
HEART FAILURE		1	1
HYPERESTHESIA		1	1
HYPERKERATOSIS		1	1
HYPERPIGMENTATION, SKI		1	1
INCONTINENCE, URINARY		1	1
INFECTION, URINARY TRA		1	1
INFLAM, SKIN		1	1
INJ SITE EDEMA		1	1
INJ SITE EMPHYSEMA		1	1
INJ SITE INFLAM		1	1
INJ SITE NECROSIS		1	1
INJ SITE NEOPLASM		1	1
INJ SITE SEROMA		1	1
INJ SITE SLOUGH		1	1
KIDNEY FAILURE		1	1
LESION(S), SKIN		1	1
MUCOUS MEMBR, MUDDY		1	1
MYOSITIS		1	1
PAIN, HIND LIMB(S)		1	1
PAIN, JOINT(S)		1	1
PARALYSIS, FACIAL NERV		1	1
PARESTHESIA		1	1
PLATELETS LO, BLD		1	1
PNEUMONIA		1	1
POLYCYTHEMIA		1	1
POSTURE ABN		1	1
PR-BLD VESSEL(S), LESI		1	1
PR-EYE(S)/LID(S), LESI		1	1

MELARSOMINE
PARENTERAL, DOG

Reviews	Treated	Reacted	Died
153	153	153	28
Sign		Number	Percent
PR-HEART, LESION(S)		1	1
PR-HEARTWORM DISEASE		1	1
PR-INJ SITE, LESION(S)		1	1
PR-KIDNEY(S), LESION(S)		1	1
PR-SPINAL CORD, LESION		1	1
PROTEIN(TOT) LO, BLD		1	1
PROTRUSION, EYE(S)		1	1
PULSE TREADY		1	1
RADIOGRAPH(S) ABN		1	1
RESPIRATORY DISORDER		1	1
SEPTICEMIA		1	1
SHOCK		1	1
STAGGERING		1	1
STIFFNESS		1	1
STIFFNESS, FRONT LIMB(1	1
STUMBLING		1	1
TECH ERROR ADMINISTRAT		1	1
ULCER(S), SKIN		1	1
URINATION		1	1
URINATION ABN		1	1
URINE ABN		1	1
URTICARIA		1	1
VOMITING, SEVERE		1	1
WEIGHT LOSS		1	1

MELARSOMINE
PARENTERAL, HUMAN

Reviews	Treated	Reacted	Died
1	1	1	0
Sign		Number	Percent
INJ SITE INFLAM		1	100
INJ SITE SWELLING		1	100
PARESTHESIA		1	100

MELARSOMINE
UNKNOWN, DOG

MELARSOMINE
UNKNOWN, DOG

Reviews	Treated	Reacted	Died
8	8	8	2
Sign		Number	Percent
HYPERPNEA		3	38
DEATH		2	25
FEVER, BODY		2	25
WEAKNESS		2	25
ALBUMIN HI, BLD		1	13
AMYLASE HI, BLD		1	13
ATAXIA		1	13
CONVULSION(S)		1	13
CREATININE HI, BLD		1	13
DEATH(STILLBORN)		1	13
DIARRHEA, BLOODY		1	13
HYPERSALIVATION		1	13
INJ SITE MASS		1	13
INJ SITE SWELLING		1	13
PALLOR, MUCOUS MEMBRAN		1	13
POLYPNEA		1	13
STAGGERING		1	13
TACHYCARDIA		1	13
TREMBLING		1	13
VOMITING		1	13
WBC HI, BLD		1	13

MELENGESTROL
ORAL, CATTLE

Reviews	Treated	Reacted	Died
18	360	360	0
Sign		Number	Percent
INEFFECT, ESTRUS SUPPR		18	100

METHIMAZOLE
ORAL, CAT

Reviews	Treated	Reacted	Died
1	1	1	0
Sign		Number	Percent
ANEMIA		1	100
BLD, MOUTH/LIP(S)		1	100

METHIMAZOLE
ORAL, CAT

Reviews	Treated	Reacted	Died
1	1	1	0
Sign		Number	Percent
COAGULATION DISORDER		1	100
EPISTAXIS		1	100
PLATELETS LO, BLD		1	100
PTT PROLONGED, BLD		1	100

METHOCARBAMOL
DEFECT, NOT APPLICABLE

Reviews	Treated	Reacted	Died
2	0	0	0
Sign		Number	Percent
PD-SOLUTION, ABN		2	100
PD-MISSING, CAP		1	50
PD-VIAL(S), DAMAGED		1	50

METHOCARBAMOL
ORAL, DOG

Reviews	Treated	Reacted	Died
1	1	1	0
Sign		Number	Percent
ATAXIA		1	100
DEPRESSION/LETHARGY		1	100

METHOCARBAMOL
PARENTERAL, DOG

Reviews	Treated	Reacted	Died
1	1	1	1
Sign		Number	Percent
CONGESTION, SKIN		1	100
DEATH(EUTHANIZED)		1	100
EDEMA		1	100
EDEMA, BRISKET/CHEST		1	100
SWELLING		1	100

METHOXYFLURANE
INHALATION, DOG

Reviews	Treated	Reacted	Died
1	2	2	2
Sign		Number	Percent
DEATH		1	100

METHYLPREDNISOLONE
PARENTERAL, CAT

Reviews	Treated	Reacted	Died
3	3	3	0
Sign		Number	Percent
DIABETES MELLITUS		1	33
GLUCOSE HI, BLD		1	33
INJ SITE MASS		1	33
INJ SITE SWELLING		1	33
POLYDIPSIA		1	33

METHYLPREDNISOLONE
PARENTERAL, DOG

Reviews	Treated	Reacted	Died
2	2	2	0
Sign		Number	Percent
ANAPHYLAXIS/TOID		2	100
ATAXIA		1	50
CONGESTION, SKIN		1	50
DISCOMFORT		1	50
DISTRESS, RESP		1	50
DYSPNEA		1	50
FEVER, BODY		1	50
INJ SITE BLD		1	50
VOMITING		1	50

METHYLPREDNISOLONE
PARENTERAL, HORSE

Reviews	Treated	Reacted	Died
1	1	1	1
Sign		Number	Percent
ANAPHYLAXIS/TOID		1	100

METHYLPREDNISOLONE
PARENTERAL, HORSE

Reviews	Treated	Reacted	Died
1	1	1	1
Sign		Number	Percent
COLLAPSE		1	100
DEATH		1	100
DISTRESS, RESP		1	100
THRASHING/PADDLING		1	100

METRONIDAZOLE
ORAL, DOG

Reviews	Treated	Reacted	Died
2	2	2	1
Sign		Number	Percent
ATAXIA		1	50
COLLAPSE		1	50
RECUMBENCY		1	50
SHAKING		1	50
STAGGERING		1	50
STIFFNESS, LIMB(S)		1	50
VESTIBULAR DISORDER		1	50

MIBOLERONE
ORAL, DOG

Reviews	Treated	Reacted	Died
2	2	2	1
Sign		Number	Percent
BRADYCARDIA		1	50
CONVULSION(S)		1	50
MIOSIS		1	50
PR-UTERUS, LESION(S)		1	50

MICONAZOLE
DEFECT, NOT APPLICABLE

Reviews	Treated	Reacted	Died
2	0	0	0
Sign		Number	Percent
PD-PRODUCT DEFECT		1	50

MICONAZOLE
DEFECT, NOT APPLICABLE

Reviews	Treated	Reacted	Died
2	0	0	0
Sign		Number	Percent
PD-TUBE(S), ABN		1	50

MICONAZOLE
OPHTHALMIC, DOG

Reviews	Treated	Reacted	Died
1	1	1	0
Sign		Number	Percent
CONGESTION, EYE(S)/LID		1	100
SWELLING, EYE(S)/LID(S)		1	100

MICONAZOLE
TOPICAL, CAT

Reviews	Treated	Reacted	Died
2	3	2	0
Sign		Number	Percent
APPLICATION SITE ALOPECIA		1	50
CONGESTION, SKIN		1	50
INFLAM, SKIN		1	50
IRRITATION, SKIN		1	50

MILBEMYCIN
ORAL, CAT

Reviews	Treated	Reacted	Died
4	4	4	0
Sign		Number	Percent
DEPRESSION/LETHARGY		2	50
ANOREXIA		1	25
SOMNOLENCE		1	25
STUPOR		1	25

MILBEMYCIN
ORAL, DOG

MILBEMYCIN
ORAL, DOG

Reviews 48	Treated 62	Reacted 52	Died 13
Sign		Number	Percent
VOMITING		15	31
DEPRESSION/LETHARGY		11	23
ATAXIA		9	19
DEATH		9	19
HYPERALIVATION		6	13
STUPOR		6	13
DYSPLNEA		5	10
RECUMBENCY		5	10
TREMBLING		5	10
WEAKNESS		5	10
ANOREXIA		4	8
COLLAPSE		4	8
CONVULSION(S)		4	8
DIARRHEA		4	8
PALLOR, MUCOUS MEMBRAN		4	8
PLATELETS LO, BLD		4	8
ALK PHOS HI, BLD		3	6
ANEMIA, AUTOIMMUNE HEM		3	6
HYPERPNEA		3	6
TACHYCARDIA		3	6
ANAPHYLAXIS/TOID		2	4
ANEMIA		2	4
BLD, URINE		2	4
CONFUSION		2	4
DEATH(EUTHANIZED)		2	4
DIARRHEA, BLOODY		2	4
FEVER, BODY		2	4
GLUCOSE LO, BLD		2	4
HYPERESTHESIA		2	4
HYPOTHERMIA		2	4
NYSTAGMUS, HORIZONTAL		2	4
P HI, BLD		2	4
POLYPNEA		2	4
VOMITING, BLOODY		2	4
ACCIDENTAL EXPOSURE		1	2
ANEMIA, REGEN		1	2
APNEA		1	2
APPREHENSION		1	2
ARREST, HEART		1	2
BILIRUBIN(TOT) HI, BLD		1	2

MILBEMYCIN
ORAL, DOG

Reviews 48	Treated 62	Reacted 52	Died 13
Sign		Number	Percent
BLD(ECCHYMOSES)		1	2
BORBORYGMI		1	2
BRADYCARDIA		1	2
BUN HI, BLD		1	2
CIRCLING		1	2
COOMBS TEST POS		1	2
CREATININE HI, BLD		1	2
CRYSTALS, URINE		1	2
CYANOSIS, MUCOUS MEMBR		1	2
DIFFICULTY RISING		1	2
EDEMA, LUNG(S)/TRACHEA		1	2
ERUPTION(S)		1	2
HEAD TILT		1	2
HEMATOCHEZIA		1	2
HYPOTHERMIA, BODY		1	2
ICTERUS, BODY		1	2
INCONTINENCE, URINARY		1	2
INFLAM, SKIN		1	2
JERKING		1	2
LAMENESS		1	2
LIVER ENZYMES HI, BLD		1	2
MUCOUS MEMBR, ABN COLO		1	2
NERVOUSNESS		1	2
NYSTAGMUS, POSITIONAL		1	2
PARESIS		1	2
PR-GI, LESION(S)		1	2
PR-STOMACH, LESION(S)		1	2
PROPRIOCEPTIVE DISORDE		1	2
PROTEIN(TOT) HI, BLD		1	2
PUPIL(S), AREFLEXIA		1	2
REFLEX(ES) ABN		1	2
SGOT/AST HI, BLD		1	2
SGPT/ALT HI, BLD		1	2
SHAKING		1	2
SHOCK		1	2
SLOUGH, SKIN		1	2
SPASM		1	2
ULCER(S), STOMACH		1	2
UNCONSCIOUS		1	2
VESTIBULAR DISORDER		1	2

MILBEMYCIN
ORAL, DOG

Reviews	Treated	Reacted	Died
48	62	52	13
Sign		Number	Percent
VOMITING, SEVERE		1	2
VOMITING, UNPRODUCTIVE		1	2
WBC HI, BLD		1	2
WBC LO, BLD		1	2

MILBEMYCIN, LUFENURON
DEFECT, NOT APPLICABLE

Reviews	Treated	Reacted	Died
52	0	0	0
Sign		Number	Percent
PD-UNDERFILL, PACKAGE		30	58
PD-TABLET(S), ABN		12	23
PD-MISSING, LABEL(S)		8	15
PD-CONTAINER(S), ABN		2	4
PD-CONTAINER(S), DAMAG		1	2

MILBEMYCIN, LUFENURON
ORAL, DOG

Reviews	Treated	Reacted	Died
61	70	67	4
Sign		Number	Percent
VOMITING		18	30
DEPRESSION/LETHARGY		17	28
ANOREXIA		14	23
ATAXIA		12	20
DIARRHEA		7	11
PRURITIS		7	11
TREMBLING		5	8
CONVULSION(S)		4	7
INCONTINENCE, URINARY		4	7
DIARRHEA, BLOODY		3	5
DIARRHEA, MILD		3	5
FEVER, BODY		3	5
HEMATOCHEZIA		3	5
PLATELETS LO, BLD		3	5
POLYPNEA		3	5

MILBEMYCIN, LUFENURON
ORAL, DOG

Reviews 61	Treated 70	Reacted 67	Died 4
Sign		Number	Percent
SGPT/ALT HI, BLD		3	5
WEAKNESS		3	5
WEIGHT LOSS		3	5
ALBUMIN LO, BLD		2	3
ALOPECIA		2	3
CONFUSION		2	3
CONGESTION, SKIN		2	3
CONJUNCTIVITIS		2	3
DEATH		2	3
DIARRHEA, SEVERE		2	3
DYSPNEA		2	3
GLOBULIN LO, BLD		2	3
HAIR, ABN		2	3
HYPERACTIVITY		2	3
HYPERESTHESIA		2	3
HYPERPNEA		2	3
POLYDIPSIA		2	3
POLYURIA		2	3
PROTEIN(TOT) LO, BLD		2	3
RECUMBENCY		2	3
TACHYCARDIA		2	3
URTICARIA		2	3
VESICLE(S)/BULLAE, SKI		2	3
VOMITING, BLOODY		2	3
WBC HI, BLD		2	3
ALK PHOS HI, BLD		1	2
ANAPHYLAXIS/TOID		1	2
ANEMIA		1	2
ANEMIA, REGEN		1	2
BITING/CHEWING		1	2
BLD(ECCHYMOSES)		1	2
BLD, ANUS		1	2
BUN HI, BLD		1	2
CALCULI, BLADDER		1	2
COLITIS		1	2
COLLAPSE		1	2
CREATININE HI, BLD		1	2
DEMENTIA		1	2
DIARRHEA, WATERY		1	2
DISTENTION, ABDOMEN		1	2

MILBEMYCIN, LUFENURON
ORAL, DOG

Reviews 61	Treated 70	Reacted 67	Died 4
Sign		Number	Percent
DYSMETRIA		1	2
EOSINOS HI, BLD		1	2
FLATULENCE		1	2
GLUCOSE HI, BLD		1	2
HEAD PRESSING		1	2
HEAD TILT		1	2
HYPERSALIVATION		1	2
ICTERUS, BODY		1	2
INTERACTION, DRUG(S)		1	2
LIPASE HI, BLD		1	2
MELENA		1	2
MYDRIASIS		1	2
NYSTAGMUS, HORIZONTAL		1	2
NYSTAGMUS, VERTICAL		1	2
OTITIS		1	2
PALLOR, MUCOUS MEMBRAN		1	2
PAPULE(S)		1	2
PARALYSIS, HIND LIMB(S)		1	2
PARESIS		1	2
PARESIS, HIND LIMB(S)		1	2
PUSTULE(S)		1	2
RASH		1	2
SGOT/AST HI, BLD		1	2
SHOCK		1	2
SKIN, CRUST(S)		1	2
SORE(S)		1	2
SPASM		1	2
STUPOR		1	2
SWELLING, NECK		1	2
VOCALIZATION		1	2
WBC LO, BLD		1	2

MONENSIN
ORAL, CATTLE

Reviews 15	Treated 8574	Reacted 1708	Died 328
Sign		Number	Percent
DEATH		9	60

MONENSIN
ORAL, CATTLE

Reviews	Treated	Reacted	Died
15	8574	1708	328
Sign		Number	Percent
DIARRHEA		8	53
ANOREXIA		7	47
ATAXIA		5	33
DEPRESSION/LETHARGY		5	33
BLOAT		3	20
DYSPNEA		2	13
PR-HEART, LESION(S)		2	13
RECUMBENCY		2	13
ABN COLOR, URINE		1	7
ACIDOSIS		1	7
FROTH, MOUTH/LIP(S)		1	7
K HI, BLD		1	7
LOSS OF CONDITION		1	7
NA HI, BLD		1	7
POLYURIA		1	7
PR-INTEST, LESION(S)		1	7
PR-STOMACH, LESION(S)		1	7
PROSTRATION		1	7
TOX		1	7
UDDER, HYPOGALACTIA		1	7
WEAKNESS		1	7
WEIGHT LOSS		1	7

MONENSIN
ORAL, GOAT

Reviews	Treated	Reacted	Died
1	100	15	15
Sign		Number	Percent
DEATH		1	100

MONENSIN
ORAL, HORSE

Reviews	Treated	Reacted	Died
2	12	5	2
Sign		Number	Percent
DEATH		2	100

MONENSIN
ORAL, HORSE

Reviews	Treated	Reacted	Died
2	12	5	2
Sign		Number	Percent
DYSPNEA		1	50
PARALYSIS, HIND LIMB(S)		1	50
RECUMBENCY		1	50
STAGGERING		1	50
SWEATING		1	50

MONENSIN
ORAL, RABBIT

Reviews	Treated	Reacted	Died
1	250	120	10
Sign		Number	Percent
ANOREXIA		1	100
BIRTH DEFECT(S)		1	100
DEATH		1	100
DEATH(STILLBORN)		1	100
DEPRESSION/LETHARGY		1	100
STOOL ABN		1	100

MONENSIN
TOPICAL, HUMAN

Reviews	Treated	Reacted	Died
1	1	1	0
Sign		Number	Percent
URTICARIA		1	100

MOXIDECTIN
DEFECT, NOT APPLICABLE

Reviews	Treated	Reacted	Died
133	0	0	0
Sign		Number	Percent
PD-DISPENSER, ABN		91	68
PD-VIAL(S), LEAKING		27	20
PD-SEAL, ABN		17	13
PD-CONTAINER(S), DAMAG		5	4

MOXIDECTIN
DEFECT, NOT APPLICABLE

Reviews	Treated	Reacted	Died
133	0	0	0
Sign		Number	Percent
PD-SYRINGE, ABN		5	4
PD-UNDERFILL, TUBE(S)		5	4
PD-UNDERFILL, PACKAGE		4	3
PD-CONTAINER(S), ABN		2	2
PD-LABEL(S), ABN		2	2
PD-VIAL(S), DAMAGED		1	1

MOXIDECTIN
MISSING, HORSE

Reviews	Treated	Reacted	Died
1	1	1	0
Sign		Number	Percent
ATAXIA		1	100

MOXIDECTIN
ORAL, CAT

Reviews	Treated	Reacted	Died
1	2	2	0
Sign		Number	Percent
DEPRESSION/LETHARGY		1	100

MOXIDECTIN
ORAL, DOG

Reviews	Treated	Reacted	Died
49	73	72	21
Sign		Number	Percent
ATAXIA		29	59
TREMBLING		9	18
CONVULSION(S)		8	16
RECUMBENCY		8	16
HYPERACTIVITY		7	14
STUPOR		7	14
UNCONSCIOUS		6	12
CONFUSION		5	10

MOXIDECTIN
ORAL, DOG

Reviews 49	Treated 73	Reacted 72	Died 21
Sign		Number	Percent
DEATH		5	10
DEPRESSION/LETHARGY		5	10
VOMITING		4	8
WEAKNESS		3	6
APPREHENSION		2	4
HYPERESTHESIA		2	4
HYPERSALIVATION		2	4
NERVOUSNESS		2	4
NEUROLOGICAL DISORDER		2	4
STAGGERING		2	4
ACCIDENTAL EXPOSURE		1	2
BLINDNESS, PARTIAL		1	2
BLINDNESS, TEMP		1	2
BRADYCARDIA		1	2
COLLAPSE		1	2
DEHYDRATION		1	2
DIARRHEA		1	2
DIFFICULTY RISING		1	2
DYSPNEA		1	2
FEVER, BODY		1	2
HIDING		1	2
INCONTINENCE		1	2
INEFFECT, HW ADULTS		1	2
MIOSIS		1	2
MYDRIASIS		1	2
PARALYSIS		1	2
PRURITIS		1	2
SHAKING		1	2
SHOCK		1	2
STUMBLING		1	2

MOXIDECTIN
ORAL, FISH

Reviews 1	Treated 7	Reacted 7	Died 7
Sign		Number	Percent
DEATH		1	100

MOXIDECTIN
ORAL, HORSE

Reviews	Treated	Reacted	Died
145	426	239	22
Sign		Number	Percent
ATAXIA		30	21
PAIN, ABDOMEN		24	17
PD-LOCK, ABN		24	17
DEPRESSION/LETHARGY		19	13
ANOREXIA		17	12
DEATH		15	10
DIARRHEA		10	7
RECUMBENCY		9	6
NEUROLOGICAL DISORDER		7	5
STUPOR		7	5
STAGGERING		6	4
URTICARIA		6	4
SYRINGE, LOCKING RING		5	3
DEATH(EUTHANIZED)		4	3
DEHYDRATION		4	3
LAMINITIS		4	3
LIVER ENZYMES HI, BLD		4	3
PD-DISPENSER, ABN		4	3
WEIGHT LOSS		4	3
ALBUMIN LO, BLD		3	2
ANAPHYLAXIS/TOID		3	2
ANEMIA		3	2
DIFFICULTY RISING		3	2
UNCONSCIOUS		3	2
WBC HI, BLD		3	2
WEAKNESS		3	2
ABORTION		2	1
ANOREXIA(NOT NURSING)		2	1
BLINDNESS, PARTIAL		2	1
CNS DISORDER		2	1
COLITIS		2	1
CONVULSION(S)		2	1
COUGHING		2	1
CPK HI, BLD		2	1
CREATININE LO, BLD		2	1
DIARRHEA, SEVERE		2	1
DIARRHEA, WATERY		2	1
DISCHARGE, NOSE		2	1
FEVER, BODY		2	1
GGT HI, BLD		2	1

MOXIDECTIN
ORAL, HORSE

Reviews	Treated	Reacted	Died
145	426	239	22
Sign		Number	Percent
HYPERSALIVATION		2	1
HYPOTHERMIA, BODY		2	1
ILL		2	1
INEFFECT, STRONGYLES		2	1
LAMENESS		2	1
PARESIS, HIND LIMB(S)		2	1
PD-SYRINGE, ABN		2	1
POLYDIPSIA		2	1
PRURITIS, TAIL		2	1
SGOT/AST HI, BLD		2	1
SHOCK, ENDOTOXEMIA		2	1
TREMBLING		2	1
ALK PHOS HI, BLD		1	1
ALOPECIA		1	1
APPREHENSION		1	1
BILIRUBIN(DIR) HI, BLD		1	1
BILIRUBIN(TOT) HI, BLD		1	1
BIRTH, PREMATURE		1	1
BRADYCARDIA		1	1
CACHEXIA		1	1
CIRCLING		1	1
COLITIS, ULCERATIVE		1	1
COLLAPSE		1	1
CONFUSION		1	1
CONSTIPATION		1	1
DEATH(TX FAILURE)		1	1
DIARRHEA, BLOODY		1	1
DIARRHEA, MILD		1	1
EDEMA, LIMB(S)		1	1
FIBRINOGEN HI, BLD		1	1
GASTROENTERITIS		1	1
GLOBULIN HI, BLD		1	1
HAIR, ABN		1	1
HALLUCINATION		1	1
INCONTINENCE, URINARY		1	1
INEFFECT, BOTS		1	1
INEFFECT, WORMS		1	1
INTERACTION, DRUG(S)		1	1
IRRITATION, PHARYNX/TH		1	1
KIDNEY FAILURE		1	1

MOXIDECTIN
ORAL, HORSE

Reviews 145	Treated 426	Reacted 239	Died 22
Sign		Number	Percent
LDH HI, BLD		1	1
MYDRIASIS		1	1
NECK, VENTROFLEXION		1	1
OBSTRUCTION, INTESTINE		1	1
OPACITY, CORNEA(S)		1	1
OPISTHOTONOS		1	1
PAIN		1	1
PAWING		1	1
PD-ODOR, ABN		1	1
PNEUMONIA, ASPIRATION		1	1
POLYPNEA		1	1
POLYURIA		1	1
PR-BLADDER, LESION(S)		1	1
PR-BLD VESSEL(S), LESI		1	1
PR-COLON, LESION(S)		1	1
PR-LIVER, LESION(S)		1	1
PR-STOMACH, LESION(S)		1	1
PROTEIN(TOT) HI, BLD		1	1
PUPIL(S), AREFLEXIA		1	1
RADIOGRAPH(S) ABN		1	1
RELUCTANT TO MOVE		1	1
RESPIRATORY DISORDER		1	1
ROLLING		1	1
SEDATION		1	1
SHOCK		1	1
SPASM		1	1
SPEC GRAVITY LO, URINE		1	1
STIFFNESS		1	1
STUMBLING		1	1
SWEATING		1	1
SWELLING, JOINT(S)		1	1
SWELLING, LIMB(S)		1	1
TACHYCARDIA		1	1
TECH ERROR ADMINISTRAT		1	1
THRASHING/PADDLING		1	1
ULCER(S), MOUTH/LIP(S)		1	1
UNPALATABLE		1	1
UNPALATABLE, WON'T SWA		1	1
VASCULITIS		1	1

MOXIDECTIN
SUPPOSITORY, HUMAN

Reviews	Treated	Reacted	Died
1	2	2	0
Sign		Number	Percent
HEADACHE		1	100

MOXIDECTIN
TOPICAL, CAT

Reviews	Treated	Reacted	Died
1	800	800	0
Sign		Number	Percent
INEFFECT, STRONGYLES		1	100

MOXIDECTIN
TOPICAL, CATTLE

Reviews	Treated	Reacted	Died
52	38375	34548	19
Sign		Number	Percent
INEFFECT, LICE		11	21
INEFFECT, GRUBS		8	15
ALOPECIA		6	12
PRURITIS		6	12
INEFFECT, MITES		5	10
ANAPHYLAXIS/TOID		3	6
ANOREXIA		3	6
DEATH		3	6
FROTH, MOUTH/LIP(S)		3	6
HAIR, ABN		3	6
INEFFECT, LICE BITING		3	6
RECUMBENCY		3	6
COLLAPSE		2	4
DIARRHEA		2	4
DYSPNEA		2	4
INEFFECT, NEMATODES		2	4
ALBUMIN LO, BLD		1	2
APPLICATION SITE ALOPECIA		1	2
APPLICATION SITE INFLAM		1	2
APPLICATION SITE, ALOPECIA		1	2
DEPRESSION/LETHARGY		1	2
EDEMA, LIMB(S)		1	2

MOXIDECTIN
TOPICAL, CATTLE

Reviews	Treated	Reacted	Died
52	38375	34548	19
Sign		Number	Percent
EDEMA, MULTIPLE SITES		1	2
EDEMA, VULVA		1	2
GLOBULIN HI, BLD		1	2
HAIR, SHEDDING		1	2
HEADACHE		1	2
INEFFECT		1	2
INEFFECT, LICE SUCKING		1	2
INEFFECT, PESTS		1	2
INEFFECT, STRONGYLES		1	2
INEFFECT, WORMS		1	2
INFLAM, SKIN		1	2
LICKING		1	2
OPISTHOTONOS		1	2
PARALYSIS		1	2
PARALYSIS, HIND LIMB(S)		1	2
PARESTHESIA		1	2
POLYPNEA		1	2
POOR PERFORMANCE		1	2
PR-LUNG(S), EDEMA		1	2
PR-MUSCLE(S), LESION(S)		1	2
PR-SKIN, LESION(S)		1	2
PROTEIN(TOT) LO, BLD		1	2
SCALE(S), SKIN		1	2
SHAKING		1	2
SLOUGH, SKIN		1	2
STIFFNESS		1	2
SWELLING, EYE(S)/LID(S)		1	2
THRASHING/PADDLING		1	2
VESICLE(S)/BULLAE, SKI		1	2
WEAKNESS		1	2
WEIGHT LOSS		1	2

MOXIDECTIN
TOPICAL, HUMAN

Reviews	Treated	Reacted	Died
4	4	4	0
Sign		Number	Percent
PAIN, ABDOMEN		3	75

MOXIDECTIN
TOPICAL, HUMAN

Reviews	Treated	Reacted	Died
4	4	4	0
Sign		Number	Percent
DIARRHEA		1	25
FE HI, BLD		1	25
HYPERESTHESIA		1	25
PAIN, HEAD/FACE		1	25
SGOT/AST HI, BLD		1	25
TASTE ABNORMALITY		1	25

MOXIDECTIN
UNKNOWN, CATTLE

Reviews	Treated	Reacted	Died
1	140	6	0
Sign		Number	Percent
SWELLING, EYE(S)/LID(S)		1	100

MOXIDECTIN
UNKNOWN, DOG

Reviews	Treated	Reacted	Died
2	4	4	0
Sign		Number	Percent
ATAXIA		1	50
DEPRESSION/LETHARGY		1	50
MYDRIASIS		1	50
RECUMBENCY		1	50

MOXIDECTIN
UNKNOWN, FISH

Reviews	Treated	Reacted	Died
1	150	150	150
Sign		Number	Percent
DEATH		1	100

MOXIDECTIN
UNKNOWN, HORSE

MOXIDECTIN
UNKNOWN, HORSE

Reviews	Treated	Reacted	Died
1	1	1	0
Sign		Number	Percent
EDEMA, HEAD/FACE		1	100
ICTERUS, BODY		1	100
ULCER(S), MOUTH/LIP(S)		1	100

MUPIROCIN
ORAL, DOG

Reviews	Treated	Reacted	Died
1	1	0	0
Sign		Number	Percent
ACCIDENTAL EXPOSURE		1	100
NO SIGNS		1	100

MUPIROCIN
TOPICAL, CAT

Reviews	Treated	Reacted	Died
2	2	2	1
Sign		Number	Percent
ANEMIA		1	50
ANOREXIA		1	50
BLD(PETECHIAE)		1	50
DEATH		1	50
DYSPNEA		1	50
EOSINOS HI, BLD		1	50
MELENA		1	50
PLATELETS LO, BLD		1	50
RADIOGRAPH(S) ABN		1	50
RBC, NUCLEATED		1	50
VOMITING, BLOODY		1	50

MUPIROCIN
TOPICAL, DOG

Reviews	Treated	Reacted	Died
2	2	2	0
Sign		Number	Percent

MUPIROCIN
TOPICAL, DOG

Reviews	Treated	Reacted	Died
2	2	2	0
Sign		Number	Percent
APPLICATION SITE INFLAM		1	50
CONGESTION		1	50

NEOMYCIN, NYSTATIN, THIOSTREPTON, TRIAMCINOLONE
DEFECT, NOT APPLICABLE

Reviews	Treated	Reacted	Died
4	0	0	0
Sign		Number	Percent
PD-UNDERFILL, PACKAGE		3	75
PD-SEAL, ABN		1	25
PD-TUBE(S), LEAKING		1	25

NEOMYCIN, NYSTATIN, THIOSTREPTON, TRIAMCINOLONE
TOPICAL, DOG

Reviews	Treated	Reacted	Died
5	6	6	0
Sign		Number	Percent
DEAFNESS		2	40
DEAFNESS, TEMP		2	40
APPLICATION SITE PRURITIS		1	20
SWELLING		1	20
URTICARIA		1	20

NICARBAZIN
ORAL, CHICKEN

Reviews	Treated	Reacted	Died
1	860880	30682	30682
Sign		Number	Percent
DEATH		1	100

NOVOBIOCIN
INTRAMAMMARY, CATTLE

NOVOBIOCIN
INTRAMAMMARY, CATTLE

Reviews	Treated	Reacted	Died
1	9	9	0
Sign		Number	Percent
UDDER, MASTITIS		1	100
UDDER, PAIN		1	100
UDDER, SWELLING		1	100

NUTRITIONAL PRODUCTS WITH THERAPEUTIC CLAIMS
ORAL, DOG

Reviews	Treated	Reacted	Died
2	2	2	0
Sign		Number	Percent
DEHYDRATION		1	50
ULCER(S), FEET/DIGIT(S)		1	50
VOMITING		1	50

OMEPRAZOLE
ORAL, HORSE

Reviews	Treated	Reacted	Died
1	1	1	0
Sign		Number	Percent
INEFFECT, LOSS OF EFPE		1	100

ORBIFLOXACIN
ORAL, CAT

Reviews	Treated	Reacted	Died
8	9	9	3
Sign		Number	Percent
HYPERSALIVATION		2	25
ANAPHYLAXIS/TOID		1	13
ANOREXIA		1	13
BLINDNESS, PARTIAL		1	13
CONFUSION		1	13
CREATININE HI, BLD		1	13
CYANOSIS		1	13
DEATH		1	13
DEATH(EUTHANIZED)		1	13

ORBIFLOXACIN
ORAL, CAT

Reviews	Treated	Reacted	Died
8	9	9	3
Sign		Number	Percent
DEPRESSION/LETHARGY		1	13
DIARRHEA, BLOODY		1	13
DYSPNEA		1	13
FROTH, MOUTH/LIP(S)		1	13
HIDING		1	13
KIDNEY FAILURE		1	13
PARALYSIS		1	13
RADIOGRAPH(S) ABN		1	13
SHAKING, HEAD/FACE		1	13
TREMBLING		1	13
TREMBLING, FACE		1	13

ORBIFLOXACIN
ORAL, DOG

Reviews	Treated	Reacted	Died
15	15	15	2
Sign		Number	Percent
CONVULSION(S)		3	20
ANOREXIA		2	13
DIARRHEA		2	13
INEFFECT, ANTIBIOTIC		2	13
POLYDIPSIA		2	13
POLYURIA		2	13
URTICARIA		2	13
ANEMIA		1	7
BLD(PETECHIAE)		1	7
BLINDNESS		1	7
CIRCLING		1	7
CONFUSION		1	7
CONGESTION, SKIN		1	7
CREATININE HI, BLD		1	7
DEAFNESS		1	7
DEATH		1	7
DEPRESSION/LETHARGY		1	7
EDEMA, HEAD/FACE		1	7
INTERACTION, DRUG(S)		1	7
PLATELETS LO, BLD		1	7
POLYPNEA		1	7

ORBIFLOXACIN
ORAL, DOG

Reviews	Treated	Reacted	Died
15	15	15	2
Sign		Number	Percent
PROTEIN(TOT) HI, BLD		1	7
RETICULOCYTES LO, BLD		1	7
SGPT/ALT HI, BLD		1	7
SKIN, NECROSIS		1	7
SWELLING		1	7
SWELLING, EYE(S)/LID(S)		1	7
SWELLING, HEAD/FACE		1	7
SWELLING, TONGUE		1	7
ULCER(S), MOUTH/LIP(S)		1	7
ULCER(S), TONGUE		1	7
VOMITING		1	7

ORBIFLOXACIN
ORAL, RABBIT

Reviews	Treated	Reacted	Died
1	1	1	1
Sign		Number	Percent
CONVULSION(S)		1	100
DEATH		1	100

ORBIFLOXACIN
ORAL, VARIOUS

Reviews	Treated	Reacted	Died
1	2	2	0
Sign		Number	Percent
INEFFECT, ANTIBIOTIC		1	100

ORGOTEIN
PARENTERAL, DOG

Reviews	Treated	Reacted	Died
1	1	1	0
Sign		Number	Percent
ANAPHYLAXIS/TOID		1	100
COLLAPSE		1	100

ORGOTEIN
PARENTERAL, DOG

Reviews	Treated	Reacted	Died
1	1	1	0
Sign		Number	Percent
PALLOR		1	100

ORMETOPRIM, SULFADIMETHOXINE
DEFECT, NOT APPLICABLE

Reviews	Treated	Reacted	Died
1	0	0	0
Sign		Number	Percent
PD-SEAL, ABN		1	100

ORMETOPRIM, SULFADIMETHOXINE
ORAL, CAT

Reviews	Treated	Reacted	Died
2	2	2	0
Sign		Number	Percent
AGGRESSION		1	50
ANOREXIA		1	50
APPREHENSION		1	50
CONVULSION(S)		1	50
HYPERACTIVITY		1	50
HYPERESTHESIA		1	50
MYDRIASIS		1	50
TREMBLING		1	50

ORMETOPRIM, SULFADIMETHOXINE
ORAL, DOG

Reviews	Treated	Reacted	Died
45	45	45	4
Sign		Number	Percent
ANOREXIA		9	20
ATAXIA		9	20
CONVULSION(S)		9	20
DEPRESSION/LETHARGY		8	18
APPREHENSION		5	11
FEVER, BODY		5	11

ORMETOPRIM, SULFADIMETHOXINE
ORAL, DOG

Reviews 45	Treated 45	Reacted 45	Died 4
Sign		Number	Percent
ALK PHOS HI, BLD		4	9
BILIRUBIN(TOT) HI, BLD		4	9
CONFUSION		4	9
NERVOUSNESS		4	9
TREMBLING		4	9
ANEMIA		3	7
ICTERUS		3	7
PAIN, JOINT(S)		3	7
POLYPNEA		3	7
VOMITING		3	7
AGGRESSION		2	4
ANAPHYLAXIS/TOID		2	4
BEHAVIOR DISORDER		2	4
CASTS, URINE		2	4
DEATH		2	4
DEATH(EUTHANIZED)		2	4
DEHYDRATION		2	4
HYPERACTIVITY		2	4
HYPERPNEA		2	4
KERATOCONJUNCTIVITIS S		2	4
LIVER ENZYMES HI, BLD		2	4
LOCOMOTION DISORDER		2	4
PR-LIVER, LESION(S)		2	4
SGPT/ALT HI, BLD		2	4
SWELLING, HEAD/FACE		2	4
WBC HI, BLD		2	4
WEAKNESS		2	4
WEIGHT LOSS		2	4
ADIPSIA		1	2
ARTHRITIS		1	2
ASCITES		1	2
BILIRUBIN, URINE		1	2
BUN HI, BLD		1	2
CONGESTION, SKIN		1	2
CONJUNCTIVITIS		1	2
CREATININE HI, BLD		1	2
CSF ABN		1	2
DIARRHEA		1	2
DIFFICULTY RISING		1	2
DISCHARGE, EYE(S)/LID(S)		1	2

ORMETOPRIM, SULFADIMETHOXINE
ORAL, DOG

Reviews 45	Treated 45	Reacted 45	Died 4
Sign		Number	Percent
DYSPNEA		1	2
ENLARGEMENT, LYMPH NOD		1	2
ERUPTION(S)		1	2
GAGGING		1	2
HEPATOMEGALY		1	2
HIDING		1	2
ICTERUS, BODY		1	2
INFECTION, SKIN		1	2
INTERACTION, DRUG(S)		1	2
KIDNEY DISORDER		1	2
LAMENESS		1	2
LIVER DISORDER		1	2
NYSTAGMUS, VERTICAL		1	2
PAIN, ABDOMEN		1	2
PAIN, MOUTH/LIP(S)		1	2
PARESIS, HIND LIMB(S)		1	2
PR-SKIN, LESION(S)		1	2
PROPRIOCEPTIVE DISORDE		1	2
PROTEIN, URINE		1	2
RASH		1	2
RECUMBENCY		1	2
SHOCK		1	2
SOMNOLENCE		1	2
STIFFNESS		1	2
ULCER(S), MOUTH/LIP(S)		1	2
ULCER(S), SKIN		1	2
URTICARIA		1	2
US-LIVER ABN		1	2
VESTIBULAR DISORDER		1	2
VOCALIZATION		1	2
VOLVULUS, STOMACH		1	2

OXIBENDAZOLE
DEFECT, NOT APPLICABLE

Reviews 3	Treated 0	Reacted 0	Died 0
Sign		Number	Percent
PD-UNDERFILL, TUBE(S)		2	67

OXIBENDAZOLE
DEFECT, NOT APPLICABLE

Reviews	Treated	Reacted	Died
3	0	0	0
Sign		Number	Percent
PD-GEL/PASTE, ABN		1	33

OXIBENDAZOLE
ORAL, DOG

Reviews	Treated	Reacted	Died
1	3	1	0
Sign		Number	Percent
ATAXIA		1	100
DISCHARGE, NOSE		1	100
DYSPNEA		1	100

OXIBENDAZOLE
ORAL, HORSE

Reviews	Treated	Reacted	Died
4	32	32	0
Sign		Number	Percent
DIARRHEA, MILD		2	50
PAIN, ABDOMEN		2	50
ANOREXIA		1	25
DIARRHEA		1	25
RECUMBENCY		1	25

OXYMORPHONE
PARENTERAL, DOG

Reviews	Treated	Reacted	Died
2	2	2	0
Sign		Number	Percent
EDEMA, EYE(S)/LID(S)		2	100
EDEMA, LIMB(S)		2	100
ANAPHYLAXIS/TOID		1	50

OXYTETRACYCLINE
DEFECT, NOT APPLICABLE

OXYTETRACYCLINE
DEFECT, NOT APPLICABLE

Reviews	Treated	Reacted	Died
17	0	0	0
Sign			Percent
PD-COLOR, ABN		11	65
PD-SOLUTION, ABN		3	18
PD-PRODUCT DEFECT		2	12
PD-CONTAINER(S), DAMAG		1	6
PD-CONTAM, MOLD		1	6
PD-GRANULES/POWDER, ABN		1	6
PD-ODOR, ABN		1	6
PD-SEAL, ABN		1	6

OXYTETRACYCLINE
MISSING, DOG

Reviews	Treated	Reacted	Died
1	1	1	0
Sign			Percent
ANAPHYLAXIS/TOID		1	100

OXYTETRACYCLINE
ORAL, CATTLE

Reviews	Treated	Reacted	Died
3	143	13	2
Sign			Percent
ANOREXIA		1	33
BLOAT		1	33
DEATH		1	33
DEPRESSION/LETHARGY		1	33

OXYTETRACYCLINE
ORAL, GOAT

Reviews	Treated	Reacted	Died
1	1	1	0
Sign			Percent
OPISTHOTONOS		1	100
RECUMBENCY		1	100

OXYTETRACYCLINE
ORAL, HUMAN

Reviews	Treated	Reacted	Died
1	1	1	0
Sign		Number	Percent
ABN COLOR, URINE		1	100
CONGESTION, SKIN		1	100
GASTRITIS		1	100
HEADACHE		1	100
PAIN, BRISKET/CHEST		1	100
PRESSURE HI, BLD		1	100

OXYTETRACYCLINE
PARENTERAL, CATTLE

Reviews	Treated	Reacted	Died
19	296	48	13
Sign		Number	Percent
DEATH		8	42
INJ SITE SWELLING		5	26
ANAPHYLAXIS/TOID		4	21
COLLAPSE		4	21
RESIDUE, MILK		3	16
DEATH(EUTHANIZED)		2	11
INJ SITE PAIN		2	11
RECUMBENCY		2	11
CONVULSION(S)		1	5
DISTRESS		1	5
DYSPNEA		1	5
FROTH, MOUTH/LIP(S)		1	5
INEFFECT, ANTIBIOTIC		1	5
INJ SITE INFLAM		1	5
PAWING		1	5
PD-COLOR, ABN		1	5
ROLLING		1	5
SHAKING		1	5

OXYTETRACYCLINE
PARENTERAL, HUMAN

Reviews	Treated	Reacted	Died
3	3	3	0
Sign		Number	Percent

OXYTETRACYCLINE
PARENTERAL, HUMAN

Reviews	Treated	Reacted	Died
3	3	3	0
Sign		Number	Percent
INJ SITE BLD		2	67
INJ SITE MASS		2	67
INJ SITE SWELLING		2	67
DIZZINESS		1	33
FEVER, BODY		1	33
INJ SITE INFLAM		1	33
SEPTICEMIA		1	33

OXYTETRACYCLINE
PARENTERAL, PIG

Reviews	Treated	Reacted	Died
1	50	50	0
Sign		Number	Percent
INEFFECT, ANTIBIOTIC		1	100

OXYTETRACYCLINE
TOPICAL, HUMAN

Reviews	Treated	Reacted	Died
1	1	1	0
Sign		Number	Percent
CONGESTION, SKIN		1	100
IRRITATION, SKIN		1	100

OXYTETRACYCLINE
UNKNOWN, CATTLE

Reviews	Treated	Reacted	Died
3	211	18	7
Sign		Number	Percent
ANAPHYLAXIS/TOID		1	33
DEATH		1	33
INJ SITE ABN		1	33
RESIDUE, MILK		1	33

OXYTETRACYCLINE
UNKNOWN, OTHER

Reviews	Treated	Reacted	Died
1	3	3	0
Sign		Number	Percent
INEFFECT, ANTIBIOTIC		1	100
PD-COLOR, ABN		1	100

OXYTETRACYCLINE, POLYMYXIN B
DEFECT, NOT APPLICABLE

Reviews	Treated	Reacted	Died
4	0	0	0
Sign		Number	Percent
PD-UNDERFILL, PACKAGE		3	75
PD-UNDERFILL, TUBE(S)		1	25

OXYTETRACYCLINE, POLYMYXIN B
OPHTHALMIC, CAT

Reviews	Treated	Reacted	Died
7	7	7	0
Sign		Number	Percent
SWELLING, EYE(S)/LID(S)		4	57
ANAPHYLAXIS/TOID		1	14
DIARRHEA		1	14
INEFFECT, ANTIBIOTIC		1	14
IRRITATION, EYE(S)/LID		1	14
SWELLING, HEAD/FACE		1	14
VOMITING		1	14

OXYTETRACYCLINE, POLYMYXIN B
OPHTHALMIC, HUMAN

Reviews	Treated	Reacted	Died
1	1	1	0
Sign		Number	Percent
DIARRHEA		1	100
EDEMA, HEAD/FACE		1	100
VOMITING		1	100

OXYTOCIN
PARENTERAL, CATTLE

Reviews	Treated	Reacted	Died
1	9	9	1
Sign		Number	Percent
INEFFECT, EXPUL PLACEN		1	100

PENICILLIN G BENZATHINE, PENICILLIN G PROCAINE
DEFECT, NOT APPLICABLE

Reviews	Treated	Reacted	Died
6	0	0	0
Sign		Number	Percent
PD-SUSPENSION, ABN		4	67
PD-PRODUCT DEFECT		1	17
PD-UNDERFILL, PACKAGE		1	17

PENICILLIN G BENZATHINE, PENICILLIN G PROCAINE
PARENTERAL, CAT

Reviews	Treated	Reacted	Died
2	2	2	0
Sign		Number	Percent
INJ SITE PAIN		2	100
POLYPNEA		2	100

PENICILLIN G BENZATHINE, PENICILLIN G PROCAINE
PARENTERAL, CATTLE

Reviews	Treated	Reacted	Died
1	2	2	0
Sign		Number	Percent
INJ SITE SWELLING		1	100

PENICILLIN G BENZATHINE, PENICILLIN G PROCAINE
PARENTERAL, DEER

Reviews	Treated	Reacted	Died
1	1	1	1
Sign		Number	Percent
INJ SITE SWELLING		1	100

PENICILLIN G BENZATHINE, PENICILLIN G PROCAINE
PARENTERAL, DOG

Reviews	Treated	Reacted	Died
1	2	2	0
Sign		Number	Percent
INJ SITE SWELLING		1	100

PENICILLIN G BENZATHINE, PENICILLIN G PROCAINE
PARENTERAL, HORSE

Reviews	Treated	Reacted	Died
8	8	8	5
Sign		Number	Percent
ANAPHYLAXIS/TOID		5	63
DEATH		5	63
CONVULSION(S)		3	38
COLLAPSE		2	25
LAMENESS		2	25
THRASHING/PADDLING		2	25
CIRCLING		1	13
DYSPNEA		1	13
INJ SITE STIFFNESS		1	13
INJ SITE SWELLING		1	13
STIFFNESS		1	13
STUMBLING		1	13
STUPOR		1	13

PENICILLIN G BENZATHINE, PENICILLIN G PROCAINE
PARENTERAL, PIG

Reviews	Treated	Reacted	Died
1	1	1	0
Sign		Number	Percent
DIARRHEA		1	100

PENICILLIN G BENZATHINE, PENICILLIN G PROCAINE
UNKNOWN, DOG

Reviews	Treated	Reacted	Died
1	2	2	0
Sign		Number	Percent
INJ SITE SWELLING		1	100

PENICILLIN G PROCAINE
DEFECT, NOT APPLICABLE

Reviews	Treated	Reacted	Died
5	0	0	0
Sign	Number		Percent
PD-SUSPENSION, ABN	3		60
PD-UNDERFILL, PACKAGE	1		20
PD-UNKNOWN	1		20

PENICILLIN G PROCAINE
PARENTERAL, CAT

Reviews	Treated	Reacted	Died
3	3	3	2
Sign	Number		Percent
ANAPHYLAXIS/TOID	3		100
DEATH	2		67
DISTRESS, RESP	2		67
ARREST, HEART	1		33
COLLAPSE	1		33
VOCALIZATION	1		33

PENICILLIN G PROCAINE
PARENTERAL, CATTLE

Reviews	Treated	Reacted	Died
3	62	16	2
Sign	Number		Percent
ANAPHYLAXIS/TOID	1		33
DEATH	1		33
DYSPNEA	1		33
HYPERSALIVATION	1		33
RECUMBENCY	1		33
SWELLING, EYE(S)/LID(S)	1		33
URTICARIA	1		33

PENICILLIN G PROCAINE
PARENTERAL, DOG

Reviews	Treated	Reacted	Died
4	14	14	0

PENICILLIN G PROCAINE
PARENTERAL, DOG

Reviews	Treated	Reacted	Died
4	14	14	0
Sign		Number	Percent
ANAPHYLAXIS/TOID		1	25
ARREST, HEART		1	25
INJ SITE ABSCESS		1	25
INJ SITE SEROMA		1	25
RELUCTANT TO MOVE		1	25
SHAKING		1	25
STIFFNESS		1	25

PENICILLIN G PROCAINE
PARENTERAL, GOAT

Reviews	Treated	Reacted	Died
1	20	1	0
Sign		Number	Percent
ANAPHYLAXIS/TOID		1	100

PENICILLIN G PROCAINE
PARENTERAL, HORSE

Reviews	Treated	Reacted	Died
3	4	4	1
Sign		Number	Percent
ANAPHYLAXIS/TOID		1	33
DEATH		1	33
HYPERACTIVITY		1	33
INJ SITE SWELLING		1	33

PENICILLIN G PROCAINE
PARENTERAL, PIG

Reviews	Treated	Reacted	Died
1	4	4	0
Sign		Number	Percent
ANAPHYLAXIS/TOID		1	100
DISTRESS, RESP		1	100
VOMITING		1	100

PENICILLIN G PROCAINE
PARENTERAL, SHEEP

Reviews	Treated	Reacted	Died
1	2	2	0
Sign		Number	Percent
DEATH		1	100

PENICILLIN G PROCAINE
UNKNOWN, CATTLE

Reviews	Treated	Reacted	Died
1	3	3	0
Sign		Number	Percent
SWELLING, EYE(S)/LID(S)		1	100

PENICILLIN G PROCAINE
UNKNOWN, HUMAN

Reviews	Treated	Reacted	Died
1	1	1	0
Sign		Number	Percent
FEVER, BODY		1	100

PENTOBARBITAL
PARENTERAL, DONKEY

Reviews	Treated	Reacted	Died
1	1	1	1
Sign		Number	Percent
INEFFECT, EUTHANASIA		1	100
PD-POTENCY, LO		1	100

PENTOBARBITAL, PHENYTOIN
OPHTHALMIC, HUMAN

Reviews	Treated	Reacted	Died
4	4	4	0
Sign		Number	Percent
IRRITATION, EYE(S)/LID		4	100
HUMAN EXPOSURE, EYE(S)		1	25

PENTOBARBITAL, PHENYTOIN
ORAL, DOG

Reviews	Treated	Reacted	Died
1	1	1	0
Sign		Number	Percent
PR-INTEST, LESION(S)		1	100
STUPOR		1	100
UNCONSCIOUS		1	100
VOMITING, BLOODY		1	100

PENTOBARBITAL, PHENYTOIN
PARENTERAL, CAT

Reviews	Treated	Reacted	Died
1	1	1	0
Sign		Number	Percent
STUPOR		1	100
UNCONSCIOUS		1	100

PENTOBARBITAL, PHENYTOIN
PARENTERAL, DOG

Reviews	Treated	Reacted	Died
15	54	54	54
Sign		Number	Percent
INEFFECT, EUTHANASIA		15	100
PD-SOLUTION, ABN		3	20
CONVULSION(S)		1	7
DEFECATION		1	7
URINATION		1	7

PENTOBARBITAL, PHENYTOIN
PARENTERAL, HORSE

Reviews	Treated	Reacted	Died
5	12	12	12
Sign		Number	Percent
INEFFECT, EUTHANASIA		5	100

PENTOBARBITAL, PHENYTOIN
PARENTERAL, SHEEP

PENTOBARBITAL, PHENYTOIN
PARENTERAL, SHEEP

Reviews	Treated	Reacted	Died
1	1	1	1
Sign		Number	Percent
INEFFECT, EUTHANASIA		1	100

PENTOBARBITAL, PHENYTOIN
PARENTERAL, VARIOUS

Reviews	Treated	Reacted	Died
1	5	5	5
Sign		Number	Percent
INEFFECT, EUTHANASIA		1	100

PHENYLBUTAZONE
ORAL, DOG

Reviews	Treated	Reacted	Died
2	2	2	0
Sign		Number	Percent
ANOREXIA		1	50
DEPRESSION/LETHARGY		1	50
DIARRHEA		1	50
EDEMA		1	50
FEVER, BODY		1	50
HEMATOCHEZIA		1	50
PROTEIN, URINE		1	50
VOMITING		1	50

PHENYLBUTAZONE
ORAL, HORSE

Reviews	Treated	Reacted	Died
1	1	1	0
Sign		Number	Percent
INEFFECT, ANALGESIA		1	100

PHENYLBUTAZONE
PARENTERAL, HORSE

PHENYLBUTAZONE
PARENTERAL, HORSE

Reviews	Treated	Reacted	Died
2	4	4	4
Sign		Number	Percent
DEATH(EUTHANIZED)		2	100
PAIN, ABDOMEN		2	100
CONVULSION(S)		1	50
DEATH		1	50
PR-STOMACH, LESION(S)		1	50
TOX		1	50
ULCER(S), STOMACH		1	50

PHENYLPROPANOLAMINE
ORAL, DOG

Reviews	Treated	Reacted	Died
1	1	1	0
Sign		Number	Percent
ANISOCORIA		1	100
CONVULSION(S)		1	100

PIPERAZINE
ORAL, CAT

Reviews	Treated	Reacted	Died
1	1	1	0
Sign		Number	Percent
DEPRESSION/LETHARGY		1	100
VOMITING		1	100

PIPERAZINE
ORAL, DOG

Reviews	Treated	Reacted	Died
7	28	10	2
Sign		Number	Percent
DEPRESSION/LETHARGY		3	43
CONVULSION(S)		2	29
DEATH		2	29
RECUMBENCY		2	29
TREMBLING		2	29

PIPERAZINE
ORAL, DOG

Reviews	Treated	Reacted	Died
7	28	10	2
Sign		Number	Percent
ANOREXIA		1	14
ATAXIA		1	14
CONJUNCTIVITIS		1	14
DIARRHEA		1	14
DYSPNEA		1	14
FROTH, MOUTH/LIP(S)		1	14
ILL		1	14
NEUROLOGICAL DISORDER		1	14
PARESIS, HIND LIMB(S)		1	14
PD-SEAL, ABN		1	14
REFLEX(ES) ABN		1	14
SHAKING		1	14
STAGGERING		1	14
STUPOR		1	14
TWITCH		1	14
VOMITING		1	14

PIPERAZINE
UNKNOWN, DOG

Reviews	Treated	Reacted	Died
1	1	1	0
Sign		Number	Percent
NEUROLOGICAL DISORDER		1	100

PIPERAZINE, ARECOLINE
ORAL, DOG

Reviews	Treated	Reacted	Died
2	2	2	0
Sign		Number	Percent
DEPRESSION/LETHARGY		2	100
DYSPNEA		2	100
ATAXIA		1	50
CONGESTION, TONGUE		1	50
DEHYDRATION		1	50
DIARRHEA, BLOODY		1	50
PARESIS		1	50

PIPERAZINE, ARECOLINE
ORAL, DOG

Reviews	Treated	Reacted	Died
2	2	2	0
Sign		Number	Percent
POLYPNEA		1	50
RECUMBENCY		1	50
SOUND ABN, RESPIRATORY		1	50
STOOL, PALE/GRAY		1	50
VOMITING		1	50
VOMITING, UNPRODUCTIVE		1	50

PIROXICAM
ORAL, DOG

Reviews	Treated	Reacted	Died
1	1	1	0
Sign		Number	Percent
DERMATITIS, MOIST		1	100
PRURITIS		1	100

POLOXALENE
ORAL, GOAT

Reviews	Treated	Reacted	Died
1	1	1	1
Sign		Number	Percent
BLOAT		1	100
DEATH(EUTHANIZED)		1	100
DEPRESSION/LETHARGY		1	100
HYPOTHERMIA		1	100
KIDNEY FAILURE		1	100
PARESIS		1	100

PRAZIQUANTEL
DEFECT, NOT APPLICABLE

Reviews	Treated	Reacted	Died
4	0	0	0
Sign		Number	Percent
PD-COLOR, ABN		1	25
PD-LABEL(S), ABN		1	25

PRAZIQUANTEL
DEFECT, NOT APPLICABLE

Reviews	Treated	Reacted	Died
4	0	0	0
Sign		Number	Percent
PD-MISSING, CAP		1	25
PD-SOLUTION, ABN		1	25
PD-UNDERFILL, VIAL(S)		1	25

PRAZIQUANTEL
OPHTHALMIC, HUMAN

Reviews	Treated	Reacted	Died
2	2	2	0
Sign		Number	Percent
IRRITATION, EYE(S)/LID		2	100
CONGESTION, EYE(S)/LID		1	50
PAIN, EYE(S)/LID(S)		1	50

PRAZIQUANTEL
ORAL, DOG

Reviews	Treated	Reacted	Died
3	3	3	0
Sign		Number	Percent
ATAXIA		2	67
DIARRHEA		2	67
VOMITING		2	67
HYPERPNEA		1	33
SHAKING		1	33
TACHYCARDIA		1	33

PRAZIQUANTEL
PARENTERAL, CAT

Reviews	Treated	Reacted	Died
4	4	4	0
Sign		Number	Percent
DEPRESSION/LETHARGY		2	50
VOMITING		2	50
ANOREXIA		1	25
DIARRHEA		1	25

PRAZIQUANTEL
PARENTERAL, CAT

Reviews	Treated	Reacted	Died
4	4	4	0
Sign		Number	Percent
HYPERSALIVATION		1	25
INJ SITE ABN		1	25
INJ SITE ALOPECIA		1	25
INJ SITE NECROSIS		1	25
INJ SITE ULCER(S)		1	25

PRAZIQUANTEL
PARENTERAL, DOG

Reviews	Treated	Reacted	Died
5	5	5	0
Sign		Number	Percent
INJ SITE MASS		3	60
ATAXIA		1	20
CIRCLING		1	20
EDEMA, HEAD/FACE		1	20
HEAD TILT		1	20
INJ SITE FIBROSIS		1	20
NYSTAGMUS, HORIZONTAL		1	20
PR-INJ SITE, LESION(S)		1	20
WEAKNESS		1	20

PRAZIQUANTEL
UNKNOWN, CAT

Reviews	Treated	Reacted	Died
1	1	1	0
Sign		Number	Percent
INJ SITE NECROSIS		1	100
INJ SITE ULCER(S)		1	100
PR-INJ SITE, LESION(S)		1	100

PRAZIQUANTEL, PYRANTEL
ORAL, CAT

Reviews	Treated	Reacted	Died
11	18	12	0

PRAZIQUANTEL, PYRANTEL
ORAL, CAT

Reviews	Treated	Reacted	Died
11	18	12	0
Sign	Number		Percent
ATAXIA	8		73
WEAKNESS	3		27
TWITCH	2		18
VOMITING	2		18
ANOREXIA	1		9
BEHAVIOR DISORDER	1		9
BRADYCARDIA	1		9
DIARRHEA	1		9
DIARRHEA, MILD	1		9
LOCOMOTION DISORDER	1		9
SHOCK	1		9
SPASM	1		9
STAGGERING	1		9

PREDNISOLONE
OPHTHALMIC, DOG

Reviews	Treated	Reacted	Died
1	1	1	0
Sign	Number		Percent
BLEPHAROSPASM	1		100
CONGESTION, EYE(S)/LID	1		100
IRRITATION, EYE(S)/LID	1		100
PD-SOLUTION, ABN	1		100

PREDNISOLONE, TRIMEPRAZINE
DEFECT, NOT APPLICABLE

Reviews	Treated	Reacted	Died
1	0	0	0
Sign	Number		Percent
PD-TABLET(S), ABN	1		100

PREDNISOLONE, TRIMEPRAZINE
ORAL, DOG

Reviews	Treated	Reacted	Died
---------	---------	---------	------

PREDNISOLONE, TRIMEPRAZINE
ORAL, DOG

Reviews	Treated	Reacted	Died
4	4	4	0
Sign		Number	Percent
AGGRESSION		1	25
APPREHENSION		1	25
BEHAVIOR DISORDER		1	25
CONVULSION(S)		1	25
DEPRESSION/LETHARGY		1	25
INEFFECT, ANTIINFLAM		1	25
NERVOUSNESS		1	25
SEDATION		1	25
TREMBLING		1	25

PREDNISONE
ORAL, DOG

Reviews	Treated	Reacted	Died
1	1	1	1
Sign		Number	Percent
ALK PHOS HI, BLD		1	100
AMYLASE HI, BLD		1	100
ANOREXIA		1	100
BILIRUBIN(TOT) HI, BLD		1	100
DEATH		1	100
LIPASE HI, BLD		1	100
PANCREATITIS		1	100
SGPT/ALT HI, BLD		1	100
VOMITING		1	100

PRIMIDONE
ORAL, DOG

Reviews	Treated	Reacted	Died
1	1	1	0
Sign		Number	Percent
ALK PHOS HI, BLD		1	100

PROMAZINE
ORAL, MULE

PROMAZINE
ORAL, MULE

Reviews	Treated	Reacted	Died
1	1	1	0
Sign		Number	Percent
INEFFECT, SEDATION		1	100

PROPARACAINE
OPHTHALMIC, CAT

Reviews	Treated	Reacted	Died
1	1	1	1
Sign		Number	Percent
ANAPHYLAXIS/TOID		1	100
COLLAPSE		1	100
DYSPNEA		1	100
HYPERSALIVATION		1	100
PLATELETS LO, BLD		1	100
SHOCK		1	100
VOMITING		1	100

PROPOFOL
DEFECT, NOT APPLICABLE

Reviews	Treated	Reacted	Died
1	0	0	0
Sign		Number	Percent
PD-CONTAINER(S), ABN		1	100
PD-SEAL, ABN		1	100
PD-VIAL(S), DAMAGED		1	100

PROPOFOL
PARENTERAL, CAT

Reviews	Treated	Reacted	Died
1	1	1	0
Sign		Number	Percent
APNEA		1	100
ARREST, HEART		1	100

PROPOFOL

PROPOFOL
PARENTERAL, DOG

Reviews	Treated	Reacted	Died
9	16	13	2
Sign		Number	Percent
APNEA		3	33
ARREST, HEART		3	33
DEATH		2	22
FEVER, BODY		2	22
ANAPHYLAXIS/TOID		1	11
ANOREXIA		1	11
ATROPHY, MUSCLE(S)		1	11
BRADYCARDIA		1	11
CONGESTION		1	11
CYANOSIS		1	11
DEPRESSION/LETHARGY		1	11
EDEMA, HEAD/FACE		1	11
EDEMA, LIMB(S)		1	11
HYPOPNEA		1	11
INJ SITE PAIN		1	11
INJ SITE SWELLING		1	11
LAMENESS		1	11
LOCOMOTION DISORDER		1	11
OPISTHOTONOS		1	11
WBC HI, BLD		1	11
WEIGHT LOSS		1	11

PROPOFOL
PARENTERAL, VARIOUS

Reviews	Treated	Reacted	Died
1	3	3	0
Sign		Number	Percent
FEVER, BODY		1	100
INJ SITE PAIN		1	100
PAIN, MUSCLE(S)		1	100
WEAKNESS		1	100

PYRANTEL
DEFECT, NOT APPLICABLE

Reviews	Treated	Reacted	Died
17	0	0	0

PYRANTEL
DEFECT, NOT APPLICABLE

Reviews	Treated	Reacted	Died
17	0	0	0
Sign	Number		Percent
PD-CONTAM, MOLD	4		24
PD-PRODUCT DEFECT	4		24
PD-SUSPENSION, ABN	3		18
PD-VIAL(S), LEAKING	2		12
PD-CONTAM, INSECTS	1		6
PD-MISSING, CAP	1		6
PD-MISSING, LABEL(S)	1		6
PD-ODOR, ABN	1		6
PD-UNDERFILL, PACKAGE	1		6
PD-UNKNOWN	1		6
UNPALATABLE, WON'T EAT	1		6

PYRANTEL
ORAL, CAT

Reviews	Treated	Reacted	Died
4	5	4	0
Sign	Number		Percent
CONFUSION	2		50
ANOREXIA	1		25
ATAXIA	1		25
BLINDNESS	1		25
CREATININE HI, BLD	1		25
DEPRESSION/LETHARGY	1		25
DIARRHEA, MILD	1		25
KIDNEY FAILURE	1		25
P HI, BLD	1		25

PYRANTEL
ORAL, DOG

Reviews	Treated	Reacted	Died
18	91	72	20
Sign	Number		Percent
VOMITING	7		39
ANOREXIA	5		28
DIARRHEA	5		28
DEPRESSION/LETHARGY	4		22

PYRANTEL
ORAL, DOG

Reviews	Treated	Reacted	Died
18	91	72	20
Sign		Number	Percent
CONVULSION(S)		3	17
DEATH		2	11
HYPERSALIVATION		2	11
INEFFECT, ASCARIDS		2	11
INEFFECT, HOOKS		2	11
ABORTION		1	6
BLD, URINE		1	6
DEATH(EUTHANIZED)		1	6
DISCHARGE, VULVA		1	6
FEVER, BODY		1	6
ILL		1	6
RASH		1	6
TREMBLING		1	6

PYRANTEL
ORAL, HORSE

Reviews	Treated	Reacted	Died
34	174	113	1
Sign		Number	Percent
PAIN, ABDOMEN		12	35
INEFFECT, STRONGYLES		8	24
DIARRHEA		5	15
DEPRESSION/LETHARGY		3	9
INEFFECT, PARASITE(S)		3	9
ANOREXIA		2	6
INEFFECT		2	6
RECUMBENCY		2	6
URTICARIA		2	6
WEIGHT LOSS		2	6
ADIPSIA		1	3
DEATH		1	3
DISCHARGE, EYE(S)/LID(S)		1	3
DISCHARGE, NOSE		1	3
DISTENTION, ABDOMEN		1	3
ERUPTION(S)		1	3
FEVER, BODY		1	3
HAIR, ABN		1	3
HYPERACTIVITY		1	3

PYRANTEL
ORAL, HORSE

Reviews	Treated	Reacted	Died
34	174	113	1
Sign		Number	Percent
INEFFECT, ASCARIDS		1	3
INEFFECT, SMALL STRONG		1	3
INFLAM, SKIN		1	3
LOSS OF CONDITION		1	3
MYOSITIS		1	3
PROTEIN(TOT) HI, BLD		1	3
SHOCK		1	3
SNEEZING		1	3
SWELLING, LIMB(S)		1	3
TACHYCARDIA		1	3

PYRANTEL
ORAL, PIG

Reviews	Treated	Reacted	Died
2	1550	1535	0
Sign		Number	Percent
INEFFECT		1	50
INEFFECT, STRONGYLES		1	50

PYRANTEL
TOPICAL, CAT

Reviews	Treated	Reacted	Died
1	1	1	0
Sign		Number	Percent
CREATININE HI, BLD		1	100
DEPRESSION/LETHARGY		1	100
INEFFECT, ASCARIDS		1	100
K LO, BLD		1	100
WEIGHT LOSS		1	100

PYRANTEL
UNKNOWN, DOG

Reviews	Treated	Reacted	Died
3	3	3	1

PYRANTEL
UNKNOWN, DOG

Reviews	Treated	Reacted	Died
3	3	3	1
Sign		Number	Percent
INEFFECT, WORMS		1	33
LICKING, FEET/DIGIT(S)		1	33
SWELLING, HEAD/FACE		1	33
VOMITING		1	33
WEIGHT LOSS		1	33

RACTOPAMINE
INHALATION, HUMAN

Reviews	Treated	Reacted	Died
1	1	1	0
Sign		Number	Percent
EPISTAXIS		1	100

RACTOPAMINE
ORAL, PIG

Reviews	Treated	Reacted	Died
5	3351	270	59
Sign		Number	Percent
DYSPNEA		4	80
DEATH		3	60
RECUMBENCY		3	60
ATAXIA		2	40
DEATH (EUTHANIZED)		1	20
DEPRESSION/LETHARGY		1	20
TREMBLING		1	20
TWITCH		1	20
WEAKNESS		1	20

SELAMECTIN
DEFECT, NOT APPLICABLE

Reviews	Treated	Reacted	Died
121	0	0	0
Sign		Number	Percent
PD-UNDERFILL, TUBE(S)		68	56

SELAMECTIN
DEFECT, NOT APPLICABLE

Reviews	Treated	Reacted	Died
121	0	0	0
Sign		Number	Percent
PD-UNDERFILL, PACKAGE		22	18
PD-TUBE(S), LEAKING		12	10
PD-ODOR, ABN		7	6
PD-UNKNOWN		6	5
PD-PRODUCT DEFECT		3	2
PD-SEAL, ABN		3	2
PD-TUBE(S), DAMAGED		3	2
PD-UNDERFILL, VIAL(S)		2	2
PD-CAP(S), ABN		1	1
PD-SOLUTION, ABN		1	1
PD-VIAL(S), LEAKING		1	1

SELAMECTIN
INHALATION, HUMAN

Reviews	Treated	Reacted	Died
3	3	3	0
Sign		Number	Percent
ANAPHYLAXIS/TOID		1	33
DIZZINESS		1	33
HEADACHE		1	33
SWELLING, EYE(S)/LID(S)		1	33
TASTE ABNORMALITY		1	33

SELAMECTIN
NOT APPLICABLE, HUMAN

Reviews	Treated	Reacted	Died
3	3	3	0
Sign		Number	Percent
IRRITATION, SKIN		2	67
BLD, SKIN		1	33
CONGESTION, SKIN		1	33
PRURITIS		1	33
RASH		1	33

SELAMECTIN

SELAMECTIN
OPHTHALMIC, HUMAN

Reviews	Treated	Reacted	Died
5	5	5	0
Sign		Number	Percent
IRRITATION, EYE(S)/LID		4	80
CONGESTION, EYE(S)/LID		2	40
DISCHARGE, EYE(S)/LID(S)		1	20
HUMAN EXPOSURE, EYE(S)		1	20

SELAMECTIN
ORAL, CAT

Reviews	Treated	Reacted	Died
10	13	11	1
Sign		Number	Percent
VOMITING		6	60
ANOREXIA		2	20
DEPRESSION/LETHARGY		2	20
HYPERALIVATION		2	20
DEATH		1	10
DIARRHEA, MILD		1	10
DIARRHEA, SEVERE		1	10
TASTE ABNORMALITY		1	10
VOCALIZATION		1	10

SELAMECTIN
ORAL, DOG

Reviews	Treated	Reacted	Died
16	16	16	0
Sign		Number	Percent
DEPRESSION/LETHARGY		4	25
DIARRHEA		3	19
VOMITING		3	19
ANOREXIA		2	13
CONVULSION(S)		2	13
HYPERACTIVITY		2	13
INEFFECT, TICKS		2	13
PRURITIS		2	13
ATAXIA		1	6
CNS INFARCT		1	6
DIARRHEA, MILD		1	6

SELAMECTIN
ORAL, DOG

Reviews	Treated	Reacted	Died
16	16	16	0
Sign			
	Number	Percent	
DIZZINESS	1	6	
HYPERSALIVATION	1	6	
INEFFECT, FLEAS	1	6	
LIVER ENZYMES HI, BLD	1	6	
TREMBLING	1	6	
VOCALIZATION	1	6	
WEIGHT LOSS	1	6	

SELAMECTIN
ORAL, HUMAN

Reviews	Treated	Reacted	Died
5	5	5	0
Sign			
	Number	Percent	
DIARRHEA	1	20	
HYPOESTHESIA	1	20	
IRRITATION, MOUTH/LIP(1	20	
IRRITATION, PHARYNX/TH	1	20	
NAUSEA	1	20	
PARESTHESIA	1	20	
SWELLING, HEAD/FACE	1	20	
TONGUE, ABN	1	20	

SELAMECTIN
PARENTERAL, HUMAN

Reviews	Treated	Reacted	Died
1	1	1	0
Sign			
	Number	Percent	
INJ SITE INFLAM	1	100	
INJ SITE SWELLING	1	100	

SELAMECTIN
SUPPOSITORY, DOG

Reviews	Treated	Reacted	Died
1	13	13	0

SELAMECTIN
SUPPOSITORY, DOG

Reviews	Treated	Reacted	Died
1	13	13	0
Sign		Number	Percent
INEFFECT, FLEAS		1	100

SELAMECTIN
TOPICAL, CAT

Reviews	Treated	Reacted	Died
381	603	511	45
Sign		Number	Percent
APPLICATION SITE ALOPECIA		83	22
DEPRESSION/LETHARGY		76	20
ANOREXIA		48	13
INEFFECT, FLEAS		48	13
VOMITING		44	12
INEFFECT, EAR MITES		31	8
DEATH		25	7
DIARRHEA		25	7
ALOPECIA		20	5
APPLICATION SITE LESION(S)		20	5
PRURITIS		20	5
APPLICATION SITE INFLAM		19	5
ATAXIA		15	4
APPLICATION SITE PRURITIS		13	3
FEVER, BODY		12	3
HYPERALIVATION		12	3
WEIGHT LOSS		11	3
DEATH(EUTHANIZED)		10	3
APPLICATION SITE ERYTHEMA		9	2
TREMBLING		9	2
DEHYDRATION		8	2
INEFFECT, ASCARIDS		8	2
SKIN, SCAB(S)		8	2
DYSPNEA		7	2
SGPT/ALT HI, BLD		7	2
WEAKNESS		7	2
DIARRHEA, BLOODY		6	2
HIDING		6	2
HYPERACTIVITY		6	2
CONGESTION, SKIN		5	1
CONVULSION(S)		5	1

SELAMECTIN
TOPICAL, CAT

Reviews 381	Treated 603	Reacted 511	Died 45
Sign		Number	Percent
SKIN, CRUST(S)		5	1
SNEEZING		5	1
ALK PHOS HI, BLD		4	1
ANISOCORIA		4	1
BILIRUBIN(TOT) HI, BLD		4	1
BUN HI, BLD		4	1
CPK HI, BLD		4	1
HYPERPNEA		4	1
ICTERUS		4	1
INEFFECT, TICKS		4	1
KIDNEY FAILURE		4	1
RECUMBENCY		4	1
SGOT/AST HI, BLD		4	1
TWITCH		4	1
VOCALIZATION		4	1
ADIPSIA		3	1
ANEMIA		3	1
BEHAVIOR DISORDER		3	1
CONJUNCTIVITIS		3	1
CREATININE HI, BLD		3	1
HAIR, ABN		3	1
HEMATOCHEZIA		3	1
PALLOR, MUCOUS MEMBRAN		3	1
PROLAPSE, THIRD EYELID		3	1
PRURITIS, EAR(S)		3	1
ULCER(S), MOUTH/LIP(S)		3	1
WBC HI, BLD		3	1
APPLICATION SITE SKIN, DRY		2	1
BILIRUBIN(DIR) HI, BLD		2	1
BILIRUBIN(IND) HI, BLD		2	1
BLD, URINE		2	1
BLEPHAROSPASM		2	1
BLINDNESS		2	1
CIRCLING		2	1
DIARRHEA, MILD		2	1
DIARRHEA, WATERY		2	1
DYSPHAGIA		2	1
FROTH, MOUTH/LIP(S)		2	1
GLUCOSE LO, BLD		2	1
HYPOTHERMIA, BODY		2	1

SELAMECTIN
TOPICAL, CAT

Reviews 381	Treated 603	Reacted 511	Died 45
Sign		Number	Percent
ICTERUS, BODY		2	1
INEFFECT, NEMATODES		2	1
INFLAM, SKIN		2	1
LESION(S), SKIN		2	1
LICKING		2	1
LIVER ENZYMES HI, BLD		2	1
MIOSIS		2	1
NA LO, BLD		2	1
PLATELETS LO, BLD		2	1
PR-LUNG(S), LESION(S)		2	1
PROPRIOCEPTIVE DISORDE		2	1
PROTEIN(TOT) HI, BLD		2	1
PROTEIN(TOT) LO, BLD		2	1
SCALE(S), SKIN		2	1
ULCER(S), MUCOCUTANEOU		2	1
ULCER(S), SKIN		2	1
UNCONSCIOUS		2	1
WBC LO, BLD		2	1
ABORTION		1	
AGGRESSION		1	
ALBUMIN LO, BLD		1	
AMYLASE HI, BLD		1	
ANAPHYLAXIS/TOID		1	
ANEMIA, AUTOIMMUNE HEM		1	
ANEMIA, HEINZ BODY		1	
ANION GAP HI, BLD		1	
APPLICATION SITE HAIR, ABN		1	
ARREST, HEART		1	
ARRHYTHMIA		1	
BANDS HI, BLD		1	
BILE ACIDS HI, BLD		1	
BLD(ECCHYMOSES)		1	
BLD, SKIN		1	
CA HI, BLD		1	
CASTS, URINE		1	
CHLORIDE LO, BLD		1	
CHOLESTEROL HI, BLD		1	
COLLAPSE		1	
CONFUSION		1	
CONGESTION, EYE(S)/LID		1	

SELAMECTIN
TOPICAL, CAT

Reviews 381	Treated 603	Reacted 511	Died 45
Sign		Number	Percent
COUGHING		1	
CREATININE LO, BLD		1	
DEAFNESS		1	
DERMATITIS, MOIST		1	
DIARRHEA, MUCOID		1	
DIARRHEA, SEVERE		1	
DISCHARGE, EAR(S)		1	
DISCHARGE, EYE(S)/LID(S)		1	
DISCHARGE, NOSE		1	
DISCOMFORT		1	
DISTENTION, ABDOMEN		1	
DISTRESS		1	
DRY, SKIN		1	
DYSURIA		1	
EDEMA, EYE(S)/LID(S)		1	
EDEMA, HEAD/FACE		1	
EDEMA, LUNG(S)/TRACHEA		1	
EFFUSION, PLEURAL		1	
EOSINOS HI, BLD		1	
EYE DISORDER		1	
GAGGING		1	
GLOBULIN LO, BLD		1	
HAIR, SHEDDING		1	
HEART DISORDER		1	
HYPERESTHESIA		1	
ILL		1	
INEFFECT, MITES		1	
IRRITATION, EYE(S)/LID		1	
K HI, BLD		1	
LIVER DISORDER		1	
LOCOMOTION DISORDER		1	
LYMPHS LO, BLD		1	
MASS, SKIN		1	
MELENA		1	
MICROORGANISMS, URINE		1	
MORIBUND		1	
MYDRIASIS		1	
NAUSEA		1	
NEPHRITIS		1	
NERVOUSNESS		1	

SELAMECTIN
TOPICAL, CAT

Reviews 381	Treated 603	Reacted 511	Died 45
Sign		Number	Percent
NEUROLOGICAL DISORDER		1	
NO SIGNS		1	
NYSTAGMUS		1	
ODOR		1	
OLIGURIA		1	
OTITIS		1	
P HI, BLD		1	
PAIN		1	
PALLOR		1	
PAPULE(S)		1	
PARESIS		1	
PARESIS, HIND LIMB(S)		1	
PD-UNDERFILL, TUBE(S)		1	
PERITONITIS		1	
PHOTOPHOBIA		1	
POLYDIPSIA		1	
POLYPNEA		1	
POLYURIA		1	
PR-HEART, LESION(S)		1	
PR-LIVER, LESION(S)		1	
PR-SKIN, LESION(S)		1	
PR-SPLEEN, LESION(S)		1	
PROTEIN, URINE		1	
RADIOGRAPH(S) ABN		1	
RELUCTANT TO MOVE		1	
RESIDUE, APPLICATION SITE		1	
SEDIMENT, URINE		1	
SHAKING		1	
SHAKING, HEAD/FACE		1	
SHOCK		1	
SOMNOLENCE		1	
SPASM		1	
SPEC GRAVITY LO, URINE		1	
STAGGERING		1	
SWELLING, EYE(S)/LID(S)		1	
SWELLING, PHARYNX/THRO		1	
TACHYCARDIA		1	
URTICARIA		1	
US-LIVER ABN		1	
VOMITING, UNPRODUCTIVE		1	

SELAMECTIN
TOPICAL, CAT

Reviews	Treated	Reacted	Died
381	603	511	45
Sign		Number	Percent
WBC, URINE		1	

SELAMECTIN
TOPICAL, DOG

Reviews	Treated	Reacted	Died
1178	1664	1601	59
Sign		Number	Percent
INEFFECT, FLEAS		291	25
VOMITING		206	17
INEFFECT, TICKS		198	17
DEPRESSION/LETHARGY		156	13
DIARRHEA		113	10
ANOREXIA		108	9
PRURITIS		95	8
CONVULSION(S)		56	5
TREMBLING		43	4
DIARRHEA, BLOODY		35	3
DEATH		34	3
HYPERALIVATION		29	2
APPLICATION SITE ALOPECIA		28	2
INEFFECT, EAR MITES		25	2
ALOPECIA		23	2
APPLICATION SITE PRURITIS		22	2
APPLICATION SITE LESION(S)		21	2
POLYPNEA		20	2
ATAXIA		19	2
WEAKNESS		16	1
APPLICATION SITE ERYTHEMA		15	1
URTICARIA		15	1
APPLICATION SITE INFLAM		14	1
CONGESTION, SKIN		12	1
FEVER, BODY		12	1
HYPERPNEA		12	1
NERVOUSNESS		12	1
DERMATITIS, MOIST		11	1
INEFFECT, MITES		11	1
SGPT/ALT HI, BLD		11	1
SKIN, SCAB(S)		11	1

SELAMECTIN
TOPICAL, DOG

Reviews	Treated	Reacted	Died
1178	1664	1601	59
Sign		Number	Percent
ALK PHOS HI, BLD		10	1
BEHAVIOR DISORDER		10	1
CONFUSION		10	1
DIARRHEA, MILD		10	1
INFLAM, SKIN		10	1
ANEMIA		9	1
HAIR, ABN		9	1
HIDING		9	1
HYPERACTIVITY		9	1
SCALE(S), SKIN		9	1
SKIN, CRUST(S)		9	1
WBC HI, BLD		9	1
DEATH(EUTHANIZED)		8	1
WEIGHT LOSS		8	1
ALBUMIN LO, BLD		7	1
COUGHING		7	1
EDEMA, HEAD/FACE		7	1
PLATELETS LO, BLD		7	1
SWELLING, HEAD/FACE		7	1
VOCALIZATION		7	1
VOMITING, BLOODY		7	1
APPLICATION SITE HAIR, ABN COLOR		6	1
DEHYDRATION		6	1
DYSPNEA		6	1
PARESIS, HIND LIMB(S)		6	1
POLYDIPSIA		6	1
RECUMBENCY		6	1
BILIRUBIN(TOT) HI, BLD		5	
BLD, URINE		5	
DISCHARGE, NOSE		5	
GAGGING		5	
HEMATOCHEZIA		5	
RASH		5	
SHAKING		5	
TWITCH		5	
APPLICATION SITE HAIR, ABN		4	
APPREHENSION		4	
COLLAPSE		4	
DIARRHEA, WATERY		4	
FLATULENCE		4	

SELAMECTIN
TOPICAL, DOG

Reviews	Treated	Reacted	Died
1178	1664	1601	59
Sign		Number	Percent
INCONTINENCE, URINARY		4	
IRRITATION, SKIN		4	
LESION(S), SKIN		4	
PACING		4	
PALLOR, MUCOUS MEMBRAN		4	
SEBORRHEA		4	
STUPOR		4	
ADIPSIA		3	
AGGRESSION		3	
ANAPHYLAXIS/TOID		3	
BUN HI, BLD		3	
CONGESTION, LUNG(S)		3	
DIARRHEA, MUCOID		3	
DIARRHEA, SEVERE		3	
DISCOMFORT		3	
HAIR, SHEDDING		3	
HEAD TILT		3	
HYPOTHERMIA		3	
INFECTION, SKIN		3	
MYDRIASIS		3	
NAUSEA		3	
NYSTAGMUS		3	
ODOR		3	
PANCREATITIS		3	
POLYURIA		3	
SEGS HI, BLD		3	
SPASM		3	
STAGGERING		3	
SWELLING, EYE(S)/LID(S)		3	
TACHYCARDIA		3	
VOMITING, UNPRODUCTIVE		3	
WBC LO, BLD		3	
ABORTION		2	
AMYLASE HI, BLD		2	
BILE ACIDS HI, BLD		2	
BITING/CHEWING		2	
BLD, ABDOMEN		2	
BORBORYGMI		2	
CIRCLING		2	
DEATH(STILLBORN)		2	

SELAMECTIN
TOPICAL, DOG

Reviews	Treated	Reacted	Died
1178	1664	1601	59
Sign		Number	Percent
DISSOCIATION		2	
ENLARGEMENT(S), SKIN		2	
ERUPTION(S)		2	
FROTH, MOUTH/LIP(S)		2	
G-HAIR, ABN COLOR		2	
GLOBULIN HI, BLD		2	
GLUCOSE HI, BLD		2	
GLUCOSE LO, BLD		2	
HEAD BOBBING		2	
INEFFECT		2	
INEFFECT, ECTOPARASITE		2	
LICKING		2	
LIPASE HI, BLD		2	
MELENA		2	
MUCOUS MEMBR, ABN COLO		2	
ODOR, MOUTH		2	
OTITIS		2	
P HI, BLD		2	
PAIN		2	
PAIN, ABDOMEN		2	
PAPULE(S)		2	
PARESIS		2	
PR-LIVER, LESION(S)		2	
PR-SM INTEST, LESION(S)		2	
PROTEIN(TOT) LO, BLD		2	
RELUCTANT TO MOVE		2	
RESIDUE, APPLICATION SITE		2	
SGOT/AST HI, BLD		2	
SKIN, NECROSIS		2	
SOMNOLENCE		2	
STUMBLING		2	
SWELLING, ADM SITE		2	
TONGUE, ABN		2	
ULCER(S), SKIN		2	
ABN COLOR, URINE		1	
ALBUMIN HI, BLD		1	
ANEMIA, AUTOIMMUNE HEM		1	
APNEA		1	
APPLICATION SITE SKIN, DRY		1	
ARTHRITIS		1	

SELAMECTIN
TOPICAL, DOG

Reviews	Treated	Reacted	Died
1178	1664	1601	59
Sign		Number	Percent
BILIRUBIN, URINE		1	
BLD		1	
BLD(PETECHIAE)		1	
BLD, LUNG(S)/TRACHEA		1	
BLD, SCLERA		1	
BLOAT		1	
BRADYCARDIA		1	
BUN LO, BLD		1	
CA LO, BLD		1	
CHOLESTEROL HI, BLD		1	
CNS DISORDER		1	
CNS INFARCT		1	
COAGULATION DISORDER		1	
COLITIS		1	
CONGESTION, EYE(S)/LID		1	
CONGESTION, TONGUE		1	
CONJUNCTIVITIS		1	
CONSTIPATION		1	
COOMBS TEST POS		1	
CREATININE HI, BLD		1	
DEAFNESS		1	
DEFECATION ABN		1	
DILITATION, ESOPHAGUS		1	
DISCHARGE, EYE(S)/LID(S)		1	
DISCOMFORT, MOUTH/LIP(S)		1	
DISTENTION, ABDOMEN		1	
DRY, SKIN		1	
EAR DISORDER		1	
EDEMA		1	
EDEMA, LUNG(S)/TRACHEA		1	
EDEMA, NECK		1	
ENLARGEMENT(S)		1	
ENLARGEMENT, LYMPH NOD		1	
EOSINOS HI, BLD		1	
EXERCISE INTOLERANCE		1	
GGT HI, BLD		1	
GLOBULIN LO, BLD		1	
HAIR, ABN COLOR		1	
HEPATOMEGALY		1	
HYPERPIGMENTATION, SKI		1	

SELAMECTIN
TOPICAL, DOG

Reviews	Treated	Reacted	Died
1178	1664	1601	59
Sign		Number	Percent
HYPERTONIA		1	
HYPOTHERMIA, BODY		1	
ICTERUS, BODY		1	
ICTERUS, SERUM		1	
ILL		1	
INEFFECT, HOOKS		1	
INEFFECT, HOOKS PREVEN		1	
INEFFECT, LOSS OF EFFE		1	
INEFFECT, STRONGYLES		1	
INFECTION, FEET/DIGIT(1	
INFECTION, URINARY TRA		1	
INTERACTION, DRUG(S)		1	
IRRITATION		1	
IRRITATION, ESOPHAGUS		1	
JERKING		1	
KIDNEY FAILURE		1	
LIVER ENZYMES HI, BLD		1	
LYMPHS LO, BLD		1	
MASS, SKIN		1	
NO SIGNS		1	
NYSTAGMUS, HORIZONTAL		1	
PAIN, BACK		1	
PAIN, JOINT(S)		1	
PAIN, NECK		1	
PARALYSIS		1	
PARESIS, FORE LIMB(S)		1	
PD-UNDERFILL, TUBE(S)		1	
PD-UNDERFILL, VIAL(S)		1	
PD-UNKNOWN		1	
PERITONITIS		1	
POLYCYTHEMIA		1	
PR-CEREBRUM, LESION(S)		1	
PR-GI, LESION(S)		1	
PR-INTEST, LESION(S)		1	
PR-KIDNEY(S), LESION(S)		1	
PR-LUNG(S), EDEMA		1	
PR-LUNG(S), LESION(S)		1	
PR-LYMPH NODE(S), LESI		1	
PR-MULT SITES, BLD		1	
PR-MULT SITES, CONGEST		1	

SELAMECTIN
TOPICAL, DOG

Reviews	Treated	Reacted	Died
1178	1664	1601	59
Sign		Number	Percent
PR-PANCREAS, LESION(S)		1	
PR-SPLEEN, LESION(S)		1	
PROPRIOCEPTIVE DISORDE		1	
PROTEIN, URINE		1	
PRURITIS, EAR(S)		1	
PRURITIS, EYE(S)		1	
PRURITIS, FEET/DIGIT(S)		1	
PRURITIS, TAIL		1	
PUPIL(S), AREFLEXIA		1	
PUSTULE(S)		1	
RADIOGRAPH(S) ABN		1	
SEGS LO, BLD		1	
SHAKING, HEAD/FACE		1	
SHOCK		1	
SKIN DISORDER		1	
SKIN, DRY		1	
SLOUGH, EAR(S)		1	
SNEEZING		1	
SORE(S)		1	
SPERM ABN		1	
SPLENOMEGALY		1	
STARING		1	
STIFFNESS, HIND LIMB(S)		1	
STIFFNESS, LIMB(S)		1	
STOOL ABN		1	
STOOL, MUCOID		1	
STRABISMUS		1	
SWEATING		1	
SWELLING, EAR(S)		1	
SWELLING, MOUTH/LIP(S)		1	
TENESMUS, RECTAL		1	
THRASHING/PADDLING		1	
TREMBLING, FACE		1	
ULCER(S)		1	
ULCER(S), MOUTH/LIP(S)		1	
UNCONSCIOUS		1	
URINATION ABN		1	
VESTIBULAR DISORDER		1	
VOMITING ROUNDWORMS		1	
WHEEZING		1	

SELAMECTIN
TOPICAL, FERRET

Reviews	Treated	Reacted	Died
1	4	4	4
Sign	Number		Percent
ANOREXIA	1		100
ATAXIA	1		100
DEATH	1		100
WEIGHT LOSS	1		100

SELAMECTIN
TOPICAL, HUMAN

Reviews	Treated	Reacted	Died
96	102	99	0
Sign	Number		Percent
RASH	26		27
PRURITIS	14		15
IRRITATION, SKIN	12		13
URTICARIA	11		11
TASTE ABNORMALITY	5		5
HEADACHE	4		4
INFLAM, SKIN	4		4
SWELLING, MOUTH/LIP(S)	4		4
APPLICATION SITE INFLAM	3		3
EPIPHORA	3		3
IRRITATION, EYE(S)/LID	3		3
PAIN, ABDOMEN	3		3
VESICLE(S)/BULLAE, SKI	3		3
CONGESTION, EYE(S)/LID	2		2
COUGHING	2		2
DISCOMFORT, MOUTH/LIP(S)	2		2
DIZZINESS	2		2
DYSPNEA	2		2
HYPOESTHESIA	2		2
PAIN	2		2
PARAESTHESIA	2		2
PARESTHESIA	2		2
PRURITIS, EYE(S)	2		2
SWELLING	2		2
SWELLING, EYE(S)/LID(S)	2		2
SWELLING, PHARYNX/THRO	2		2
TACHYCARDIA	2		2
VISION DISORDER	2		2

SELAMECTIN
TOPICAL, HUMAN

Reviews 96	Treated 102	Reacted 99	Died 0
Sign		Number	Percent
VOMITING		2	2
APPLICATION SITE PRURITIS		1	1
APPREHENSION		1	1
ARRHYTHMIA		1	1
CONGESTION, SKIN		1	1
DEPRESSION/LETHARGY		1	1
DIPLOPIA		1	1
DISCHARGE, NOSE		1	1
EDEMA, HEAD/FACE		1	1
EXFOLIATION, SKIN		1	1
EYE DISORDER		1	1
FEVER, BODY		1	1
GASTRITIS		1	1
HALLUCINATION		1	1
HEART DISORDER		1	1
HUMAN EXPOSURE, TOPICA		1	1
HYPERESTHESIA		1	1
HYPERPNEA		1	1
INFECTION, EYE(S)		1	1
IRIS, INFLAM		1	1
IRRITATION, MOUTH/LIP(1	1
IRRITATION, PHARYNX/TH		1	1
NAIL DISORDER		1	1
NAUSEA		1	1
NERVOUSNESS		1	1
NEUROLOGICAL DISORDER		1	1
PAIN, EYE(S)/LID(S)		1	1
PAIN, HEAD/FACE		1	1
PAIN, JOINT(S)		1	1
PD-APPLICATOR, ABN		1	1
PD-ODOR, ABN		1	1
PD-TUBE(S), ABN		1	1
PD-UNDERFILL, TUBE(S)		1	1
PD-VIAL(S), ABN		1	1
SCALE(S), SKIN		1	1
SKIN DISORDER		1	1
SKIN, CRUST(S)		1	1
SKIN, DRY		1	1
SNEEZING		1	1
SWELLING, EAR(S)		1	1

SELAMECTIN
TOPICAL, HUMAN

Reviews	Treated	Reacted	Died
96	102	99	0
Sign		Number	Percent
SWELLING, HEAD/FACE		1	1
SWELLING, JOINT(S)		1	1
SWELLING, TONGUE		1	1
TONGUE, ABN		1	1
TREMBLING, FACE		1	1
WBC LO, BLD		1	1

SELAMECTIN
TOPICAL, OTHER

Reviews	Treated	Reacted	Died
1	1	1	0
Sign		Number	Percent
INEFFECT, FLEAS		1	100

SELAMECTIN
TOPICAL, RABBIT

Reviews	Treated	Reacted	Died
1	1	1	0
Sign		Number	Percent
APPLICATION SITE ALOPECIA		1	100
CONGESTION, EYE(S)/LID		1	100
CONGESTION, SKIN		1	100
DEPRESSION/LETHARGY		1	100
DIARRHEA, MILD		1	100
FEVER, BODY		1	100
HYPERPNEA		1	100

SELAMECTIN
TOPICAL, RAT

Reviews	Treated	Reacted	Died
1	1	1	0
Sign		Number	Percent
TREMBLING		1	100

SELAMECTIN
TOPICAL, UNKNOWN

Reviews	Treated	Reacted	Died
3	3	3	0
Sign		Number	Percent
INEFFECT, FLEAS		2	67
INEFFECT		1	33

SELAMECTIN
TOPICAL, VARIOUS

Reviews	Treated	Reacted	Died
17	70	64	0
Sign		Number	Percent
INEFFECT, FLEAS		12	71
INEFFECT, TICKS		6	35
APPLICATION SITE ALOPECIA		2	12
PRURITIS		2	12
ANOREXIA		1	6
DEPRESSION/LETHARGY		1	6
INEFFECT, EAR MITES		1	6

SELAMECTIN
UNKNOWN, DOG

Reviews	Treated	Reacted	Died
2	2	2	1
Sign		Number	Percent
DEATH		1	50
LIVER DISORDER		1	50
VESICLE(S)/BULLAE, SKI		1	50

SELAMECTIN
UNKNOWN, HUMAN

Reviews	Treated	Reacted	Died
11	11	11	0
Sign		Number	Percent
PRURITIS		4	36
URTICARIA		4	36
IRRITATION, EYE(S)/LID		2	18
PAIN, EYE(S)/LID(S)		2	18

SELAMECTIN
UNKNOWN, HUMAN

Reviews	Treated	Reacted	Died
11	11	11	0
Sign		Number	Percent
FEVER, BODY		1	9
HEADACHE		1	9
HUMAN EXPOSURE		1	9
HUMAN EXPOSURE, TOPICA		1	9
HYPOESTHESIA		1	9
IRRITATION, PHARYNX/TH		1	9
PRURITIS, EYE(S)		1	9
RASH		1	9
TONGUE, ABN		1	9
VESICLE(S)/BULLAE, SKI		1	9

SELAMECTIN
VARIOUS, CAT

Reviews	Treated	Reacted	Died
3	3	3	2
Sign		Number	Percent
CONVULSION(S)		2	67
TWITCH		2	67
ANOREXIA		1	33
DEATH		1	33
DEATH(EUTHANIZED)		1	33
DEPRESSION/LETHARGY		1	33
FEVER, BODY		1	33
HYPERPNEA		1	33
LICKING		1	33
MYDRIASIS		1	33
PHOTOPHOBIA		1	33
SPASM		1	33
TREMBLING		1	33
VOMITING		1	33

SELAMECTIN
VARIOUS, DOG

Reviews	Treated	Reacted	Died
1	1	1	0
Sign		Number	Percent

SELAMECTIN
VARIOUS, DOG

Reviews	Treated	Reacted	Died
1	1	1	0
Sign		Number	Percent
TREMBLING		1	100

SELAMECTIN
VARIOUS, HORSE

Reviews	Treated	Reacted	Died
1	1	1	0
Sign		Number	Percent
FEVER, BODY		1	100
INJ SITE INFLAM		1	100
INJ SITE PAIN		1	100
INJ SITE SWELLING		1	100

SELAMECTIN
VARIOUS, HUMAN

Reviews	Treated	Reacted	Died
2	2	2	0
Sign		Number	Percent
EXFOLIATION, SKIN		1	50
PRURITIS		1	50

SELEGILINE
DEFECT, NOT APPLICABLE

Reviews	Treated	Reacted	Died
43	0	0	0
Sign		Number	Percent
PD-TABLET(S), ABN		26	60
PD-PRODUCT DEFECT		9	21
PD-UNDERFILL, PACKAGE		6	14
PD-CONTAINER(S), DAMAG		2	5

SELEGILINE
ORAL, CAT

SELEGILINE
ORAL, CAT

Reviews	Treated	Reacted	Died
3	3	3	0
Sign	Number	Percent	
CONVULSION(S)	1	33	
DEPRESSION/LETHARGY	1	33	
DIARRHEA	1	33	

SELEGILINE
ORAL, DOG

Reviews	Treated	Reacted	Died
636	638	634	21
Sign	Number	Percent	
INEFFECT, LOSS OF EFFE	101	16	
INEFFECT, CDS	75	12	
VOMITING	66	10	
INEFFECT, CUSHINGS	62	10	
DIARRHEA	60	9	
ANOREXIA	50	8	
DEPRESSION/LETHARGY	45	7	
NERVOUSNESS	38	6	
POLYDIPSIA	35	6	
CONVULSION(S)	34	5	
POLYPNEA	34	5	
POLYURIA	31	5	
ATAXIA	30	5	
CONFUSION	25	4	
WEAKNESS	25	4	
HYPERACTIVITY	24	4	
WEIGHT LOSS	22	3	
ALK PHOS HI, BLD	21	3	
PACING	18	3	
ALOPECIA	16	3	
BUN HI, BLD	16	3	
VOCALIZATION	14	2	
CREATININE HI, BLD	13	2	
PRURITIS	13	2	
ANEMIA	12	2	
TREMBLING	12	2	
INCONTINENCE, URINARY	10	2	
SGPT/ALT HI, BLD	10	2	
APPREHENSION	9	1	

SELEGILINE
ORAL, DOG

Reviews 636	Treated 638	Reacted 634	Died 21
Sign		Number	Percent
DEATH(EUTHANIZED)		9	1
AGGRESSION		7	1
BLD, URINE		7	1
CIRCLING		7	1
DEAFNESS		7	1
RECUMBENCY		7	1
STUPOR		7	1
URINATION ABN		7	1
DEAFNESS, PARTIAL		6	1
FEVER, BODY		6	1
P HI, BLD		6	1
PARESIS, HIND LIMB(S)		6	1
URINATION		6	1
AMYLASE HI, BLD		5	1
COLLAPSE		5	1
DEATH		5	1
DIARRHEA, BLOODY		5	1
INEFFECT		5	1
INFECTION, URINARY TRA		5	1
STARING		5	1
WBC HI, BLD		5	1
BLINDNESS		4	1
CHOLESTEROL HI, BLD		4	1
DIARRHEA, MILD		4	1
DISSOCIATION		4	1
DISTENTION, ABDOMEN		4	1
DYSPNEA		4	1
HEAD TILT		4	1
HYPERSALIVATION		4	1
INTERACTION, DRUG(S)		4	1
K HI, BLD		4	1
MURMUR, HEART		4	1
PRESSURE HI, BLD		4	1
SHAKING		4	1
SHAKING, HEAD/FACE		4	1
SLEEP ABN		4	1
UNPALATABLE		4	1
ANEMIA, REGEN		3	
DIABETES MELLITUS		3	
HYPERPIGMENTATION, SKI		3	

SELEGILINE
ORAL, DOG

Reviews 636	Treated 638	Reacted 634	Died 21
Sign		Number	Percent
HYPERPNEA		3	
INFECTION, SKIN		3	
INFLAM, SKIN		3	
NYSTAGMUS		3	
PARESIS		3	
PROPRIOCEPTIVE DISORDE		3	
SEBORRHEA		3	
SPEC GRAVITY LO, URINE		3	
STAGGERING		3	
THYROID HORMONE(S) LO		3	
ALBUMIN LO, BLD		2	
BLD(PETECHIAE)		2	
BLOAT		2	
CYSTITIS		2	
DEHYDRATION		2	
DEMENTIA		2	
GLOBULIN HI, BLD		2	
GLUCOSE HI, BLD		2	
HAIR, ABN		2	
HEAD PRESSING		2	
KIDNEY FAILURE		2	
LESION(S), SKIN		2	
LICKING, FEET/DIGIT(S)		2	
LIPASE HI, BLD		2	
LIVER ENZYMES HI, BLD		2	
PANCREATITIS		2	
PLATELETS LO, BLD		2	
POLYPHAGIA		2	
REPETITIVE MOVEMENTS		2	
SEGS HI, BLD		2	
SKIN, CRUST(S)		2	
SOUND ABN, RESPIRATORY		2	
SPLENOMEGALY		2	
SYNCOPE		2	
TACHYCARDIA		2	
TREMBLING, FACE		2	
TWITCH		2	
ABN COLOR, URINE		1	
ADIPSIA		1	
ANEMIA, AUTOIMMUNE HEM		1	

SELEGILINE
ORAL, DOG

Reviews 636	Treated 638	Reacted 634	Died 21
Sign		Number	Percent
ANEMIA, HEMOLYTIC		1	
ANURIA		1	
ARRHYTHMIA		1	
ATROPHY, MUSCLE(S)		1	
BALANCE DISORDER		1	
BEHAVIOR DISORDER		1	
BILIRUBIN(IND) HI, BLD		1	
BLD(HEMATOMA)		1	
BLD, RETINA		1	
BLEPHAROSPASM		1	
BLINDNESS, NIGHT		1	
BREATHING, DIFFICULT		1	
CA HI, BLD		1	
CAPILLARY REFILL PROLO		1	
CHEMISTRY ABN		1	
COLITIS		1	
CONGESTION, EYE(S)/LID		1	
CONJUNCTIVITIS		1	
CONSTIPATION		1	
COPROPHAGIA		1	
COUGHING		1	
CRYSTALS, URINE		1	
DEAFNESS, TEMP		1	
DEFECATION		1	
DERMATITIS, MOIST		1	
DESTRUCTIVENESS		1	
DIARRHEA, SEVERE		1	
DIARRHEA, WATERY		1	
DISTRESS		1	
DRY, SKIN		1	
EPISTAXIS		1	
EYE DISORDER		1	
FIBRILLATION, ATRIAL		1	
FLATULENCE		1	
FROTH, MOUTH/LIP(S)		1	
GAGGING		1	
GGT HI, BLD		1	
GI, ABNORMAL		1	
GLUCOSE LO, BLD		1	
GLUCOSE, URINE		1	

SELEGILINE
ORAL, DOG

Reviews 636	Treated 638	Reacted 634	Died 21
Sign		Number	Percent
GRANULOMA, LICK		1	
HAIR, ABN COLOR		1	
HAIR, SHEDDING		1	
HEMATOCHEZIA		1	
HIDING		1	
HYPERESTHESIA		1	
HYPOTHERMIA		1	
ICTERUS, BODY		1	
IMPROVEMENT, UNEXPECT		1	
INCONTINENCE, FECAL		1	
INFECTION		1	
INSOMNIA		1	
JERKING		1	
KERATOCONJUNCTIVITIS S		1	
KETONES, URINE		1	
LAMENESS		1	
LARYNGOSPASM		1	
LICKING		1	
LIVER FAILURE		1	
MASS, SKIN		1	
MYOSITIS		1	
NA LO, BLD		1	
NA:K LO, BLD		1	
NAUSEA		1	
NOCTURIA		1	
ODOR		1	
PAIN		1	
PAIN, ABDOMEN		1	
PAIN, HEAD/FACE		1	
PAIN, HIND LIMB(S)		1	
PAIN, MOUTH/LIP(S)		1	
PANCREAS ENZYMES HI, B		1	
PAPULE(S)		1	
PARESIS, FORE LIMB(S)		1	
POLLAKIURIA		1	
PR-NOSE, LESION(S)		1	
PROTEIN, URINE		1	
RETINA ABN		1	
SCALE(S), SKIN		1	
SEDATION		1	

SELEGILINE
ORAL, DOG

Reviews	Treated	Reacted	Died
636	638	634	21
Sign		Number	Percent
SEPTICEMIA		1	
SGOT/AST HI, BLD		1	
SHOCK		1	
SKIN, DRY		1	
SOUND ABN, VOICE		1	
SPASM		1	
STIFFNESS		1	
STOOL ABN		1	
STOOL, MUCOID		1	
STRANGURIA		1	
STUMBLING		1	
TACHYCARDIA, VENTRICUL		1	
TRIGLYCERIDES HI, BLD		1	
ULCER(S), CORNEA(S)		1	
ULCER(S), SKIN		1	
UNCONSCIOUS		1	
VAGINITIS		1	
VESTIBULAR DISORDER		1	
VISION DISORDER		1	
VOMITING, BLOODY		1	
VOMITING, UNPRODUCTIVE		1	
WEIGHT INCREASE		1	

SELEGILINE
UNKNOWN, DOG

Reviews	Treated	Reacted	Died
1	1	1	0
Sign		Number	Percent
PARALYSIS, FACIAL NERV		1	100

SELENIUM, VITAMIN E
PARENTERAL, CATTLE

Reviews	Treated	Reacted	Died
3	43	6	0
Sign		Number	Percent
ABORTION		1	33

SELENIUM, VITAMIN E
PARENTERAL, CATTLE

Reviews	Treated	Reacted	Died
3	43	6	0
Sign		Number	Percent
ANAPHYLAXIS/TOID		1	33
CA LO, BLD		1	33
DEPRESSION/LETHARGY		1	33
FROTH, MOUTH/LIP(S)		1	33
P LO, BLD		1	33
RECUMBENCY		1	33

SELENIUM, VITAMIN E
PARENTERAL, HORSE

Reviews	Treated	Reacted	Died
8	27	16	3
Sign		Number	Percent
ANAPHYLAXIS/TOID		7	88
COLLAPSE		4	50
DEATH		3	38
SWEATING		3	38
DYSPNEA		2	25
PAIN, ABDOMEN		2	25
APNEA		1	13
ATAXIA		1	13
BRADYCARDIA		1	13
DISCOMFORT		1	13
HYPERPNEA		1	13
HYPOMOTILITY		1	13
HYPOPNEA		1	13
INTERACTION, DRUG(S)		1	13
PALLOR, MUCOUS MEMBRAN		1	13
RECUMBENCY		1	13
SHAKING		1	13
TACHYCARDIA		1	13
WEAKNESS		1	13

SELENIUM, VITAMIN E
PARENTERAL, PIG

Reviews	Treated	Reacted	Died
2	120	40	22

SELENIUM, VITAMIN E
PARENTERAL, PIG

Reviews	Treated	Reacted	Died
2	120	40	22
Sign		Number	Percent
PR-INJ SITE, LESION(S)		2	100
DEATH		1	50
EDEMA, LUNG(S)/TRACHEA		1	50
INEFFECT		1	50
INJ SITE INFLAM		1	50

SEVOFLURANE
INHALATION, DOG

Reviews	Treated	Reacted	Died
4	11	10	10
Sign		Number	Percent
DEATH		3	75
APNEA		2	50
ARREST, HEART		2	50
BRADYCARDIA		2	50
HYPOPNEA		2	50
CYANOSIS		1	25
DEATH(NEWBORN)		1	25
WEAKNESS, NEWBORN		1	25

SHAMPOOS/SOAPS
TOPICAL, DOG

Reviews	Treated	Reacted	Died
2	2	2	0
Sign		Number	Percent
ANAPHYLAXIS/TOID		2	100
CONGESTION, SKIN		1	50
PRURITIS		1	50
ULCER(S), SKIN		1	50
URTICARIA		1	50

SOMETRIBOVE
PARENTERAL, CATTLE

Reviews	Treated	Reacted	Died
---------	---------	---------	------

SOMETRIBOVE
PARENTERAL, CATTLE

Reviews	Treated	Reacted	Died
179	22032	7541	29
Sign	Number		Percent
WBC HI, MILK	47		26
UDDER, MASTITIS	45		25
FERTILITY, REDUCED	38		21
INJ SITE SWELLING	20		11
BIRTH, MULTIPLE	16		9
INEFFECT, MILK PROD	16		9
UDDER, SWELLING	12		7
LAMENESS	10		6
UDDER, HYPOGALACTIA	10		6
ACIDOSIS, RUMEN	8		4
INJ SITE ABSCESS	8		4
HOOF DISORDER	7		4
INJ SITE FIBROSIS	7		4
WEIGHT LOSS	7		4
LAMINITIS	6		3
SWELLING, JOINT(S)	6		3
ABORTION	5		3
DEATH(SLAUGHTERED)	5		3
ANOREXIA	4		2
DEATH	3		2
ILL	3		2
INJ SITE ABN	3		2
RECUMBENCY	3		2
DISPLACED ABOMASUM	2		1
FERTILITY, LACK OF	2		1
INJ SITE INFLAM	2		1
INJ SITE STERILE ABSCE	2		1
LOSS OF CONDITION	2		1
UDDER, ABN	2		1
UDDER, HARD	2		1
ACIDOSIS	1		1
ANAPHYLAXIS/TOID	1		1
BIRTH DEFECT(S)	1		1
BLD, LUNG(S)/TRACHEA	1		1
COLLAPSE	1		1
CONVULSION(S)	1		1
DEATH(STILLBORN)	1		1
DIARRHEA, MILD	1		1
DIARRHEA, WATERY	1		1
ESTRUS CYCLE ABNORMAL	1		1

SOMETRIBOVE
PARENTERAL, CATTLE

Reviews	Treated	Reacted	Died
179	22032	7541	29
Sign		Number	Percent
FEVER, BODY		1	1
INFECTION		1	1
INFECTION, FEET/DIGIT(1	1
INJ SITE INFECT		1	1
INJ SITE MASS		1	1
INJ SITE PAIN		1	1
LEG DISORDER		1	1
LESION(S), SKIN		1	1
NERVOUSNESS		1	1
OVARIES, CYSTIC		1	1
OVERIES, CYSTIC		1	1
PAIN, FEET/DIGIT(S)		1	1
PD-SYRINGE, ABN		1	1
POLYPNEA		1	1
PR-LUNG(S), EDEMA		1	1
RELUCTANT TO MOVE		1	1
REPRODUCTION DISORDER		1	1
SORE(S)		1	1
SWELLING		1	1
UDDER, MILK ABN		1	1
ULCER(S), FEET/DIGIT(S)		1	1
WBC HI, BLD		1	1
WEAKNESS		1	1
WEIGHT INCREASE		1	1

SOMETRIBOVE
PARENTERAL, HUMAN

Reviews	Treated	Reacted	Died
1	1	1	0
Sign		Number	Percent
INJ SITE INFLAM		1	100
INJ SITE PAIN		1	100

SOMETRIBOVE
VARIOUS, CATTLE

Reviews	Treated	Reacted	Died
---------	---------	---------	------

SOMETRIBOVE
VARIOUS, CATTLE

Reviews	Treated	Reacted	Died
1	60	50	0
Sign		Number	Percent
HOOF DISORDER		1	100
INJ SITE SWELLING		1	100
WEIGHT LOSS		1	100

STANZOLOL
PARENTERAL, CAT

Reviews	Treated	Reacted	Died
2	2	2	1
Sign		Number	Percent
GLUCOSE HI, BLD		1	50
LIVER ENZYMES HI, BLD		1	50
SGPT/ALT HI, BLD		1	50

STANZOLOL
PARENTERAL, HORSE

Reviews	Treated	Reacted	Died
1	15	2	0
Sign		Number	Percent
ANAPHYLAXIS/TOID		1	100
ATAXIA		1	100
HYPOPNEA		1	100
INJ SITE ALOPECIA		1	100
INJ SITE SWELLING		1	100
LAMENESS		1	100
NYSTAGMUS		1	100
PROLAPSE, THIRD EYELID		1	100
RECUMBENCY		1	100
STAGGERING		1	100
SWEATING		1	100
TACHYCARDIA		1	100

SULFADIAZINE, TRIMETHOPRIM
DEFECT, NOT APPLICABLE

Reviews	Treated	Reacted	Died
---------	---------	---------	------

SULFADIAZINE, TRIMETHOPRIM
DEFECT, NOT APPLICABLE

Reviews	Treated	Reacted	Died
1	0	0	0
Sign		Number	Percent
PD-COLOR, ABN		1	100

SULFADIAZINE, TRIMETHOPRIM
ORAL, HORSE

Reviews	Treated	Reacted	Died
2	2	2	1
Sign		Number	Percent
COLITIS		1	50
DEATH		1	50
DIARRHEA		1	50

SULFADIAZINE, TRIMETHOPRIM
PARENTERAL, DOG

Reviews	Treated	Reacted	Died
1	1	1	0
Sign		Number	Percent
CONVULSION(S)		1	100

SULFADIMETHOXINE
DEFECT, NOT APPLICABLE

Reviews	Treated	Reacted	Died
18	0	0	0
Sign		Number	Percent
PD-BOLUS, ABN		7	39
PD-CAP(S), ABN		3	17
PD-MISSING, LABEL(S)		2	11
PD-PRODUCT DEFECT		1	6
PD-SUSPENSION, ABN		1	6
PD-TABLET(S), ABN		1	6
PD-UNDERFILL, PACKAGE		1	6
PD-UNKNOWN		1	6
PD-VIAL(S), LEAKING		1	6

SULFADIMETHOXINE
ORAL, CAT

Reviews	Treated	Reacted	Died
9	27	24	0
Sign	Number		Percent
INEFFECT, COCCIDIA	4		44
DEPRESSION/LETHARGY	2		22
VOMITING	2		22
ATAXIA	1		11
DIARRHEA	1		11
INEFFECT	1		11
WBC HI, BLD	1		11

SULFADIMETHOXINE
ORAL, CATTLE

Reviews	Treated	Reacted	Died
1	15	3	3
Sign	Number		Percent
DEATH(TX FAILURE)	1		100
INEFFECT, ANTIBIOTIC	1		100

SULFADIMETHOXINE
ORAL, DOG

Reviews	Treated	Reacted	Died
11	25	21	10
Sign	Number		Percent
INEFFECT, COCCIDIA	5		45
DEATH(EUTHANIZED)	2		18
ANOREXIA	1		9
COLLAPSE	1		9
CONVULSION(S)	1		9
DEPRESSION/LETHARGY	1		9
DIARRHEA	1		9
HYPERSALIVATION	1		9
PD-ODOR, ABN	1		9
RASH	1		9
SKIN, NECROSIS	1		9
SWELLING, HEAD/FACE	1		9
TREMBLING	1		9
URTICARIA	1		9

SULFADIMETHOXINE
ORAL, FERRET

Reviews	Treated	Reacted	Died
1	1	1	1
Sign		Number	Percent
DEATH		1	100
DEPRESSION/LETHARGY		1	100
PARALYSIS		1	100
WEAKNESS		1	100

SULFADIMETHOXINE
ORAL, GOAT

Reviews	Treated	Reacted	Died
1	8	1	0
Sign		Number	Percent
NEUROLOGICAL DISORDER		1	100

SULFADIMETHOXINE
ORAL, VARIOUS

Reviews	Treated	Reacted	Died
2	202	42	0
Sign		Number	Percent
INEFFECT, COCCIDIA		2	100

SULFADIMETHOXINE
PARENTERAL, CATTLE

Reviews	Treated	Reacted	Died
1	2	2	0
Sign		Number	Percent
APPREHENSION		1	100
BLINDNESS		1	100
HYPERACTIVITY		1	100
RECUMBENCY		1	100
THRASHING/PADDLING		1	100

SULFADIMETHOXINE
PARENTERAL, DOG

SULFADIMETHOXINE
PARENTERAL, DOG

Reviews	Treated	Reacted	Died
1	1	1	1
Sign		Number	Percent
DEATH		1	100

SULFAMETHAZINE
DEFECT, NOT APPLICABLE

Reviews	Treated	Reacted	Died
1	0	0	0
Sign		Number	Percent
PD-MISSING, LABEL(S)		1	100

SULFAMETHOXAZOLE, TRIMETHOPRIM
ORAL, DOG

Reviews	Treated	Reacted	Died
2	2	2	0
Sign		Number	Percent
PLATELETS LO, BLD		2	100
BLD(ECCHYMOSES)		1	50
BLD, URINE		1	50

TEA TREE OIL
TOPICAL, DOG

Reviews	Treated	Reacted	Died
1	1	1	0
Sign		Number	Percent
ATAXIA		1	100
NERVOUSNESS		1	100
PARESIS, HIND LIMB(S)		1	100

TETRACYCLINE
DEFECT, NOT APPLICABLE

Reviews	Treated	Reacted	Died
2	0	0	0
Sign		Number	Percent

TETRACYCLINE
DEFECT, NOT APPLICABLE

Reviews	Treated	Reacted	Died
2	0	0	0
Sign		Number	Percent
PD-CONTAINER(S), ABN		1	50
PD-CONTAINER(S), DAMAG		1	50

THIOPENTAL
PARENTERAL, DOG

Reviews	Treated	Reacted	Died
2	6	6	2
Sign		Number	Percent
APNEA		2	100
ARREST, HEART		2	100
DEATH		2	100
PR-LUNG(S), LESION(S)		2	100
CYANOSIS		1	50
PR-MULT SITES, CONGEST		1	50

TILETAMINE, ZOLAZEPAM
DEFECT, NOT APPLICABLE

Reviews	Treated	Reacted	Died
8	0	0	0
Sign		Number	Percent
PD-COLOR, ABN		2	25
PD-SOLUTION, ABN		2	25
PD-VIAL(S), DAMAGED		2	25
PD-LABEL(S), ABN		1	13
PD-UNDERFILL, VIAL(S)		1	13

TILETAMINE, ZOLAZEPAM
MISSING, CAT

Reviews	Treated	Reacted	Died
3	22	8	0
Sign		Number	Percent
ANESTH RECOV PROLONGED		1	33
DEAFNESS		1	33
HORNER'S SYNDROME		1	33

TILETAMINE, ZOLAZEPAM
MISSING, CAT

Reviews	Treated	Reacted	Died
3	22	8	0
Sign		Number	Percent
HYPOPNEA		1	33

TILETAMINE, ZOLAZEPAM
MISSING, DOG

Reviews	Treated	Reacted	Died
1	2	2	0
Sign		Number	Percent
INEFFECT, ANESTHESIA		1	100

TILETAMINE, ZOLAZEPAM
ORAL, CAT

Reviews	Treated	Reacted	Died
1	2	2	1
Sign		Number	Percent
APNEA		1	100
DEATH		1	100

TILETAMINE, ZOLAZEPAM
PARENTERAL, CAT

Reviews	Treated	Reacted	Died
45	186	76	21
Sign		Number	Percent
DEATH		16	36
ANESTH RECOV PROLONGED		11	24
ATAXIA		9	20
APNEA		7	16
ARREST, HEART		6	13
EDEMA, LUNG(S)/TRACHEA		5	11
BLINDNESS		3	7
CONFUSION		3	7
DEPRESSION/LETHARGY		3	7
INEFFECT, ANESTHESIA		3	7
ANESTH TOO DEEP		2	4
BLD, LUNG(S)/TRACHEA		2	4

TILETAMINE, ZOLAZEPAM
PARENTERAL, CAT

Reviews 45	Treated 186	Reacted 76	Died 21
Sign		Number	Percent
BUN HI, BLD		2	4
CONGESTION, LUNG(S)		2	4
CYANOSIS, MUCOUS MEMBR		2	4
DISTRESS, RESP		2	4
HEAD BOBBING		2	4
HYPOTHERMIA, BODY		2	4
INEFFECT, SEDATION		2	4
MYDRIASIS		2	4
NYSTAGMUS		2	4
PR-LUNG(S), EDEMA		2	4
PR-LUNG(S), LESION(S)		2	4
TREMBLING		2	4
UNCONSCIOUS		2	4
ANESTH RECOV TURBULENT		1	2
ANOREXIA		1	2
ARRHYTHMIA		1	2
BLINDNESS, TEMP		1	2
BRADYCARDIA		1	2
CNS DISORDER		1	2
CONVULSION(S)		1	2
CREATININE HI, BLD		1	2
CYANOSIS		1	2
DEAFNESS, TEMP		1	2
DEMENTIA		1	2
DYSPNEA		1	2
FEVER, BODY		1	2
FROTH, NOSE		1	2
HEART FAILURE		1	2
HYPERSALIVATION		1	2
INEFFECT, ANALGESIA		1	2
INJ SITE PAIN		1	2
NERVOUSNESS		1	2
NEUROLOGICAL DISORDER		1	2
PARALYSIS, HIND LIMB(S)		1	2
PARESIS		1	2
PR-KIDNEY(S), LESION(S)		1	2
RADIOGRAPH(S) ABN		1	2
RECUMBENCY		1	2
REFLEX(ES) ABN		1	2
SGPT/ALT HI, BLD		1	2

TILETAMINE, ZOLAZEPAM
PARENTERAL, CAT

Reviews	Treated	Reacted	Died
45	186	76	21
Sign		Number	Percent
TWITCH		1	2

TILETAMINE, ZOLAZEPAM
PARENTERAL, DOG

Reviews	Treated	Reacted	Died
24	133	133	7
Sign		Number	Percent
DEATH		7	29
INEFFECT, ANESTHESIA		7	29
FEVER, BODY		5	21
ANESTH RECOV PROLONGED		4	17
APNEA		3	13
ANESTH RECOV TURBULENT		2	8
ARREST, HEART		2	8
ATAXIA		2	8
DIC		2	8
INEFFECT, SEDATION		2	8
POLYPNEA		2	8
ATROPHY, MUSCLE(S)		1	4
COLLAPSE		1	4
CONVULSION(S)		1	4
CYANOSIS		1	4
DYSPNEA		1	4
EDEMA, LUNG(S)/TRACHEA		1	4
HYPERSALIVATION		1	4
MYDRIASIS		1	4
PARESIS		1	4
PD-VIAL(S), ABN		1	4
PR-HEART, LESION(S)		1	4
PR-KIDNEY(S), LESION(S)		1	4
PR-LIVER, LESION(S)		1	4
RECUMBENCY		1	4
SOUND ABN, RESPIRATORY		1	4
TREMBLING		1	4
WEAKNESS		1	4

TILETAMINE, ZOLAZEPAM

TILETAMINE, ZOLAZEPAM
PARENTERAL, SHEEP

Reviews	Treated	Reacted	Died
1	10	10	0
Sign		Number	Percent
INEFFECT, ANESTHESIA		1	100

TILETAMINE, ZOLAZEPAM
PARENTERAL, VARIOUS

Reviews	Treated	Reacted	Died
3	15	11	0
Sign		Number	Percent
INEFFECT, ANESTHESIA		2	67
ANESTH RECOV PROLONGED		1	33
ANESTH RECOV TURBULENT		1	33
MYDRIASIS		1	33

TILETAMINE, ZOLAZEPAM
UNKNOWN, CAT

Reviews	Treated	Reacted	Died
6	14	14	2
Sign		Number	Percent
ATAXIA		2	33
DEATH		2	33
EDEMA, LUNG(S)/TRACHEA		2	33
NYSTAGMUS		2	33
ANESTH TOO DEEP		1	17
APNEA		1	17
BLINDNESS		1	17
BRADYCARDIA		1	17
FIBRILLATION, ATRIAL		1	17
FIBRILLATION, VENTRICU		1	17
INEFFECT, ANESTHESIA		1	17
NEUROLOGICAL DISORDER		1	17
REFLEX(ES) ABN		1	17

TILETAMINE, ZOLAZEPAM
UNKNOWN, DOG

Reviews	Treated	Reacted	Died
---------	---------	---------	------

TILETAMINE, ZOLAZEPAM
UNKNOWN, DOG

Reviews	Treated	Reacted	Died
5	109	49	1
Sign		Number	Percent
INEFFECT, ANESTHESIA		2	40
ANESTH RECOV TURBULENT		1	20
APNEA		1	20
BLOAT		1	20
DEATH		1	20

TILETAMINE, ZOLAZEPAM
UNKNOWN, HUMAN

Reviews	Treated	Reacted	Died
2	2	2	1
Sign		Number	Percent
DEATH		1	50
HUMAN EXPOSURE, INJ		1	50
HYPOESTHESIA		1	50
NAUSEA		1	50

TILETAMINE, ZOLAZEPAM
UNKNOWN, VARIOUS

Reviews	Treated	Reacted	Died
1	6	6	0
Sign		Number	Percent
INEFFECT, ANESTHESIA		1	100

TILETAMINE, ZOLAZEPAM
VARIOUS, CAT

Reviews	Treated	Reacted	Died
2	26	6	0
Sign		Number	Percent
ANESTH RECOV PROLONGED		1	50
DEPRESSION/LETHARGY		1	50
HEAD BOBBING		1	50
TWITCH		1	50
ULCER(S), TONGUE		1	50

TILETAMINE, ZOLAZEPAM
VARIOUS, VARIOUS

Reviews	Treated	Reacted	Died
1	6	6	0
Sign		Number	Percent
INEFFECT, SEDATION		1	100

TILMICOSIN
PARENTERAL, CATTLE

Reviews	Treated	Reacted	Died
18	386	181	22
Sign		Number	Percent
DEATH		14	78
COLLAPSE		8	44
DYSPNEA		7	39
RECUMBENCY		4	22
SHAKING		3	17
ANAPHYLAXIS/TOID		2	11
SWELLING, TONGUE		2	11
TREMBLING		2	11
CIRCLING		1	6
CONVULSION(S)		1	6
CYANOSIS		1	6
DEPRESSION/LETHARGY		1	6
FROTH		1	6
HYPERSALIVATION		1	6
INJ SITE STIFFNESS		1	6
INJ SITE SWELLING		1	6
LAMENESS		1	6
PROTRUSION, TONGUE		1	6
STAGGERING		1	6
TACHYCARDIA		1	6

TILMICOSIN
PARENTERAL, DEER

Reviews	Treated	Reacted	Died
1	2	2	2
Sign		Number	Percent
DEATH		1	100
DYSPNEA		1	100
NEUROLOGICAL DISORDER		1	100

TILMICOSIN
PARENTERAL, DEER

Reviews	Treated	Reacted	Died
1	2	2	2
Sign		Number	Percent
RECUMBENCY		1	100

TILMICOSIN
PARENTERAL, GOAT

Reviews	Treated	Reacted	Died
2	2	2	2
Sign		Number	Percent
DEATH		2	100

TILMICOSIN
PARENTERAL, HUMAN

Reviews	Treated	Reacted	Died
1	1	1	0
Sign		Number	Percent
DIZZINESS		1	100
DYSPNEA		1	100
INJ SITE SWELLING		1	100
TASTE ABNORMALITY		1	100

TILMICOSIN
PARENTERAL, RABBIT

Reviews	Treated	Reacted	Died
1	1	1	1
Sign		Number	Percent
DEATH		1	100
SHOCK		1	100

TILMICOSIN
UNKNOWN, GOAT

Reviews	Treated	Reacted	Died
2	5	5	5
Sign		Number	Percent

TILMICOSIN
UNKNOWN, GOAT

Reviews	Treated	Reacted	Died
2	5	5	5
Sign		Number	Percent
DEATH		2	100
RECUMBENCY		1	50

TILMICOSIN
UNKNOWN, HUMAN

Reviews	Treated	Reacted	Died
1	1	1	0
Sign		Number	Percent
INJ SITE PRURITIS		1	100
INJ SITE SWELLING		1	100

TRIAMCINOLONE
DEFECT, NOT APPLICABLE

Reviews	Treated	Reacted	Died
10	0	0	0
Sign		Number	Percent
PD-SOLUTION, ABN		7	70
PD-COLOR, ABN		1	10
PD-SUSPENSION, ABN		1	10
PD-UNDERFILL, VIAL(S)		1	10
PD-VIAL(S), DAMAGED		1	10

TRIAMCINOLONE
MISSING, DOG

Reviews	Treated	Reacted	Died
1	1	1	0
Sign		Number	Percent
ULCER(S), STOMACH		1	100

TRIAMCINOLONE
ORAL, DOG

Reviews	Treated	Reacted	Died
---------	---------	---------	------

TRIAMCINOLONE
ORAL, DOG

Reviews	Treated	Reacted	Died
1	1	1	0
Sign		Number	Percent
ULCER(S), STOMACH		1	100

TRIAMCINOLONE
PARENTERAL, DOG

Reviews	Treated	Reacted	Died
8	12	12	0
Sign		Number	Percent
VOMITING		5	63
ANAPHYLAXIS/TOID		3	38
URTICARIA		3	38
COLLAPSE		2	25
SWELLING, HEAD/FACE		2	25
CYANOSIS		1	13
DEPRESSION/LETHARGY		1	13
DIARRHEA		1	13
EDEMA		1	13
EDEMA, HEAD/FACE		1	13
EDEMA, LUNG(S)/TRACHEA		1	13
INEFFECT, ANTIINFLAM		1	13
SHOCK		1	13

TRIAMCINOLONE
UNKNOWN, DOG

Reviews	Treated	Reacted	Died
4	22	22	0
Sign		Number	Percent
INEFFECT, ANTIINFLAM		2	50
ANAPHYLAXIS/TOID		1	25
DEAFNESS		1	25
DEPRESSION/LETHARGY		1	25
PALLOR, MUCOUS MEMBRAN		1	25
WEAKNESS		1	25

TRIPLENNAMINE
PARENTERAL, DOG

TRIPLENNAMINE
PARENTERAL, DOG

Reviews	Treated	Reacted	Died
1	2	2	0
Sign		Number	Percent
NEUROLOGICAL DISORDER		1	100

TRIPLENNAMINE
PARENTERAL, HORSE

Reviews	Treated	Reacted	Died
6	6	6	0
Sign		Number	Percent
ABORTION		2	33
HYPERACTIVITY		2	33
INJ SITE SWELLING		2	33
DEATH(STILLBORN)		1	17
DISCHARGE, MAMMARY		1	17
UDDER, SWELLING		1	17

TRIPLENNAMINE
UNKNOWN, CATTLE

Reviews	Treated	Reacted	Died
1	20	8	3
Sign		Number	Percent
ANAPHYLAXIS/TOID		1	100
DEATH		1	100
DYSPNEA		1	100
EDEMA, LUNG(S)/TRACHEA		1	100

TYLOSIN
ORAL, BIRD

Reviews	Treated	Reacted	Died
1	1	1	0
Sign		Number	Percent
ATAXIA		1	100
NEUROLOGICAL DISORDER		1	100

TYLOSIN

TYLOSIN
ORAL, HUMAN

Reviews	Treated	Reacted	Died
1	2	2	0
Sign		Number	Percent
DIARRHEA		1	100

TYLOSIN
PARENTERAL, CATTLE

Reviews	Treated	Reacted	Died
1	440	15	0
Sign		Number	Percent
PAIN, JOINT(S)		1	100
SWELLING, JOINT(S)		1	100

TYLOSIN
PARENTERAL, HORSE

Reviews	Treated	Reacted	Died
1	1	1	0
Sign		Number	Percent
ANOREXIA		1	100
DEPRESSION/LETHARGY		1	100
PAIN, ABDOMEN		1	100

TYLOSIN
PARENTERAL, HUMAN

Reviews	Treated	Reacted	Died
1	1	1	0
Sign		Number	Percent
DYSPNEA		1	100
INJ SITE PAIN		1	100
IRRITATION, PHARYNX/TH		1	100
TASTE ABNORMALITY		1	100

TYLOSIN
PARENTERAL, PIG

Reviews	Treated	Reacted	Died
---------	---------	---------	------

TYLOSIN
PARENTERAL, PIG

Reviews	Treated	Reacted	Died
1	3	3	3
Sign		Number	Percent
CONVULSION(S)		1	100
DEATH		1	100
HYPOTHERMIA		1	100

TYLOSIN
TOPICAL, HUMAN

Reviews	Treated	Reacted	Died
1	1	1	0
Sign		Number	Percent
APPLICATION SITE PRURITIS		1	100
RASH		1	100

TYLOSIN
UNKNOWN, HUMAN

Reviews	Treated	Reacted	Died
1	1	1	0
Sign		Number	Percent
IRRITATION, EYE(S)/LID		1	100
IRRITATION, PHARYNX/TH		1	100
TASTE ABNORMALITY		1	100

TYLOSIN
VARIOUS, BIRD

Reviews	Treated	Reacted	Died
1	8	8	0
Sign		Number	Percent
RELUCTANT TO MOVE		1	100
STUPOR		1	100

VITAMIN A, VITAMIN D, VITAMIN E
MISSING, CATTLE

Reviews	Treated	Reacted	Died
---------	---------	---------	------

VITAMIN A, VITAMIN D, VITAMIN E
MISSING, CATTLE

Reviews	Treated	Reacted	Died
1	3	3	1
Sign		Number	Percent
DEATH		1	100

VITAMIN B12
PARENTERAL, CAT

Reviews	Treated	Reacted	Died
1	1	1	0
Sign		Number	Percent
PARESIS, HIND LIMB(S)		1	100

VITAMIN D
ORAL, DOG

Reviews	Treated	Reacted	Died
1	2	2	2
Sign		Number	Percent
BUN HI, BLD		1	100
CA HI, BLD		1	100
CREATININE HI, BLD		1	100
DEATH		1	100
VOMITING		1	100

XYLAZINE
DEFECT, NOT APPLICABLE

Reviews	Treated	Reacted	Died
2	0	0	0
Sign		Number	Percent
PD-COLOR, ABN		1	50
PD-PRODUCT DEFECT		1	50
PD-SOLUTION, ABN		1	50

XYLAZINE
MISSING, HORSE

Reviews	Treated	Reacted	Died
---------	---------	---------	------

XYLAZINE
MISSING, HORSE

Reviews	Treated	Reacted	Died
1	15	13	0
Sign		Number	Percent
ANESTH RECOV TURBULENT		1	100
INEFFECT, SEDATION		1	100

XYLAZINE
ORAL, HUMAN

Reviews	Treated	Reacted	Died
2	2	2	0
Sign		Number	Percent
IRRITATION, MOUTH/LIP(2	100
SOMNOLENCE		2	100

XYLAZINE
PARENTERAL, CAT

Reviews	Treated	Reacted	Died
1	12	12	0
Sign		Number	Percent
SEDATION PROLONGED		1	100
SEDATION TOO DEEP		1	100

XYLAZINE
PARENTERAL, CATTLE

Reviews	Treated	Reacted	Died
1	3	3	0
Sign		Number	Percent
INEFFECT, SEDATION		1	100

XYLAZINE
PARENTERAL, DOG

Reviews	Treated	Reacted	Died
1	2	2	0
Sign		Number	Percent
INEFFECT, SEDATION		1	100

XYLAZINE
PARENTERAL, HORSE

Reviews	Treated	Reacted	Died
13	108	79	0
Sign		Number	Percent
INEFFECT, SEDATION		9	69
ARRHYTHMIA, BLOCK		1	8
CONGESTION, MUCOUS MEM		1	8
DISCHARGE, NOSE		1	8
DYSPNEA		1	8
EDEMA, EYE(S)/LID(S)		1	8
EDEMA, HEAD/FACE		1	8
EDEMA, PREPUCE		1	8
HYPERACTIVITY		1	8
HYPERPNEA		1	8
INEFFECT, ANESTHESIA		1	8
SHAKING		1	8
SWEATING		1	8
TREMBLING		1	8
TWITCH		1	8

XYLAZINE
PARENTERAL, TIGER

Reviews	Treated	Reacted	Died
1	1	1	1
Sign		Number	Percent
APNEA		1	100
ARREST, HEART		1	100
DEATH		1	100

XYLAZINE
UNKNOWN, CAT

Reviews	Treated	Reacted	Died
1	2	2	2
Sign		Number	Percent
DEATH		1	100

XYLAZINE
UNKNOWN, HORSE

XYLAZINE
UNKNOWN, HORSE

Reviews	Treated	Reacted	Died
3	10	10	0
Sign		Number	Percent
COLLAPSE		1	33
CONVULSION(S)		1	33
INEFFECT, SEDATION		1	33
POLYPNEA		1	33
SHAKING		1	33
SWEATING		1	33

XYLAZINE
UNKNOWN, HUMAN

Reviews	Treated	Reacted	Died
1	1	1	0
Sign		Number	Percent
BRADYCARDIA		1	100

XYLAZINE
UNKNOWN, VARIOUS

Reviews	Treated	Reacted	Died
1	4	4	0
Sign		Number	Percent
INEFFECT, SEDATION		1	100

ZAFIRLUKAST
ORAL, CAT

Reviews	Treated	Reacted	Died
1	1	1	0
Sign		Number	Percent
LESION(S), SKIN		1	100
PR-SKIN, LESION(S)		1	100
SKIN, NECROSIS		1	100
